

CLT- Wandelementen

Diktes	Buitenste laag	Opbouw	Lamel dikte in mm						
			Q	L	Q	L	Q	L	
60 mm	haaks	3	20	20	20				
70 mm	haaks	3	20	30	20				
80 mm	haaks	3	30	20	30				
90 mm	haaks	3	30	30	30				
100 mm	haaks	3	30	40	30				
110 mm	haaks	3	40	30	40				
120 mm	haaks	3	40	40	40				
100 mm	haaks	5	20	20	20	20	20		
110 mm	haaks	5	20	20	30	20	20		
120 mm	haaks	5	30	20	20	20	30		
130 mm	haaks	5	30	20	30	20	30		
140 mm	haaks	5	30	20	40	20	30		
150 mm	haaks	5	30	30	30	30	30		
160 mm	haaks	5	40	20	40	20	40		

CLT- Plafond- & dakelementen

Diktes	Buitenste laag	Opbouw	Lamel dikte in mm						
			Q	L	Q	L	Q	L	
60 mm	langs	3	20	20	20				
70 mm	langs	3	20	30	20				
80 mm	langs	3	30	20	30				
90 mm	langs	3	30	30	30				
100 mm	langs	3	40	20	40				
110 mm	langs	3	40	30	40				
120 mm	langs	3	40	40	40				
100 mm	langs	5	20	20	20	20	20		
110 mm	langs	5	20	20	30	20	20		
120 mm	langs	5	30	20	20	20	30		
130 mm	langs	5	30	20	30	20	30		
140 mm	langs	5	40	20	20	20	40		
150 mm	langs	5	40	20	30	20	40		
160 mm	langs	5	40	20	40	20	40		
170 mm	langs	5	40	30	30	30	40		
180 mm	langs	5	40	30	40	30	40		
190 mm	langs	5	40	40	30	40	40		
200 mm	langs	5	40	40	40	40	40		
180 mm	langs	7	20	40	20	20	20	40	20
200 mm	langs	7	20	40	20	40	20	40	20
220 mm	langs	7	30	40	30	20	30	40	30
240 mm	langs	7	30	40	30	40	30	40	30



Oppervlaktelaag van de paneelrichting -> langs

Oppervlaktelaag van de paneelrichting -> haaks