



■ Add: No.86, Foshan (Yunfu) Industrial Transfer Industrial Park, Yunan District, Yunfu City, Guangdong Province, China
中国广东省云浮市云安区佛山（云浮）产业转移工业园 86 号
Tel: +86 136 0231 1830 / 139 2913 3943
Web: www.protentierpergola.com
Email: info@protentierpergola.com

■ 由于印刷关系，图片与产品实物存在一定色差，一切以实物为准



CATALOG
MANUAL

专业提供:

各种遮阳篷、欧式天幕、户外帐篷

Professionally provided:

All kinds of awnings, Pergolas,
European-style canopies, outdoor tents

Protentier Pergola & Awning Co., Limited

全新升级

New Upgrade

电动全盒遮阳篷

Motorized full cassette awning

铝合金框架| 电动遥控| 带灯手臂

Aluminum frame| electric remote control| Arm with light



全盒式设计，让布料和支撑臂在收进盒子里时得到更好的保护，突显骨架的线条和一体性。

曲臂可选配灯带，让黑夜的空间增加几分亮丽。

操作灵活方便，手摇或电动遥控可选。

采用西班牙CITEL进口布，色牢度达到10年。

适用于别墅，休闲会所，住宅等生活场所。

The full box design allows the fabric and support arms to be better protected when stowed in the box, highlighting the lines and unity of the skeleton.

Curved arm can be optional light band, so that the dark space to add a few bright.

Flexible and convenient operation, hand crank or electric remote control optional.

Using Spain CITEL imported cloth, color fastness to 10 years.

Suitable for villas, leisure clubs, residential and other living places.

产品尺寸规格表

Product size specification table

宽度(米) Width(m)	2	2.5	3	3.5	4	4.5	5	5.5	6
伸出(米) Extend(m)									
1.5	✓	✓	✓	✓	✓	✓	✓	✓	✓
2		✓	✓	✓	✓	✓	✓	✓	✓
2.5			✓	✓	✓	✓	✓	✓	✓
3				✓	✓	✓	✓	✓	✓



压铸安全架

Safety frame


承受可达500斤重以上
Withstand up to 500 pounds of weight or more

不锈钢链条连接

Stainless steel chain

铝合金曲臂关节
采用不锈钢耐磨链条
增加使用耐久性

Aluminum alloy curved arm joints with stainless steel wear-resistant chain to increase the use of durability



曲臂铸铁连接件

Connector

烤漆连接件
耐磨不生锈

Baked lacquer connection parts
wear-resistant and rust-free



罩盖装置

Cover device

有效保护结构和面料
隔绝各类污垢

Effectively protects structure and fabric from all types of dirt

时尚豪华外盖
三种选择

Fashionable luxury cover
three options



土豪灰
Luxury gray



高档木纹
High-grade wood grain



珍珠白
Pearl White



全新升级

New Upgrade

电动全盒遮阳篷

Motorized full cassette awning

铝合金框架| 电动遥控| 带灯手臂

Aluminum frame| electric remote control| Arm with light



全盒式设计，让布料和支撑臂在收进盒子里时得到更好的保护，突显骨架的线条和一体性。

曲臂可选配灯带，让黑夜的空间增加几分亮丽。

操作灵活方便，手摇或电动遥控可选。

采用西班牙CITEL进口布，色牢度达到10年。

适用于别墅，休闲会所，住宅等生活场所。

The full box design allows the fabric and support arms to be better protected when stowed in the box, highlighting the lines and unity of the skeleton.

Curved arm can be optional light band, so that the dark space to add a few bright.

Flexible and convenient operation, hand crank or electric remote control optional.

Using Spain CITEL imported cloth, color fastness to 10 years.

Suitable for villas, leisure clubs, residential and other living places.

产品尺寸规格表

Product size specification table

宽度(米) 伸出(米)	2	2.5	3	3.5	4	4.5	5	5.5	6
1.5	√	√	√	√	√	√	√	√	√
2		√	√	√	√	√	√	√	√
2.5			√	√	√	√	√	√	√
3				√	√	√	√	√	√
3.5					√	√	√	√	√
4						√	√	√	√



合金弹簧

Alloy spring

手臂内置弹簧采用合金钢材料
对比普通钢，合金钢具有强度高

The built-in spring of the arm
is made of alloy steel material,
which has high strength
compared to ordinary steel




合金压铸件

Alloy Die Castings

持久耐用，不易折断，质量保证
告别二次回收废料制作

Durable and durable,
not easily broken,
quality assurance bid farewell
to secondary recycling waste
production



光亮灯带

Bright light strip

夜里灯光氛围感满满，
更好感受夜的美

At night, the lighting atmosphere
is full of surround feeling,
better experiencing
the beauty of the night



内盒盖

The inner box cover

简洁美观，更能保护全盒内部

Simple and beautiful,
which can better protect
the inside of the entire box



手臂加粗加厚

Arm thickening

抗风性强，伸缩更有弹力，
使用寿命更长久，
伸缩更灵活

Strong wind resistance,
more elastic expansion and
contraction, longer service life,
and more flexible expansion
and contraction





调节方便

Easy to adjust

简单的调节方式，更好适合
各个安装场景


Simple adjustment method,
better suited for various
installation scenarios

全盒式遮阳篷 FULL CASSETE AWNING



全新设计 · 可伸出**4米**

New design can extend up to 4 meters



铝合金盒罩
有效保护面料

Aluminum alloy box cover
effectively protects the fabric

链条曲臂
抗风性强

Chain curved arm groove
has strong wind resistance

创新排水槽
不易积水

Innovative drainage that does
not easily accumulate water



全盒式遮阳篷 FULL CASSETE AWNING



坚固的垂臂内置弹簧时刻绷紧帆布
垂臂角度自由调节, 为你遮阳挡雨
可手动或电动遥控, 性能可靠
更可加装智能的风光雨感应器及电动自控装置

The firm fastening arm and the in-set spring stretch tightly the canvas every moment
the angle of the fastening arm can be regulated freely so that the awning can keep out sun and rain for you
There is manual and electric control. The capability is reliable performance
Moreover, you can install an intellectual device sensitive to wind, light, rain or remote control (optional)




Arm size: 1.5m/2m/2.5m/3m
Width: 2-6m
Arm material: Aluminium alloy (finishing: powder coating)

手臂尺寸 (m): 1.5/2/2.5/3
宽度 (m): 2-6
臂管材料: 铝合金 (表面烤漆)




5M大手臂遮阳篷

5M ARM AWNING



5m大手臂, 超大手臂, 长度5M-20M

Over size arm, length 5M-20M



坚固的垂臂内置弹簧时刻绷紧帆布
垂臂角度自由调节, 为你遮阳挡雨
可手动或电动遥控, 性能可靠
更可加装智能的风光雨感应器及电动自控装置

The firm fastening arm and the in-set spring stretch tightly the canvas every moment
the angle of the fastening arm can be regulated freely so that the awning can keep out sun and rain for you
There is manual and electric control. The capability is reliable performance
Moreover, you can install an intellectual device sensitive to wind, light, rain or remote control (optional)

伸出 stretch out	宽度 width	6	7	8	9	10
5		√	√	√	√	√



伸缩式遮阳篷系列 RETRACTABLE AWNING SERIES


Luxury awning
豪华式遮阳篷



- Arm size:1.5m/2m/2.5m/3m/3.5m/4m
 - Width:2-10m
 - Armmaterial:Aluminum alloy (fininshing:powder coating)
- 手臂尺寸(m) :1.5 / 2 / 2.5 / 3 / 3.5 / 4
- 宽度(m) :2-10
- 臂管材料:铝合金(表面烤漆)



Adjustable awning
自由调节型伸缩篷




- Arm size:1.5m/2m/2.5m/3m/3.5m/4m
 - Width:2-10m
 - Armmaterial:Aluminum alloy (fininshing:powder coating)
- 手臂尺寸(m) :1.5 / 2 / 2.5 / 3 / 3.5 / 4
- 宽度(m) :2-10
- 臂管材料:铝合金(表面烤漆)



伸缩式遮阳篷系列

RETRACTABLE AWNING SERIES




- Arm size:1.5m/2m/2.5m/3m/3.5m/4m
 - Width:2-10m
 - Armmaterial:Aluminum alloy (fininshing:powder coating)
- 手臂尺寸(m):1.5 / 2 / 2.5 / 3 / 3.5 / 4
 - 宽度(m):2-10
 - 臂管材料:铝合金(表面烤漆)





- Arm size:1.5m/2m/2.5m/3m
 - Width:2-10m
 - Armmaterial:Aluminum alloy (fininshing:powder coating)
- 手臂尺寸(m):1.5 / 2 / 2.5 / 3
 - 宽度(m):2-10
 - 臂管材料:铝合金(表面烤漆)



伸缩式遮阳篷系列 RETRACTABLE AWNING SERIES



- Arm size:1.5m/2m/2.5m/3m
- Width:2-10m
- Armmaterial:Aluminum alloy (fininshing:powder coating)
- 手臂尺寸 (m) :1.5 / 2 / 2.5 / 3
- 宽度 (m) :2-10
- 臂管材料:铝合金 (表面抗氧化)




- Arm size:1.5m/2m/2.5m/3m/3.5m/4m
- Width:2-10m
- Armmaterial:Aluminum alloy (fininshing:powder coating)
- 手臂尺寸 (m) :1.5 / 2 / 2.5 / 3 / 3.5 / 4
- 宽度 (m) :2-10
- 臂管材料:铝合金 (表面烤漆)



伸缩式遮阳篷系列

RETRACTABLE AWNING SERIES



- Arm size:1.5m/2m/2.5m/3m
- Width:2-10m
- Armmaterial:Aluminum alloy
(fininshing:powder coating)

- 手臂尺寸(m):1.5 / 2 / 2.5 / 3
- 宽度(m):2-10
- 臂管材料:铝合金(表面烤漆)



- Arm size:1.5m/2m/2.5m/3m
- Width:2-10m
- Armmaterial:Aluminum alloy
(fininshing:powder coating)

- 手臂尺寸(m):1.5 / 2 / 2.5 / 3
- 宽度(m):2-10
- 臂管材料:铝合金(表面烤漆)



伸缩式遮阳篷系列 RETRACTABLE AWNING SERIES



SWING ARM AWNING SERIES 摆臂式遮阳篷系列



- 手臂尺寸(m):0.8 / 1 / 1.2 / 1.5
- 宽度(m):1-3
- 臂管材料:铝合金(表面烤漆)
- Arm size:0.8m/1m/1.2m/1.5m
- Width:1-3m
- Armmaterial:Aluminum alloy (fininshing:powder coating)



法式遮阳篷系列 FRENCH AWNING SERIES




DIVERSITY OF FORMS
EASY TO INSTALL
TOUGH MATERIAL



Extension<1.5m
适用范围<1.5m



1  脚链 Connector joints	2  弯脚 Corner	3  叠级码 Permian-level code	4  U型叉 U-shape connector	5  定位码 Locate bracket	6  T型叉 T-shape connector	7  法式安装码 Install code
8  吊轮 Ceily wheel	9  扁管 Flat bar	10  面胶 Outside plasticcover(greend)	11  面胶 Outside plasticcover(red)	12  面胶 Outside plasticcover(white)	13  底胶 Inner plastic cover	14  拉绳 Rope




63mm管

63mm round pipe




63mm宽槽管

63mm wide groove tube



70mm管

70mm round pipe



78mm管

78mm round pipe



C级机头

Normal Gear box



1:7机头

1:7 Gear box




1:11机头

1:11 Gear box



1:16机头

1:16 Gear box




80mm管

80mm round pipe




78mm铁管

78mm steel round pipe



70mm铁管

70mm steel round pipe



63mm铁管

63mm steel round pipe



5M大手臂中托

Big Center support
(for 5M arm)



A级中托

Center support (A)




B级中托

Center support (B)




C级中托

Center support (C)



新前管

Front pipe(A)



摆臂前管

B004 Front pipe



XL前管

XL Front pipe




MO前管

MO front pipe




63mm方圆头

63mm bush of roller
tube support




70mm方圆头

70mm bush of roller
tube support




78mm方圆头

78mm bush of roller
tube support




80mm方圆头

80mm bush of roller
tube support



扁管

Flat bar



方管

square pipe(1.5mm and 1.8mm)



小前管

Front pipe(B)



70mm铝合金
方圆头

70mm Aluminium bush of
roller tube support



78mm铝合金
方圆头

78mm Aluminium bush of
roller tube support




铝合金安装板

Aluminium side bracket



安装板

Side bracket

							
挡雨板两边封盖 Rain plate cover	挡雨板支承架 Rain plate support	挡雨板 Rain plate	安装码 Big side bracket	A003手臂 A003 Arm	A003A手臂 A003A Arm	小B级手臂 A003B Arm	A004A手臂 A004A Arm
							
铝吊码 Mount wall bracket	铝合金墙码 wall bracket	A级边码 Roller tube support (A)	B级边码 Roller tube support (B)	A007全盒式手臂 A007 Arm	钢链手臂 A001 chain Arm	A001带灯手臂 A001 Arm with light	A007全盒式带灯手臂 A007 Arm with light
							
A级边码封盖 Roller tube support cover(A)	B级边码封盖 Roller tube support cover(B)	XL前管封盖 XL Front pipe cover	方管封盖 Square pipe cover	A007H全盒带灯手臂 A007H Arm with light	摇手 Hand crank		
							
旧前管封盖 Front pipe cover(B)	新前管封盖 Front pipe cover(A)	A001手臂 A001 Arm	A002美式手臂 A002 Arm				

国产管状电机控制系统
TUBULAR MOTOR CONTROL AWNINGS



电机
Motor

管状电机技术参数 Technical parameters of tubular motor					
型号 Type	DM45RD-50/12	DM45S-50/12	DM59S-80/15	DM59S-100/9	DM59S-120/9
额定扭矩 Rate Torque (N.m)	50	50	80	100	120
输出转速 Rated speed(RPM)	12	12	15	9	9
电机外壳直径 Tube Diameter(mm)	45	45	59	59	59
额定电压 Rated (V)	230	230	230	230	230
额定频率 Rated Frequency(Hz)	50	50	50	50	50
额定功率 Rated Power(W)	205	205	330	340	350
额定电流 Rated Current(A)	0.89	0.89	1.43	1.52	1.56
连续工作时间 Running Time (Min)	4	4	4	4	4
保护等级 Degree of protection(IP)	IP44	IP44	IP44	IP44	IP44
最大限位函数 Max Number of Turns (Turn)	22	22	22	22	22
产品长度 L1/L2(mm)	637/619	537/519	599/584	599/584	599/584

遮阳篷电机控制



无线接收器
wireless receiver



电机
Motor



转轮
rotating wheel



控制方式
control mode

- 遥控控制
Remote control
- 开关控制
Switch control
- APP控制
APP control
- 语音控制
Voice control
-



风光感应器
Wind-sun sensor



太阳能风光感应器
Solar Wind Sensor



振动感应器
Vibration sensor

1、有线控制

通过面板上的“向上”、“向下”和“停止”按钮轻松的控制遮阳篷的运行。可实现一个遮阳篷的控制(单控),也可通过组控器实现多个遮阳篷控制(组控)。

1. Wire control

The awning is controlled conveniently by buttons of"up" ,"down" and"stop"on the control board. The awning can be controlled individually(single control),or in group(group control)by group controller.

2、无线遥控

无线点发射器可以非常方便的遥控整个遮阳篷,也可以设定控制整组遮阳篷。

2. Remote control

The wireless transmitter can control conveniently individual awning,or a group of awnings at same time.

3、风、光控制

这是一种自动感应控制器。可根据阳光或风速传感器的信号发出“向上”或“向下”的命令。

3. Wind and light controller

It is an auto-induction controller and can generate the orders of"up" and"down" according to the signal from the sunlight sensor or wind speed sensor.

西班牙进口布料 SPAIN FABRIC



DOCIL 1



DOCIL 2



DOCIL 3



DOCIL 4



DOCIL 5



DOCIL 6



DOCIL 7



DOCIL 35



DOCIL 38



DOCIL 39



DOCIL 60



DOCIL 63



DOCIL 64



DOCIL 67



DOCIL 72



DOCIL 74



DOCIL 84



DOCIL 85



DOCIL 98



DOCIL 11



DOCIL 12



DOCIL 13




DOCIL 18



DOCIL 28



DOCIL 141



DOCIL 167



DOCIL 170



DOCIL 171



DOCIL 172



DOCIL 301



DOCIL 336



DOCIL 364



DOCIL 372



DOCIL 373



DOCIL 506



DOCIL 521



DOCIL 525



DOCIL 527

布料

FABRIC



DC-001



DC-002



DC-003



DC-004



DC-005



DC-006



DC-007



DC-008



DC-009



DC-010



DC-011



DC-012



DC-013



DC-014



DC-015



DC-016



DC-017



DC-018




DC-019




DC-020



DC-021




DC-022




DC-023



DC-024



DC-025



DC-026



DC-027




DC-028




DC-029



DC-030




DC-031



DC-032



DC-033



DC-034