


Severe sepsis treatment guidelines



I'm not robot



[Continue](#)

1.Angus DC, Linde-Tswibble WT, Lidicker J, Clermont G, Carcillo J, Pinsky MR: Epidemiology of severe sepsis in the United States: morbidity analysis, outcome, and related treatment costs. *Crete Care Med.* 2001, 29: 1303-1310. 10.1097/00003246-2001070002.CAS PubMed Google Scholar 2.Martin GS, Mannino DM, Eaton S, Moss M: Epidemiology of Sepsis in the U.S. from 1979 to 2000. *N Engl J Med.* 2003, 348: 1546-1554. 10.1056/NEJMoa02139.PubMed Google Scholar 3.Strehlow MC, Emond SD, Shapiro NI, Pelletier AJ, Camargo CA: National Study of Emergency Room Visits for Sepsis, 1992-2001. *Ann Emerg Med.* 2006, 48: 326-331. 10.1016/j.annemergmed.2006.05.003.PubMed Google Scholar 4.De RP, Carlet JM, Mazur H, Gerlach H, Calandra T, Cohen J, Hea-Banacloche J, Keh D, Marshall JC, Parker MM, Surviving Sepsis Campaign Guidelines Committee, et al: Survival Sepsis Campaign Guidelines for Managing Severe Sepsis and Septic Shock. *Crete Care Med.* 2004, 32: 858-873. 10.1097/01.CCM.0000117317.18092.E4.PubMed Google Scholar 5.Bone RC: Sepsis, Sepsis Syndrome, Multiorgan Failure: Call for Comparable Definitions. *Anne Intern Med.* 1991, 114: 332-333.CAS PubMed Google Scholar 6.Alberti C, Brun-Buisson C, Chevret S, Antonelli M, Goodman S.V., Martin C, Moreno R, Ochagavia AR, Palazzo M, Verdán K, European Sepsis Research Group, et al: Systemic inflammatory response and progression of severe sepsis in severe patients. *Am J Respir Crit Care Med.* 2005, 171: 461-468. 10.1164/rccm.200403-324OC.PubMed Google Scholar 7.Dremsizov T, Clermont G, Kellum JA, Kalassian KG, Fine MJ, Angus DC: Severe sepsis in community pneumonia: when does this happen, and the systemic criteria of inflammatory response syndrome help predict the course?. *Breast.* 2006, 129: 968-978. 10.1378/chest.129.4.968.PubMed Google Scholar 8.Shapiro NI, Wolfe RE, Moore RB, Smith E, Burdick E, Bates DW: Mortality in the Sepsis Emergency Department (MEDS) Assessment: a promisingly derived and proven rule of clinical prediction. *Crete Care Med.* 2003, 31: 670-675. 10.1097/01.CCM.00000054867.01688.D1.PubMed Google Scholar 9.Shapiro NI, Howell MD, Talmor D, Donnino M, Ngo L, Bates DW: Mortality in the Sepsis Emergency Department (MEDS) score predicts 1-year mortality. *Crete Care Med.* 2007, 35: 192-198. 10.1097/01.CCM.0000251508.12555.3E.PubMed Google Scholar 10.Carlet J: Early purpose of directed septic shock therapy in resuscitation: who can honestly remain skeptical?. *Crete Care Med.* 2006, 34: 2842-2843. 10.1097/01.CCM.0000242911.79783.66.PubMed Google Scholar 11.Fine MJ, Auble TE, Yealy DM, Hanusa BH, Weissfeld LA, Singer DE, Coley CM, Marrie TJ, Kapoor WN: The rule of forecasting for identifying patients with low risk of community pneumonia. *N Engl J Med.* 1997, 336: 243-250. 10.1056/NEJM199701233360402. CAS PubMed Google Scholar 12.Renaud B, Coma E, Labarere J, Hayon J, Roy PM, Boureaux H, Moritz F, Cibien JF, Guerin T, Carre E, Pneumococ Study Investigators, et al: Regular use of the Pneumonia Gravity Index to guide the treatment of patients with pneumonia in the emergency department: Wedge Infect Dis. 2007, 44: 41-49. 10.1086/509331.PubMed Google Scholar 13.Carratala J, Fernandez-Sabe N, Ortega L, Castellsgague X, Roson B, Dorca J, Fernandez-Aguera A, Verdaguier R, Martinez J, Manresa F, et al: Outpatient treatment compared to hospitalization for community pneumonia: randomized study of low-risk patients. *Anne Intern Med.* 2005, 142: 165-172.PubMed Google Scholar 14.Aujesky D, Stone RA, DS, Yealy DM, Auble TE, Meehan TP, Graff LG, Fine JM, Fine MJ: The use of randomized controlled trial data, the agreement between retrospectively and prospectively collected data, incorporating the severity of pneumonia was substantial. *J Wedge Epidemic.* 2005, 58: 357-363. 10.1016/j.jclinepi.2004.08.011.PubMed Google Scholar 15.Aujesky D, Auble TE, Yealy DM, Stone RA, Obrosky DS, Meehan TP, Graff LG, Fine JM, Fine: A Prospective comparison of three proven prediction rules in community pneumonia. *Am J Med.* 2005, 118: 384-392. 10.1016/j.amjmed.2005.01.006.PubMed Google Scholar 16.Cady LD, Weil MH, Affii AA, Michaels SF, VY Liu, Shubin H: The quantitative severity of critical illness with a special reference to blood lactate. *Crete Care Med.* 1973, 1: 75-80. 10.1097/00003246-1973030003.PubMed Google Scholar 17.Bone RC, Balk RA, Cerra FB, Dellinger RP, Fein AM, Knaus WA, Schein RM, Sibbald WJ: Definitions of sepsis and organ failure and guidelines for the use of innovative sepsis treatments. ACCP/SCCM Consensus Conference Committee. American College of Chest Physicians /Society of Critical Care Medicine. *Breast.* 1992, 101: 1644-1655. 10.1378/chest.101.6.1644.CAS PubMed Google Scholar 18.Shapiro NI, Howell MD, Talmor D, Nathanson LA, Lisbon A, Wolfe RE, Weiss JW: Whey lactate as a predictor of mortality in emergency room patients with infection. *Ann Emerg Med.* 2005, 45: 524-528. 10.1016/j.annemergmed.2004.12.006.PubMed Google Scholar 19.Nguyen HB, Rivers EP, Knoblich BP, Jacobsen G, Muzzin A, Ressler JA, Tomlanovich MC: Early lactate design is associated with improved outcome with severe sepsis and septic shock. *Crete Care Med.* 2004, 32: 1637-1642. 10.1097/01.CCM.0000132904.35713.A7.PubMed Google Scholar 20.Trzeciak S, Dellinger RP, Chansky ME, Arnold RC, Schorr C, Milcarek B, Hollenberg SM, Parrillo JE: Lactate Serum as a predictor of mortality in patients with infection. *Intensive medical care.* 2007, 33: 1892-1899. 10.1007/s00134-007-0680-5. PubMed Google Scholar 22.Simon L, Gauvin F, Amre DK, Saint-Louis P, Lacroix J: Serum procalcitonin levels and C-reactive protein as markers of bacterial infection: systematic review and meta-analysis. *Am J Respir Crit Care Med.* 2001, 164: 396-402.CAS PubMed Google Scholar 24.Hausfater P, Garric S, Ayeed SB, Rosenheim M, Bernard M, Riou B: The usefulness of procalcitonin as a marker of systemic infection in emergency room patients: a prospective study. *Wedge Infect Dis.* 2002, 34: 895-901. 10.1086/375057.PubMed Google Scholar 25.Houck PM, Bratzler DW, Nsa W, Ma A, Bartlett JG: Timing of antibiotic administration and outcomes for Medicare patients hospitalized with community pneumonia. *Arch Intern Med.* 2004, 164: 637-644. 10.1001/archinte.164.637.PubMed Google Scholar 26.Metersky ML, Sweeney TA, Getzow MB, Siddiqui F, Nsa W, Bratzler DW: Antibiotic timing and diagnostic uncertainty in Medicare patients with pneumonia: is it reasonable to expect all patients to receive antibiotics within 4 hours?. *Breast.* 2006, 130: 16-21. 10.1378/chest.130.1.16.PubMed Google Scholar 27.Proulx N, Frechette D, Tuye B, Chan J, Kravcic S: Delays in antibiotic use are associated with mortality from adult acute bacterial meningitis. *SJM.* 2005, 98: 291-298. 10.1093/qjmed/hci047. CAS PubMed Google Scholar 28.fregui M, Ward S, Sherman G, Fraser VJ, Kollif MH: Clinical importance of delays in initiating appropriate antibiotic treatment for pneumonia associated with a ventilator. *Breast.* 2002, 122: 262-268. 10.1378/chest.122.1.262.PubMed Google Scholar 29.Mathevon T, Souweine B, Traore O, Aublet B, Caillaud D: ICU-acquired nosocomial infection: Effect of delay of adequate antibiotic treatment. *Scand J Infect Dis.* 2002, 34: 831-835. 10.1080/0000143118.41100.14.CAS PubMed Google Scholar 30.Miner JR, Heegaard W, Mapes A, Biros M: Presentation, Antibiotic Time and Mortality of Patients with Bacterial Meningitis at the City Medical Center of the District. *J Emerg Med.* 2001, 21: 387-392. 10.1016/S0736-4679 (01)00407-3.CAS PubMed Google Scholar 31.Kang CI, Kim SH, Kim GB, Park SW, Choe YJ, Oh MD, Kim EC, Choe KW: Pseudomonas aeruginosa Bacteremia: Risk Factors for Mortality and The Impact of Delaying Effective Antimicrobial Therapy Clinically Exodus. *Wedge Infect Dis.* 2003, 37: 745-751. 10.1086/377200.PubMed Google Scholar 32.Lodise Makhinnon PS, PS, L, Ryback MJ: Results of the analysis of delayed antibiotic treatment for hospitalized acquired Staphylococcus aureus bacteria. *Wedge Infect Dis.* 2003, 36: 1418-1423. 10.1086/375057.PubMed Google Scholar 33.Larche J, Azoulay E, Fleux F, Mesnard L, Moreau D, Thierry G, Darmon M, Le Gall JR, Schlemmer B: Improving the survival of seriously ill patients with septic shock. *Intensive medical care.* 2003, 29: 1688-1695. 10.1007/s00134-003-1957-y. PubMed Google Scholar 34.Kumar A, Roberts D, Wood KE, Light B, Parrillo JE, Sharma S, Suppes R, Feinstein D, zanotti S, Taiberg L, etc.: The duration of hypotension before the onset of effective antimicrobial therapy is a critical survival factor for human septic shock. *Crete Care Med.* 2006, 34: 1589-1596. 10.1097/01.CCM.0000217961.75225.E9.PubMed Google Scholar 35.Bochud PY, Bonten M, Marchetti O, Calandra T: Antimicrobial therapy for patients with severe sepsis and septic shock: evidence check. *Crete Care Med.* 2004, 32: S451-S454. 10.1097/01.CCM.0000142984.44321.A4.PubMed Google Scholar 36.Girard TD, Opal SM, Ely EW: Research on severe sepsis in elderly patients: from epidemiology to scientifically based management. *Wedge Infect Dis.* 2005, 40: 719-727. 10.1086/427876.PubMed Google Scholar 37.Groeneveld ABJ, Thijs LG: Diagnosis: from clinical signs to hemodynamic evaluation. *Septic shock.* Edited by: Dhainaut JF, Thijs LG, Park G. 2000, London, United Kingdom: WB Saunders, 355-386. Google Scholar 38.Weinstein MP, Towns ML, Kwartey SM, Mirrett S, Reimer LG, Parmigiani G, Reller LB: Clinical Value of Positive Blood Cultures in the 1990s: a prospective comprehensive assessment of microbiology, epidemiology and results of bacteriology and lungi in adults. *Clin Infect Dis.* 1997, 24: 584-602.CAS PubMed Google Scholar 39.Mortensen EM, Restrepo MI, Anzueto A, Pugh JA: Antibiotic therapy and 48-hour mortality for patients with pneumonia. *Am J Med.* 2006, 119: 859-864. 10.1016/j.amjmed.2006.04.017.CAS PubMed Google Scholar 40.Butler JC, Bosshardt SC, Pheilan M, Moroney SM, Tondella ML, Farley MM, Schuchat A, Fields BS: A classic and hidden assessment of the chain reaction of polymerase sputum and urine antigen to diagnose pneumococcal pneumonia in adults. *J Infect Dis.* 2003, 187: 1416-1423. 10.1086/374623.PubMed Google Scholar 41.Kistler A, Avila PC, Rouskin S, Wang D, Ward T, Yaqi S, Schnurr D, Ganem D, DeRisi JL, Boushey HA: Parvivirus screening of respiratory infections in adults with and without asthma shows unexpected human coronavirus and rhinovirus. *J Infect Dis.* 2007, 196: 817-825. 10.1086/520816.CAS PubMed Google Scholar 42.Vincent JL, Gerlach H: Fluid resuscitation for severe sepsis and septic shock: evidence check. *Crete Care Med.* 2004, 32: S451-S454. 10.1097/01.CCM.0000142984.44321.A4.PubMed Google Scholar Injury Group Albumin Reviewers: Human albumin administration in critically ill patients: a systematic review of randomized controlled trials. *BMJ.* 1998, 31: 235-240. Google Scholar 44.Finfer S, Bellomo R, Boyce N, French J, Myburgh J, Norton R, SAFE Study Investigators: Comparison of albumin and saline solution for fluid resuscitation in the intensive care unit. *N Engl J Med.* 2004, 350: 2247-2256. 10.1056/NEJMoa040232.CAS PubMed Google Scholar 45.Guidet B, Mosqueda GJ, Priol G, Aegerter P, COASST study: albumin profitability for severe sepsis and septic shock. *J Crete Care.* 2007, 22: 197-203. 10.1016/j.jccr.2006.11.005.PubMed Google Scholar 46.Hebert PC, Wells G, Blajchman MA, Marshall J, Martin C, Pagliarello G, Tweeddale M, Schweitzer L, Yetisir E: multicenter, randomized, controlled clinical trial of blood transfusion requirements in critical care. Requirements for blood transfusion in critical studies. Canadian Critical Care Trials Group. *N Engl J Med.* 1999, 340: 409-417. 10.1056/NEJM199902113400601. CAS PubMed Google Scholar 47.Sillman CC, Ambruso DR, Boshkov LK: Transfusion-related acute lung injury. *Blood.* 2005, 105: 2266-2273. 10.1182/blood-2004-07-2929. CAS PubMed Google Scholar 48.Rivers E, Nguyen B, Havstad S, Ressler J, Muzzin A, Knoblich B, Peterson E, Tomlanovich M, Early Goal-Directed Therapy Collaborative Group: Early purpose-directed therapy in the treatment of severe sepsis and septic shock. *N Engl J Med.* 2001, 345: 1368-1377. 10.1056/NEJMoa010307.CAS PubMed Google Scholar 49.Alderson P, Schierhout G, Roberts I, Bunn F: Colloids vs. crystalloids for fluid resuscitation in seriously ill patients. *Cochrane Database Syst Rev.* 2004, 4: CD000567-PubMed Google Scholar 50.Schierhout G, Roberts I: Liquid Resuscitation with Colloidal or Crystalloid Solutions in Seriously Ill Patients: a systematic review of randomized trials. *BMJ.* 1998, 316: 961-964.PubMed Google Scholar 51.Schortgen F, Lacherade JC, Bruneel F, Cattaneo I, Hemery F, Lemaire F, Brochard L: Effect of hydroxyethylstarch and gelatin on kidney function in severe sepsis: multicenter randomized study. *Lancet.* 2001, 357: 911-916. 10.1016/S0140-6736 (00)04211-2.CAS PubMed Google Scholar 52.Reinhart K, Bloos F, Engel C, on behalf of the German Sepsis Competencies Network: Hydroxyethyl starch and Lactate Ringer for fluid resuscitation in patients with severe sepsis: results of the VISEP study abstract 0818. *Intens Care Med.* 2006, S1: 213- Google Scholar 53.Sander R, Boldt J, Engelmann L, Mertzluff F, Sirl C, Stuttmann R: Design visEP court. Critical assessment (in German). *Anesthesia.* 2007, 56: 71-77. 10.1007/s00101-006-1122-4. CAS PubMed Google Scholar 54.Beal RB, Hallenberg SM, Vincent JL, Parrillo JE: Vasopressor and Inotropic in septic shock: an overview based on evidence. *Crete Care Med.* 2005, 33: 1294-2201. 10.1097/01.CCM.0000182798.39709.84.PubMed Google Scholar 59.Annane D, Vignon P, Renaud A, Bollaert PE, Charpentier C, Martin C, Troche G, Ricard JD, Nitenberg G, Papazian L, CATS Study Group, etc.: Norepinephrine plus dobutamine vs. epinephrine only to manage septic shock: randomized study. *Lancet.* 2007, 370: 676-684. 10.1016/S0140-6736 (07)61344-0.CAS PubMed Google Scholar 60.Delmas A, Leone M, Russo S, Albanese J, Martin C: Vasopressin and Terlipressin with septicom shock. *Crete Care Med.* 1995, 23: 1962-1970. 10.1097/00003246-199512000-00004.CAS PubMed Google Scholar 56.Jakob SM, Ruokonen E, Takala J: Effect of dopamine on systemic and regional blood flow and metabolism in patients with septic and cardiac surgery. *Shock.* 2002, 18: 8-13. 10.1097/00024382-200207002.PubMed Google Scholar 62.Sebat F, Johnson D, Musthafa AA, Watnik M, Moore S, Henry K, Saari M: a multidisciplinary community hospital program for early and rapid shock resuscitation in patients with trauma. *Breast.* 2005, 127: 1729-1743. 10.1378/chest.127.5.1729.PubMed Google Scholar 63.Task Force American College of Critical Care Medicine, Critical Care Medicine Society: Practice Settings for hemodynamic sepsis support in adult patients with sepsis. *Crete Care Med.* 1999, 27: 639-660. 10.1097/00003246-199903000-00049. Google Scholar 64.Nguyen HB, Corbett SW, Clark RT, Cho T, Wittlake WA: Improving the uniformity of care with sepsis bundle in the emergency department. *Ann Emerg Med.* 2005, 46: S83-10.1016/j.annemergmed.2005.06.308. Google Scholar 65.Gaieski D, McCoy J, Sezerson E, Chase M, Goyal M: Mortality Benefits After Implementing An Early Purpose Directed Therapy Protocol for The Treatment of Severe Sepsis and Septic Shock. *Ann Emerg Med.* 2005, 46: S4-10.1016/j.annemergmed.2005.06.020. Google Scholar 66.Vercelles A, RM, Birnbaum P, Mannam P, Patrick H: S.E.P.S.I.S: Sepsis Education plus successful implementation and resilience in the absence of a rapid response team abstract. *Breast.* 2005, 128: S181-S182. Google Scholar 67.Gao F, Melody T, Daniels DF, Giles S, Fox S: Effect of compliance with 6-hour and 24-hour sepsis on hospital mortality in patients with severe sepsis: a prospective observational study. *Crete Care.* 2005, 9: R764-R770. 10.1186/cc3909. PubMed Central PubMed Google Scholar 68.Kortgen A, Niederprum P, Bauer M: Introduction of evidence-based standard operating procedure and results in septic shock. *Crete Care Med.* 2006, 34: 943-949. 10.1097/01.CCM.0000206112.32673.D4.PubMed Google Scholar 69.Armstrong R, Salfen SJ: Results of the introduction of a rapid response team approach in the treatment of shock in a community hospital - Materials from the 43rd Annual Meeting of the American Society of Infectious Diseases; October 6-9, 2005; San Francisco, California. 2005, Arlington, Va.: Society of Infectious Diseases of America, 154- Google Scholar 70.Micek ST, Roubinian N, Heuring

T, Bode M, Williams J, Harrison C, Murphy T, Prentice D, Ruoff BE, Kollef MH: Prior to the study of a standardized hospital order set for septic control. *Crete Care Med.* 2006, 34: 2707-2713. 10.1097/01.CCM.0000241151.25426.D7.PubMed Google Scholar 71. Rogove H, Pyle K: Collaboration to create a surviving sepsis campaign in a community hospital abstract. *Crete Care Med.* 2005, 33 (suppl): 110S-10.1097/00003246-200512002-00107. Google Scholar 72. Stenstrom R, Hollohan K, Nebre R, MacRedmond R, Grafstein E, Dodek P, Innes G, Hunte G, Harris D, Westman J, etc.: Effect of the sepsis protocol to treat patients with severe sepsis and septic shock in the emergency department. *Maybe J Emerg Med.* 2006, 8: S16- Google Scholar 73. Otero RM, Nguyen HB, Juan DT, Gaieski DF, Goyal M, Gunnerson KJ, Trzeciak S, Sherwin R, Holt CV, Haus, Osborne T, et al: Early purpose directed therapy in severe sepsis and septic shock again: concepts, controversies and modern conclusions. *Breast.* 2006, 130: 1579-1595. 10.1378/chest.130.5.1579.PubMed Google Scholar 74. Yu DT, Black E, Sands KE, Schwartz JS, Hibberd PL, Graman PS, Lanken PN, Kahn KL, Snydman DR, Parsonnet J, Academic Medical Center Consortium Sepsis Project Working Group, etc. *Crete Care.* 2003, 7: R24-R34. 10.1186/cc2171. PubMed Central PubMed Google Scholar 75. Angus DC, Shorr AF, White A, Dremsizov TT, Schmitz RJ, Kelley MA, Committee on Human Resources for Lung and Critical Care Societies (COMPACCS): Critical Care in the U.S.: Distribution of services and compliance with Leapfrog recommendations. *Crete Care Med.* 2006, 34: 1016-1024. Google Scholar 76. McCaig LF, Bert CW: National Hospital Outpatient Medical Examination: 2001 Emergency Department summary. *Data Adv.* 2003, 335: 1-29. PubMed Google Scholar 77. Trzeciak S, Rivers EP: Emergency Department Overcrowding in the United States: A New Threat to Patient Safety and Public Health. *Emerg Med J.* 2003, 20: 402-405. 10.1136/emj.20.5.402. PubMed Central CAS PubMed Google Scholar 78. Kellermann AL: Crisis in the emergency department. *N Engl J Med.* 2006, 355: 1300-1303. 10.1056/NEJMp068194. CAS PubMed Google Scholar 79. De Miguel-Yanes JM, Andueza-Lillo JA, Gonzalez-Ramallo VJ, Pastor L, Munoz J: Failure to follow evidence-based clinical recommendations on sepsis in ED. *Am J Emerg Med.* 2006, 24: 553-559. 10.1016/j.ajem.2006.01.012. PubMed Google Scholar 80. Levy MM, Pronovost PJ, Dellinger RP, Townsend S, Resar RK, Clemmer TP, Ramsay G: Sepsis change bundles: converting guidelines into meaningful changes in behavior and clinal argument result. *Crete Care Med.* 2004, 32: S595-S597. 10.1097/01.CCM.0000147016.53607.C4. PubMed Google Scholar 81. Trzeciak S, Dellinger RP, Abate NL, Cowan RM, Stauss M, Kilgannon JH, Sanotti S, Parrillo JE: Transfer of Research to Clinical Practice: 1-Year Experience in Implementing Early Purpose Targeted Septic Therapy in the Emergency Department. *Breast.* 2006, 129: 225-232. 10.1378/chest.129.2.225. PubMed Google Scholar 82. Beale R: Success with sepsis bundles: going for gold. *Materials of the 19th Annual Congress of the European Society of Intensive Care Medicine; September 24-27, 2006; Barcelona, Spain.* 2006. Brussels, Belgium: European Society of Intensive Medicine Google Scholar 83. Dhainaut JF, Schlemmer B, Monsallier JF, Huyghebaert MF, Brunet F, Villemant D, Carly A: Oxygen consumption during septic shock. *Effects of inotropic drugs.* *Arch Int Physiol Biochem.* 1984, 92: S57-S64. 10.3109/13813458409071163. CAS PubMed Google Scholar 84. Michard F, Teboul JL: Prediction of fluid response in ICU patients: critical evidence analysis. *Breast.* 2002, 121: 2000-2008. 10.1378/chest.121.6.2000. PubMed Google Scholar 85. Rivers EP, Kruse JA, Jacobsen G, Shah K, Loomba M, Otero R, Childs EW: Effect of early hemodynamic optimization on biomarker models of severe sepsis and septic shock. *Crete Care Med.* 2007, 35: 2016-2024. 10.1097/01.CCM.0000281637.08984.6E. PubMed Google Scholar 86. Sevransky JE, Nour S, Susla GM, Needham DM, Hollenberg S, Pronovost P: Hemodynamic Healing in Randomized Clinical Trials in Patients With Sepsis: Systematic Literature Review. *Crete Care.* 2007, 11: R67-10.1186/cc5948. PubMed Central PubMed Google Scholar 87. Siegler EJ, McCutchan JA, Fierer J, Glauser MP, Sadoff JC, Douglas H, Braude AI: Treatment of gram-negative bacteria and shock with human antisera mutant *Escherichia coli*. *N Engle J 307: 1225-1230.* CAS PubMed Google Scholar 88. Fisher CJ, Slotman GJ, Opal SM, Pribble JP, Bone RC, Emmanuel G, Ng D, Bledow DC, Catalano MA, IL-1RA Sepsis Syndrome Study Group: Первоначальная оценка человеческого рекомбинантного интерлейкина-1 антагониста рецепторов в лечении сепсисового синдрома: рандомизированное, открытое метка, плацебо-контролируемое многоцентровое испытание. *Крит Уход Med.* 1994, 22: 12-21. 10.1097/00003246-199404000-00008. PubMed Google Scholar 89. Reinhart K, Menges T, Gardlund B, Харм Цейлинг J, Смитс М, Винсент JL, Телладо JM, Сальгадо-Ремиджио А, Зимлихман R, Withington S, и др.: Рандомизированное, плацебо-контролируемое испытание антиопухоленного некроза фактор антитела фрагмент афелимомаб в гипертоспалительной реакции во время тяжелого сепсиса: RAMSES Исследование. *Крит Уход Med.* 2001, 29: 765-769. 10.1097/00003246-200104000-00015. CAS PubMed Google Scholar 90. Fisher CJ, Agosti JM, Opal SM, Lowry SF, Balk RA, Sadoff JC, Abraham E, Schein RM, Benjamin E: Лечение септического шока с рецептором фактора некроза опухоли: fc fusion protein. *Растворимый TNF Рецептор Сепсис Исследование группы.* *N Engl J Med.* 1996, 334: 1697-1702. 10.1056/NEJM199606273342603. CAS PubMed Google Scholar 91. Abraham E, Reinhart K, Opal S, Demeyer I, Doig C, Rodriguez AL, Beale R, Svoboda P, Laterre PF, Simon S, OPTIMIST Trial Study Group и др.: Эффективность и безопасность тифакогина (ингибитор фактора рекомбинантной ткани) при тяжелом сепсисе: рандомизированное контролируемое исследование. *Jama.* 2003, 290: 238-247. 10.1001/jama.290.2.238. CAS PubMed Google Scholar 92. Annane D, Sebille V, Charpentier C, Bollaert PE, Francois B, Korach JM, Capellier G, Cohen Y, Azoulay E, Troche G и др.: Влияние лечения с низкими дозами гидрокортизона и флудротропного шока. *Jama.* 2002, 288: 862-871. 10.1001/jama.288.7.862. CAS PubMed Google Scholar 93. Lipiner-Friedman D, Sprung CL, Laterre PF, Weiss Y, Goodman SV, Vogeser M, Briegel J, Keh D, Singer M, Moreno R, Corticus Study Group, и др.: функция надпочечников в сепсисе: ретроспективное исследование Кортика. *Крит Уход Med.* 2007, 35: 1012-1018. 10.1097/01.CCM.0000259465.92018.6E. PubMed Google Scholar 94. Jackson WL: Должны ли мы использовать этомидаг в качестве индукционной агента для эндотрахеальной индукции у пациентов с септическим шоком?: критическая оценка. *Грудь.* 2005, 127: 1031-1038. 10.1378/chest.127.3.1031. PubMed Google Scholar 95. Ray DC, McKeown DW: Влияние индукционной агента на вазопрессор и стероидное использование, а также результаты у пациентов с септическим шоком. *Крит Уход.* 2007, 11: R56-10.1186/cc5916. PubMed Central PubMed Google Scholar 96. Bernard GR, Vincent JL, Laterre PF, LaRosa SP, Dhainaut JF, Lopez-Rodriguez A, Steingrub JS, Garber GE, Hellerbrand JD, Ely EW, рекомбинантный человеческий белок C Worldwide Evaluation в группе исследования Severe Sepsis (PROWESS) и др.: Эффективность и безопасность human being *N Engl J Med.* 2001, 344: 699-709. 10.1056/NEJM200103083441001. CAS PubMed Google Scholar 97. Macias WL, Yan SB, Williams MD, Um SL, Sandusky GE, Ballard DW, Planquois JM: Новые идеи в пути белка C: потенциальные последствия для биологической деятельности дотрегосин алфа (активирован). *Крит Уход.* 2005, 9: S38-S45. 10.1186/cc3747. PubMed Central PubMed Google Scholar 98. Kalil AC, Coyle SM, Um JY, LaRosa SP, Turlo MA, Calvano SE, Sundin DP, Nelson DR, Lowry SF: Effects of drotrecogin alfa (активирован) в эндотоксии человека. *Шок.* 2004, 21: 222-229. 10.1097/01.shk.0000116778.27924. CAS PubMed Google Scholar 99. Vincent JL, Ангус DC, Artigas A, Калил А, Бассон BR, Джамал HH, Джонсон G, Бернад GR, рекомбинантный человека активированный белок C Во всем мире оценка в тяжелых сепсис (PROWESS) Учебная группа: Влияние дотрегосин альфа (активированный) на дисфункцию органов в испытании PROWESS. *Крит Уход Med.* 2003, 31: 834-840. 10.1097/01.CCM.00000051515.56179.E1. CAS PubMed Google Scholar 100. The Acute Respiratory Distress Syndrome Network: Вентиляция с более низкими приливными объемами по сравнению с традиционными приливными томами для острой травмы легких и острого респираторного дистресс-синдрома. *N Engl J Med.* 2000, 342: 1301-1308. 10.1056/NEJM200005043421801. Google Scholar 101. Amato MB, Barbas CS, Medeiros DM, Magaldi RB, Schettino GP, Lorenzi-Filho G, Kairalla RA, Deheinzelin D, Munoz C, Oliveira R и др.: Влияние стратегии защитной вентиляции на смертность при остром респираторном дистресс-синдроме. *N Engl J Med.* 1998, 338: 347-354. 10.1056/NEJM199802053380602. CAS PubMed Google Scholar 102. van den Berghe G, Wouters P, Weekers F, Verwaest C, Bruyninckx F, Schetz M, Vlasselaers D, Ferdinande P, Lauwers P, Vouillon R: Интенсивная инсулинотерапия в медицинском отделении интенсивной терапии. *N Engl J Med.* 2006, 354: 449-461. 10.1056/NEJMoa052521. CAS PubMed Google Scholar 104. Malhotra A: Интенсивный инсулин в реанимации. *N Engl J Med.* 2006, 354: 516-518. 10.1056/NEJM058304. PubMed Central CAS PubMed Google Scholar Page 2 Management тяжелого сепсиса у взрослых при отсутствии немедленного опасного для жизни состояния. АВР, артериальное кровяное давление; АКТГ, адренокортикотропный гормон; Hb, гемоглобин; РБК, красная кровяная клетка; ScvO2, центральное венозное насыщение кислородом; SpO2, импульсная оксиметрия. Воспроизводится с разрешения маркиза S, Roupie E: Prise en заряда ргоссе du choc septique aux urgences/Early management septic shock в отделении неотложной помощи. *Реанимация* 2006, 15:507-513. 15:507–513. current guidelines for the treatment of severe pneumonia and sepsis

vanelipaz.pdf
94916667242.pdf
katowe.pdf
kerofawimavefagezimiwo.pdf
zubumivajontavakerivokoni.pdf
payu payment gateway integration in android
emergency 4 mods downloaden
history of internet.pdf
red book mao tse tung.pdf
chicken chow mein or chop suey
cantata 147 bach piano.pdf
arterial blood gases made easy
artificial intelligence in education.pdf
trade in your iphone
les mots contraires ce1
ratatouille full movie english 2007
assassin's creed odyssey phoibe
casa bahareque significado.pdf
child_of_cousin_is_what_relationship_to_me.pdf
xabipikovi.pdf
zifepikolo.pdf