

Teco box

Residential




7 KW/32A

11 KW/16A

22 KW/32A

- Single/Three phase circuits (7KW/11KW/22KW)
- OCPP and load balancing
- RFID/Bluetooth/WiFi 4G/APP
- Noise reduction design (less than 30db)
- Safety protection (overvoltage/overcurrent/overload, etc.)



Load Balance



Emergency stop



WIFI/APP/
Bluetooth/RFID



Suitable for
outdoor use



Safety protection



card reader

Technical Specifications

Model		EAS6001	EAS6002	EAS6003
Maximum Power		7kW/32A	11kW/16A	22kW/32A
General Information	Connector	Type 2/ Type 2S		
	Dimension(H*W*D)mm	239*63*292		
	Input Frequency	50Hz/60Hz		
	Rated Power	7KW/11KW/22KW		
	Electric relay specification	50A 250VA		
	Rated Output Current	Single gun max output 16A/32A		
Communication	Wi-Fi/Bluetooth	Optional		
	RS485/CAN	Optional		
	OCPP	Optional		
Safety	Overvoltage Protection	Yes		
	Overcharge Protection	Yes		
	Overload protection	Yes		
	Overcurrent Protection	Yes		
	Load Balance	Yes		
	PEN Fault Detection	Yes		
	Anti-Reverse Protection	Yes		
	Short Circuit Protection	Yes		
	Certification	CE, TUV		
	Cable Specification	3×6mm ² +1×0.5mm ²	5×6mm ² +1×0.5mm ²	
Enviroment	Temperature	-30℃~+55℃		
	Working Humidity	5%~95%(no-condensation)		
	Working Altitude	2000m		
Warranty	24 months, extension of the warranty is possible			



TECOPHASE

We specialize in EV charging, e-mobility services, residential energy storage, and PV transformation, offering a range of certified products including EV chargers, energy storage inverters, energy storage batteries, and PV components.



Telephone: +33659296496



E-mail: customer.support@tecophase.com



www.tecophase.com



41-43 Rue de Cronstadt 75015 Paris, France
