


I'm not robot  reCAPTCHA

Continue

Edition wow64 platform failed sql 2014

Looking at the hardware and software requirements for the S/L Server 2008, 2008 and 2012 from Microsoft, we should be able to install a 32-bit version of the S/L server on the 64-bit (x64) Windows operating system. If you have an installation tool or ISO image that contains both a 32-bit and 64-bit version of the S/L 2008 server, 2008 R2 or 2012, here's how you can install a 32-bit S/L server on a 64-bit Windows (x64). When you insert a multimedia installation or install an ISO image, in some cases, you may need to click twice on set up.exe, you will be presented with the S/L Server Installation Center. Click on the Options link on the left. You should then be able to choose to install the 32-bit (x86) S/L server. You can start the 32-bit installation process, you can use the following command: set up.exe/actioninstall/x86>true Actually, you can use X86>true in a command line or answer file if you want to have an unattended installation server installation S/L Server 2008, 2008 R2 or 2012. After installing it, when you check the S/L Server version with: SELECT @@VERSION to install S/L Server 2012, You should get something like this: Microsoft S/L Server 2012 - 11.0.2100.60 (Intel X86)Feb 10 2012 19:13:17Cop yright (c) Microsoft CorporationEnterprise Grade Edition on Windows NT 6.1 qlt;X64-gt; (Build 7601: Service Pack 1) (WOW64) noticed that it's WOW64 (Windows 32-bit on Windows 64-bit). I'm trying to install S/L Server Express 2012 w/SP1 x64 on Windows 7 SP1 x64. This machine was previously installed on the S/L Express 2012 server. This copy has been upgraded to the S/L Server 2012 standard, which has not been blocked since. Включите обновления продукта S/L Server в установке - 2, связанные с KB 2793634 Установите все функции для каталогов по умолчанию Именованный экземпляр S'LEXPRESS в корневом каталоге по умолчанию корневых учетных записей службы по умолчанию: Движок базы данных сервера -> NT Service-MSS'L'S'LEXPRESS Конфигурация базы данных По умолчанию Произошла следующая ошибка: Не смог найти ручку запуска двигателя базы данных. For help, click: ----- KNOUM: Well, I read that this may be related to the corrupt virtual account MSS'L'S'LEXPRESS. Any ideas on how to fix it? General Summary: Final result: Failed: See details below Exit Code (Decic): -2061893607 Start Time: 2014-03-24 12:08:49 End time: 2014-03-24 12:28:21 Requested Action: Setting completed with the necessary features. Troubleshooting information for these features: The next step Use the following information to fix the bug, remove the feature, and then start the customization process again. The next step for replication: Use the following information to address the x-It;x64 remove this feature and then start the customization process again. Machine Properties: Machine Name: MONTREAL Machine Processor Count: 4 OS Version: Windows 7 OS Package Services: Service Pack 1 OS Region: United States OS Language: English (United States) ARCHITECTURE OS: x64 Process Architecture: 64 Bit OS Cluster: No Product Feature Discovered: Product Instance ID Feature Version Version Cluster Package Properties: Description: Microsoft S/L Server 2012 Service Pack 1 ProductName: : RTM Version: 11 Installation location: c:'097a5adf24ea31a16d'x64'set up' Installation Edition: Express Slipstream: True SP Level 1 Patch Level: 11.1.3128.0 Product Update Status: Success: KB 2674319, KB 2793634 Product Updates Selected for Installation: Title: Package Services 1 Knowledge Based On Article: KB 2674319 Version: 11.1.3000.0 Architecture: x64 Language: 1033 Title: Server S/L 2012 SP1 GDR

RS_Web_Interface_Anl_sql_rs_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; функция ID: RS_Web_Interface_Adv_sql_rs_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; функция ID: RS_Server_ANS_sql_rs_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; функция ID: RS_Server_ANS_sql_rs_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; функция ID: RS_Server_Adv_sql_rs_Cpu32 имеет сценарий: INSTALL 2010-03-23 2318:32:04 Slp; функция ID: RS_Server_Adv_sql_rs_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; функция ID: ALL_OWC11_Cpu32 has a script: INSTALL 2010-03-23 18:32:04 Slp; Function ID: Features: Features: есть сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_FullText_Adv_sql_fulltext_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_AGENT_FLI_sql_engine_core_inst_loc_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: MPT_AGENT_CORE_CLI_sql_engine_core_inst_loc_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_ENGINE_CORE_CLI_sql_engine_core_inst_loc_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_MAIL_FLI_sql_engine_core_inst_loc_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_LEGACYTOOLS_FLI_sql_engine_core_inst_loc_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_DATA_COLLECTOR_FLI_sql_engine_core_inst_loc_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_ENGINE_CORE_INST_LOC_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_DUMPFR_CNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Идентификатор функции: SQL_CMDLINETOOLS_CNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Идентификатор функции: SQL_ENGINE_CORE_CNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Replication_FNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_ENGINE_DB_CNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Replication_Core_inst_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_DataFiles_Core_inst_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Идентификатор функции: SQL_Replication_CNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_LEGACYTOOLS_CNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_MAIL_FNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_LEGACYTOOLS_FNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_UPGRADESCRIPTS_FNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_REPL_ENGINE_SUPPORT_FNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_DATA_COLLECTOR_FNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_SLP_ENGINE_SUPPORT_CNI_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_REPL_ENGINE_SUPPORT_CNI_sql_engine_core_inst_Cpu32 есть сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: ID: есть сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Engine_Core_inst_sql_engine_core_inst_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Browser_Redist_SqlBrowser_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Policy_Redist_BestPracticesPolicies_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_WRITER_SqlWriter_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SqlWbTools_Core_SSCEsqWbTools_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Replication_FNS_sql_engine_core_shared_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Replication_CNS_sql_engine_core_shared_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Replication_Core_Shared_sql_engine_core_shared_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Идентификатор функции: SQL_FullText_CNS_sql_engine_core_shared_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_FullText_Core_Shared_sql_engine_core_shared_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_PowerShell_Engine_CNS_sql_engine_core_shared_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_Engine_Core_Shared_sql_engine_core_shared_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Идентификатор функции: SQL_SNAC_CORE_sqlnci_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Функция ID: SQL_SNAC_SDK_sqlnci_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Идентификатор функции: CommonFiles_Loc_sql_common_core_loc_Cpu32_1033 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Идентификатор функции: CommonFiles_sql_common_core_Cpu32 имеет сценарий: INSTALL 2010-03-23 18:32:04 Slp; Completed Action: SetFeatureConfigScenarioAction, returned True 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; Running Action: SaveFeatureStateAction 2010-03-23 18:32:04 Slp; Completed Action: SaveFeatureStateAction, returned True 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; Running Action: AdjustFeaturesAfterCalculation 2010-03-23 18:32:04 Slp; /FEATURES contains before adjusting: SQLENGINE,REPLICATION,FULLTEXT,RS,BIDS,SSMS 2010-03-23 18:32:04 Slp; Checking /FEATURES value: SQLENGINE 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; MSI feature install scenario: SQL_Engine_Core_inst_sql_engine_core_inst_Cpu32 --> Install 2010-03-23 18:32:04 Slp; MSI feature config scenario: SQL_Engine_Core_inst_sql_engine_core_inst_Cpu32 --> Install 2010-03-23 18:32:04 Slp; Keeping /FEATURES value: SQLENGINE 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; Checking /FEATURES value: REPLICATION 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; MSI install scenario: SQL_Replication_Core_inst_sql_engine_core_inst_Cpu32 --> Install 2010-03-23 18:32:04 Slp; MSI feature config scenario: SQL_Replication_Core_inst_sql_engine_core_inst_Cpu32 --> Install 2010-03-23 18:32:04 Slp; Keeping /FEATURES value: REPLICATION 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; Checking /FEATURES value: FULLTEXT 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; MSI feature install scenario: SQL_FullText_Adv_sql_fulltext_Cpu32 --> Install 2010-03-23 18:32:04 Slp; MSI feature config scenario: SQL_FullText_Adv_sql_fulltext_Cpu32 --> Install 2010-03-23 18:32:04 Slp; Keeping /FEATURES value: FULLTEXT 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; MSI feature install scenario: RS_Server_Adv_sql_rs_Cpu32 --> Install 2010-03-23 18:32:04 Slp; MSI feature config scenario: RS_Server_Adv_sql_rs_Cpu32 --> Install 2010-03-23 18:32:04 Slp; Keeping /FEATURES value: RS 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; MSI feature config scenario: SQL_BIDS_Full_sql_bids_Cpu32 --> Install 2010-03-23 18:32:04 Slp; MSI feature config scenario: SQL_BIDS_Full_sql_bids_Cpu32 --> Install 2010-03-23 18:32:04 Slp; Keeping /FEATURES value: BIDS 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; MSI feature install scenario: SQL_SSMS_Adv_sql_ssms_Cpu32 --> Install 2010-03-23 18:32:04 Slp; MSI feature config scenario: SQL_SSMS_Adv_sql_ssms_Cpu32 --> Install 2010-03-23 18:32:04 Slp; Keeping /FEATURES value: SSMS 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; Attempting to save the input setting 'FEATURES' into datastore 2010-03-23 18:32:04 Slp; Setting source: CommandLine 2010-03-23 18:32:04 Slp; Получение хостингового объекта 'Microsoft.SqlServer.Configuration.SetupExtension.SlpChainerInputSettings' из datastore и обновление свойства 'Features'. 2010-03-23 18:32:04 Slp; Сериализация хостингового объекта обратно Datastore. 2010-03-23 18:32:04 Slp; Обновление настройки ввода магазина с новой информацией источника 2010-03-23 18:32:04 Slp; Завершено действие: AdjustFeaturesAfterCalculation, вернулась True 2010-03-23 18:32:04 Slp; Завершено действие: ExecuteInstallCalculateWorkfolw, вернулась True 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; Запуск действий: 2010-03-23 18:32:04 Slp; Previous Previous S' Server 2008 BIDS was not installed. 2010-03-23 18:32:04 Slp; Completed Action: FilterBidsInstall, returned True 2010-03-23 18:32:04 Slp; ----- 2010-03-23 18:32:04 Slp; Running Action: ProduceStatusLogs 2010-03-23 18:32:08 Slp; Completed Action: ProduceStatus returned True 2010-03-23 18:32:08 Slp; ----- 2010-03-23 18:32:08 Slp; Running Action: FinalCalculateSettings 2010-03-23 18:32:08 Slp; Configuration object document /Datastore/ProductSettings/SqlInstancecl/Private was found in the data store. 2010-03-23 18:32:08 Slp; Use of id 'MSS'LI0. S' Server Database Service S' Server Database Services 2010-03-23 18:32:08 Slp; Hosting facility: Microsoft.SqlServer.Configuration.SetupExtension.AsInstancecl/Private config object missed, because related features were not selected 2010-03-23 18:32:08 Slp; The configuration object document /Datastore/ProductSettings/SqlInstancecl/Private was found in the data store. 2010-03-23 18:32:08 Slp; Use of the copy id 'MSRS'LO. Product Reporting Service 2010-03-23 18:32:08 Slp; Configuration Document /Datastore/ProductSettings/Sku/Public was found in the data store. 2010-03-23 18:32:08 Slp; -- SkuPublicConfigObject : SkuPublicConfigObject.Calculate. 2010-03-23 18:32:08 Slp; -- SkuPublicConfigObject : No instance has been found, for example, the name 'S'LEXPRESS'. 2010-03-23 18:32:08 Slp; Configuration document /Datastore/InputSettings/FeatureSpecific/SlpInputSettings was found in the data store. 2010-03-23 18:32:08 Slp; Restoring InstallSharedDir for OCAF0B9C-8D02-4AE7-8611-8C63DAC305 F to 'c: Program Files (Microsoft S' Server) 2010-03-23 18:32:08 Slp; Configuration object document /Datastore/ProductSettings/ClusterNodesStatus/Public was found in the data store. 2010-03-23 18:32:08 Slp; Configuration document /Datastore/ProductSettings/ClusterDisk/Public was found in the data store. 2010-03-23 18:32:08 Slp; Configuration document /Datastore/ProductSettings/ClusterGroup/Public was found in the data store. 2010-03-23 18:32:08 Slp; Configuration document /Datastore/ProductSettings/ClusterIPAddresses/Private was found in the data store. 2010-03-23 18:32:09 Slp; Configuration document /Datastore/ProductSettings/ClusterNode/Public was found in the data store. 2010-03-23 18:32:09 Slp; Configuration document /Datastore/ProductSettings/FailClouserVerName/Public was found in the data store. 2010-03-23 18:32:09 Slp; Configuration document /Datastore/ProductSettings/Agent/Public was found in the data store. 2010-03-23 18:32:09 ACE: check, for example, the name received: 'S'LEXPRESS' 2010-03-23 18:32:09 Slp; Hosting object: missed since related related Not selected 2010-03-23 18:32:09 Slp; Hosting Facility: Microsoft.SqlServer.Configuration.AnalysisServices.ASConfigurationPublic missed with related They did not select 2010-03-23 18:32:09 Slp; The object configuration document /Datastore/ProductSettings/SqlEngine/Public was found in the data store. 2010-03-23 18:32:09 S'LEngine: Using default mapping: Hebrew_CI_AS 2010-03-23 18:32:09 Slp; Configuration document /Datastore/ProductSettings/SqlBrowser/Public was found in the data store. 2010-03-23 18:32:09 S'LBrowser: StartMethod Type 'SqlBrowserPublicConfig' Method 'Calculate'. 2010-03-23 18:32:09 S'LBrowser: extracted by user-selected ACTION and 'Installation'. 2010-03-23 18:32:09 S'LBrowser: S' 'TCPENABLED' browser browser source: 'Default'. 2010-03-23 18:32:09 S'LBrowser: Returning value, whether the S' 'TCPENABLED browser option is custom: 'False'. 2010-03-23 18:32:09 S'LBrowser: The DBMS TcpEnabled engine option is not specified by the user during installation or repair. Installing it on the SKU-specific default. 2010-03-23 18:32:09 S'LBrowser: Removing the SniServerConfigurationPrivate from the root storage trajectory. 2010-03-23 18:32:10 S'LEngine: DBMS engine TcpEnabled option is not specified by the user. Installing it on the SKU-specific default. 2010-03-23 18:32:10 S'LEngine: Retrieving the SniServerConfigurationPublic object from data storage. 2010-03-23 18:32:10 S'LEngine: Extracting SkuPublicConfigObject from the data store. 2010-03-23 18:32:10 S'LEngine: Extracted edition - EXPRESS_ADVANCED. 2010-03-23 18:32:10 S'LEngine: Return of TcpEnabledSkuDefault No'0'. 2010-03-23 18:32:10 S'LEngine: Set the DBMS engine TcpEnabled option to '0'. 2010-03-23 18:32:10 S'LEngine: Serialization of SniServerConfigurationPublic into data. 2010-03-23 18:32:10 S'LBrowser: Calculating the alleged properties of the S' browser service. Current estimated values: service account - NT AUTHORITY-LOCAL SERVICE, start-up type - Disabled (source: default). 2010-03-23 18:32:10 S'LBrowser: StartMethod Type 'SqlBrowserPublicConfig' CalculateUserNamePassword. 2010-03-23 18:32:10 S'LBrowser: CalculateUserNamePassword: The current estimated account of the S' browser service is 'NT AUTHORITY-LOCAL SERVICE', the internal property of retrieved UserNameFromExistingService - 'False'. 2010-03-23 18:32:10 S'LBrowser: CalculateUserNamePassword: ApplyAccount's Internal Property Reset on 'False'. 2010-03-23 18:32:10 S'LBrowser: CalculateUserNamePassword: check whether there is a service. 2010-03-23 18:32:10 Slp; Sco: Attempt to Open SC Manager 2010-03-23 18:32:10 Slp; Attempt to open the service handle to service S's LrBrowser 2010-03-23 18:32:10 Slp; Sco: Attempt to Close SC Manager 2010-03-23 18:32:10 S'LBrowser: Return существует ли служба браузера сервера S'L: 'False'. 2010-03-23 18:32:10 S'LBrowser: CalculateUserNamePassword: CalculateUserNamePassword: The server browser service does not exist. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedRepair: Reading ConfigActionScenario from the input settings. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedRepair: Read User Selected By ConfigActionScenario - Set. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedRepair: The Return of the False. 2010-03-23 18:32:10 S'LBrowser: EndMethod Type 'SqlBrowserPublicConfig' CalculateUserNamePassword. 2010-03-23 18:32:10 S'LBrowser: StartMethod Type 'SqlBrowserPublicConfig' CalculateStartMode Method. 2010-03-23 18:32:10 S'LBrowser: CalculateStartMode: The current supposed browser type of S' server is disabled. 2010-03-23 18:32:10 S'LBrowser: CalculateStartMode: Reset Internal SetForceStart Ownership on False. 2010-03-23 18:32:10 S'LBrowser: S'BROWSERSEVCSVSTARTUPTYPE browser option: 'Default'. 2010-03-23 18:32:10 S'LBrowser: Returns to the value of whether the S'BROWSERSEVCSVSTARTUPTYPE browser option is custom: 'False'. 2010-03-23 18:32:10 S'LBrowser: CalculateStartMode: S' Browser StartMode Property is not specified by the user. 2010-03-23 18:32:10 S'LBrowser: CalculateStartMode: Check whether to turn on the S' browser for the named instance. 2010-03-23 18:32:10 S'LBrowser: Extracted name of the copy - 'S'LEXPRESS'. 2010-03-23 18:32:10 S'LBrowser: The current name of the instance is 'S'LEXPRESS'. 2010-03-23 18:32:10 S'LBrowser: Extracted name of the copy - 'S'LEXPRESS'. 2010-03-23 18:32:10 S'LBrowser: Extracted name of the copy - 'S'LEXPRESS'. 2010-03-23 18:32:10 S'LBrowser: Return isNamedInstance - Truth. 2010-03-23 18:32:10 S'LBrowser: extracted by ACTION user and 'Installation'. 2010-03-23 18:32:10 S'LBrowser: Received 6 user-selected features (s): 2010-03-23 18:32:10 S'LBrowser: User selected feature: 'S'LGINE'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'REPLICATION'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'FULLTEXT'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'RS'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'BIDS'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'SSMS'. 2010-03-23 18:32:10 S'LBrowser: Search for 'S'L' feature. 2010-03-23 18:32:10 S'LBrowser: Search for 'S'LGINE' feature. 2010-03-23 18:32:10 S'LBrowser: User-selected features contain the 'S'LGINE' feature that returns 'True'. 2010-03-23 18:32:10 S'LBrowser: Return of IsDbmsEngineInstall Value True. 2010-03-23 18:32:10 S'LBrowser: Removing TCP and NP protocols from the SniServer extension. 2010-03-23 18:32:10 S'LBrowser: Extracting the SniServerConfigurationPublic DatastoreSerialization attribute. 2010-03-23 18:32:10 S'LBrowser: Retrieving the SniServerConfigurationPublic from the root storage path /Datastore/ProductSettings/SniServer/Public'. 2010-03-23 18:32:10 S'LBrowser: Извлечено TcpEnabled No '0'. 2010-03-23 18:32:10 S'LBrowser: Extracted NpEnabled No'0'. 2010-03-23 18:32:10 S'LBrowser: Return of EngineNetworkProtocolsOn - Lies. 2010-03-23 18:32:10 S'LBrowser: extracted by ACTION user and 'Installation'. 2010-03-23 18:32:10 S'LBrowser: Received 6 user-selected features (s): 2010-03-23 18:32:10 S'LBrowser: User selected feature: 'S'LGINE'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'REPLICATION'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'FULLTEXT'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'RS'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'BIDS'. 2010-03-23 18:32:10 S'LBrowser: User-selected feature: 'SSMS'. 2010-03-23 18:32:10 S'LBrowser: Search for 'AS' feature. 2010-03-23 18:32:10 S'LBrowser: User-selected features do not contain any of these features (s), returning 'False'. 2010-03-23 18:32:10 S'LBrowser: Return of IsAsInstall Value False. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineSqlServer2000Installed: Reading SqlServer2000InstanceList. 2010-03-23 18:32:10 S'LBrowser: SqlServer2000InstanceList: Deserializing Private Object. 2010-03-23 18:32:10 S'LBrowser: SqlServer2000InstanceList: Reading SqlServer2000InstanceList on a private property. 2010-03-23 18:32:10 S'LBrowser: StartMethod Type 'SqlBrowserPrivateConfig' RetrieveS'Liver2000Instance'. 2010-03-23 18:32:10 S'LBrowser: Detection data for the S' Server 2000 instance was found. 2010-03-23 18:32:10 S'LBrowser: No copy of the S' 2000 server was found on the machine. 2010-03-23 18:32:10 S'LBrowser: EndMethod Type 'SqlBrowserPrivateConfig' RetrieveS'Liver2000Instance'. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineSqlServer2000Installed: Found no cases of S' Server 2000 (sqlServer2000List zero length), returning false. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineUpgradeFromSqlServer2000: Checking IsUserSelected Upgrade. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedUpgrade: Reading ConfigActionScenario from the input settings. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedUpgrade: Read User Selected By ConfigActionScenario - Set. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedUpgrade: The Return of the False. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineUpgradeFromSqlServer2000: IsUserSelectedUpgrade returned false. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineUpgradeFromSqlServer2000: The scenario is not a user-selected update returning false. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineSqlServer2000Installed: Reading SqlServer2000InstanceList. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineSqlServer2000Installed: Found no cases of S' Server 2000 (sqlServer2000List zero length), returning false. 2010-03-23 18:32:10 S'LBrowser: CalculateStartMode: IsNamedInstance - Truth, bisDbmsEngineInstall - True, - Ложный, bisAsInstall - 'False', bisEngmsInSxq. 'False', bisEngmsInSxq. Lies, bisCluster - Lies. 2010-03-23 18:32:10 S'LBrowser: CalculateStartMode: There is no need to turn on the S' server browser for this case, because it is either a default instance or because its configuration does not require the connection of HL Server Browser to connect DBMS Engine or Analysis Services. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineSqlServer2000Installed: Reading SqlServer2000InstanceList. 2010-03-23 18:32:10 S'LBrowser: IsDbmsEngineSqlServer2000Installed: Found no cases of S' Server 2000 (sqlServer2000List zero length), returning false. 2010-03-23 18:32:10 S'LBrowser: CalculateStartMode: There is no need to turn on the S' server browser for this case, because there are no existing copies of the S' 2000 server. 2010-03-23 18:32:10 Slp; Sco: Attempt to Open SC Manager 2010-03-23 18:32:10 Slp; Attempt to open the service handle to service S'LBrowser 201 0-03-23 18:32:10 Slp; Sco: Attempt to Close SC Manager 2010-03-23 18:32:10 S'LBrowser: Return value is there as a browser service S'L: 'False'. 2010-03-23 18:32:10 S'LBrowser: S' browser service does not exist or its configuration is not reusable 2010-03-23 2318:32:10 S'LBrowser: CalculateStartMode: The S' browser service is not present in the system or its configuration is not reusable: installing the intended browser property of S' ServerMode on Disconnected. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedRepair: Reading ConfigActionScenario from the input settings. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedRepair: Read User Selected By ConfigActionScenario - Set. 2010-03-23 18:32:10 S'LBrowser: IsUserSelectedRepair: The Return of the False. 2010-03-23 18:32:10 S'LBrowser: EndMethod Type 'SqlBrowserPublicConfig' CalculateStartMode Method. 2010-03-23 18:32:10 S'LBrowser: EndMethod Type 'SqlBrowserPublicConfig' Method 'Calculate'. 2010-03-23 18:32:10 Slp; Sco: Configuration document /Datastore/ProductSettings/Fulltext/Public was found in the data store. 2010-03-23 18:32:10 Slp; Completed Action: FinalCalculateSettings, returned True 2010-03-23 18:32:10 Slp; ----- 2010-03-23 18:32:2 10 Slp; Running Action: ValidateRequiredSettingsForScenario 2010-03-23 18:32:10 Slp; Scenario: Set 2010-03-23 18:32:10 Slp; Completed: ValidateRequiredSettingsForScenario, returned True 2010-03-23 18:32:10 Slp; ----- 2010-03-23 18:32:10 Slp; Start Action: ValidateFeatureSettings 2010-03-23 18:32:10 Slp; Configuration Document /Datastore/ProductSettings/Instancecl/Public was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/SqlInstancecl/Private was found in the store 2010-03-23 18:32:10 Slp; Sco: Trying to create a basic HKEY_LOCAL_MACHINE registry key, machine machine 18:32:10 Slp; Sco: Attempt to open the software-Microsoft-Microsoft S' Server-Instance Names S' L 2010-03-23 18:32:10 Slp; Configuration Object Document /DatastoreSettings/RsInstancecl/Private was found in the data store. 2010-03-23 18:32:10 Slp; Sco: Trying to create a basic root of key HKEY_LOCAL_MACHINE, machine 2010-03-23 18:32:10 Slp; Sco: Attempt to open the subkey software-Microsoft-Microsoft S' Server-Instance Names RS 2010-03-23 18:32:10 Slp; Object Document /Datastore/ProductSettings/Sku/Public was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/InputSettings/FeatureSpecific/SlpInputSettings was found in the data store. 2010-03-23 18:32:10 Slp; SLP: GetDiskCostByProductFeatures: displayed up to 3 Target Directories 2010-03-23 18:32:10 Slp; SLP: GetDiskCostByStByFeatures: Target SYSTEMDRIVE Disc cost: 1126141kb 2010-03-23 18:32:10 Slp; SLP: GetDiskCostByProductFeatures: Target Directory INSTALLSHAREDDir; Disc cost: 514456kb 2010-03-23 18:32:10 Slp; SLP: GetDiskCostByProductFeatures: Target Directory INSTANCEDIR; Cost of disk: 597962kb 2010-03-23 18:32:10 Slp; Sco: Trying to get catalog information for the way c: Microsoft S' Server program files 2010-03-23 18:32:10 Slp; Sco: Trying to get catalog information for the c: Microsoft S' Server 2010-03-23 18:32: 10 Slp; Sco: Trying to get catalog information for Path C: Microsoft S' Server Files 2010-03-23 18:32:10 Slp; Sco: Attempt to get directory information for Path C: Program Files - Microsoft S' Server 2010-03-23 18:32:10 Slp; Configuration object document /Datastore/InputSettings/FeatureSpecific/InstanceName was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/ClusterNodesStatus/Public was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/ClusterDisk/Public was found in the data store. 2010-03-23 18:32:10 Slp; The 'Installation' scenario does not test on existing cluster drives. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/ClusterGroup/Public was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/ClusterIPAddresses/Private was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/ClusterNode/Public was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/FailClouserVerName/Public was found in the data store. 2010-03-23 18:32:10 Slp; Configuration document /Datastore/ProductSettings/Agent/Public was found in the data store. 2010-03-23 18:32:10 ACE: User Normalization на объекте публичной конфигурации. 2010-03-23 18:32:10 Slp; Документ объекта конфигурации /Datastore/ProductSettings/SqlEngine/Public был найден в магазине данных. 2010-03-23 18:32:11 Slp; Sco: Attempting to get network service account name 2010-03-23 18:32:11 Slp; Sco: Attempting to get NT account from sid S-1-5-20 2010-03-23 18:32:11 Slp; Sco: Attempting to get account from sid S-1-5-20 2010-03-23 18:32:11 Slp; Sco: Attempting to get network service account name 2010-03-23 18:32:11 Slp; Sco: Attempting to get NT account from sid S-1-5-20 2010-03-23 18:32:11 Slp; Sco: Attempting to get account sid for user account NT AUTHORITY\NETWORK SERVICE 2010-03-23 18:32:11 Slp; Sco: Attempting to get sid for user account NT AUTHORITY\NETWORK SERVICE 2010-03-23 18:32:11 Slp; Sco: GetSidForAccount normalized accountName NT AUTHORITY\NETWORK SERVICE parameter to NT AUTHORITY\NETWORK SERVICE 2010-03-23 18:32:11 S'LEngine: --GroupProperties: Loading group properties from the public object. 2010-03-23 18:32:11 S'LEngine: --GroupProperties: Пропуск sid lookup для группы. 2010-03-23 18:32:11 S'LEngine: --EffectiveProperties: Демпинг Эффективные свойства для нового экземпляра. 2010-03-23 18:32:11 S'LEngine: --ЭффективныеПредложения: Instancecl in MSS'LI0. S'LEXPRESS 2010-03-23 18:32:11 S'LEngine: --EffectiveProperties: InstanceName = S'LEXPRESS 2010-03-23 18:32:11 S'LEngine: --EffectiveProperties: IsDefaultInstance = False 2010-03-23 18:32:11 S'LEngine: --EffectiveProperties: S'LiverServiceName = MSSQL\$S'LEXPRESS 2010-03-23 18:32:11 S'LEngine: --EffectiveProperties: IsExpressSku = True 2010-03-23 18:32:11 S'LEngine: --EffectiveProperties: IsWorkgroupSku = False 2010-03-23 18:32:11 S'LEngine: --InstallProperties: Dumping Install Properties 2010-03-23 18:32:11 S'LEngine: --InstallProperties: EnableRanu = True 2010-03-23 18:32:11 S'LEngine: --InstallProperties: SecurityMode = SQL 2010-03-23 18:32:11 S'LEngine: --InstallProperties: LoginMode = 2 2010-03-23 18:32:11 S'LEngine: --InstallProperties: SqlCollation = Hebrew_CI_AS 2010-03-23 18:32:11 S'LEngine: --InstallProperties: SqlAdminAccounts = 2010-03-23 18:32:11 S'LEngine: --InstallProperties: SqlServerStartUpType = Automatic 2010-03-23 18:32:11 S'LEngine: --InstallProperties: SqlAccount = NT AUTHORITY\NETWORK SERVICE 2010-03-23 18:32:11 S'LEngine: --InstallProperties: SqlDomainGroup = 2010-03-23 18:32:11 S'LEngine: --InstallProperties: AddCurrentUserAsSQLAdmin = True 2010-03-23 18:32:11 S'LEngine: --GroupProperties: Dumping Group Properties 2010-03-23 18:32:11 S'LEngine: --GroupProperties: SqlEngineGroupSid = 2010-03-23 18:32:11 S'LEngine: --GroupProperties: SqlEngineGroupNameFromSid = 2010-03-23 18:32:11 S'LEngine: --GroupProperties: SqlEngineGroupNameFromSidNoDomain = 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryProperties: Демпинг Демпинг Properties 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryПросы: DataRootDirectory - C: Файлы программыMicrosoft S' Server-MSS'LI0. СЛЭКСПРЕСС-МССЗЛ 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryProperties: SystemDataDirectory - C: Файлы программыMicrosoft S' Server-MSS'LI0. СЛЭКСПРЕСС-МССЗЛ-ДАТА 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryProperties: InstallSqlInstanceDir - C: Файлы программыMicrosoft S' Server-MSS'LI0. СЛЭКСПРЕСС-МССЗЛ 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryПросы: По умолчаниюDataDirectory C: Файлы программы Microsoft S' Server-MSS'LI0. СЛЭКСПРЕСС-МССЗЛ-ДАТА 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirected2Properties: По умолчаниюLogDirectory - C: Файлы программыMicrosoft S' Server-MSS'LI0. S'LEXPRESS-MSS'LI-DATA 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryProperties: BackupDirectory - C: Файлы программы Microsoft S' Server-MSS'LI0. Резервное копирование 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryProperties: TempDbDirectory - C: Файлы программыMicrosoft S' Server-MSS'LI0. СЛЭКСПРЕСС-МССЗЛ-ДАТА 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryСы: ErrorLogDirectory - C: Файлы программы Microsoft S' Server-MSS'LI0. S'LEXPRESS-MSS'LI-Log 2010-03-23 18:32:11 S'LEngine: --PublicBasedDirectoryProperties: TemplateData

'ShutdownNonInstance'. 2010-03-23 18:32:17 S'LBrowser: StartMethod Тип 'SqlBrowserPrivateConfig' Метод 'ExecShutdownNonInstance'. 2010-03-23 18:32:17 S'LBrowser: StartMethod Тип'SqlBrowserPrivateConfig' Метод 'StopServiceIfNeeded'. 2010-03-23 18:32:17 Slp: Sco: Попытка открыть SC Manager 2010-03-23 18:32:17 Slp: Попытка открыть ручку обслуживания для обслуживания S'LBrowser 2010-03-23 18:32:17 Slp: Sco: Попытка закрыть SC Manager 2010-03-23 18:32:17 S'LBrowser: Служба браузера сервера S'L 'S'LBrowser' не существует. Нет необходимости останавливать это. 2010-03-23 18:32:17 S'LBrowser: EndMethod Тип'SqlBrowserPrivateConfig' 2010-03-23 18:32:17 S'LBrowser: EndMethod Type 'SqlBrowserPrivateConfig' ExecShutDownNonInstance. 2010-03-23 18:32:17 S'LBrowser: EndMethod Type'SqlBrowserPrivateConfig' 'SelectAndExecTiming'. 2010-03-23 18:32:17 S'LBrowser: EndMethod Type'SqlBrowserPrivateConfig'ExecWithRetry Method. 2010-03-23 18:32:17 S'LBrowser: EndMethod Type 'SqlBrowserPrivateConfig' Method 'Installation'. 2010-03-23 18:32:17 Slp: SlpConfigAction.ExecuteAction (actionId: SqlBrowserConfigAction_install_ShutdownNonInstance_Cpu32) completed 2010-03-23 18:32:17 Slp: Checkpoint: INSTALL:SHUTDOWNNONINSTANACE::SHUTDOWNNONSTANACE:SQL_BROWSER_REDIST 2010-03-23 18:32:17 Slp: Completed Action: SqlBrowserConfigAction_install_ShutdownNonInstance_Cpu32, returned True 2010-03-23 18:32:17 Slp Completed: Action: PreMsiTimingConfiggation, returned True 2010-03-23 18:32:17 Slp: ----- 2010-03-23 18:32:17 Slp: Running Action: InitializeMsiAction Ed 1 2010-03-23 18:32:17 Slp: Attempt to suspend 32-bit ngen queue for x86 2010-03-23 18:32:17 Slp : ngen team to be used from the .Net framework: C:\WINDOWS-Microsoft.Net-Framework-v2.0.50727 2010-03-23 18:32:17 Slp: Microsoft (R) CLR Native Image Generator - Version 2.0.50727.3053 2010-03-23 18:32:17 Slp: Copyright (c) Microsoft Corporation. All rights are reserved. 2010-03-23 18:32:18 Slp: .NET Running Time Optimization Service is up and running. 2010-03-23 18:32:18 Slp: Completed Action: InitializeMsiAction, returned True 2010-03-23 18:32:18 Slp: ----- 2010-03-23 18:32:18 Slp: Running Action: MsiTimingAction 2010-03-23 18:32:18 Slp: ----- 2010-03-23 18:32:18 Slp: Running Action: Install_sqlncli_Cpu32_Action 2010-03-23 18:32:18 Slp: Target Package: d'97ec3ee128a85b7afd984d5a9381f3f1'x86'setx86'sqlncli.msi 2010-03-23 18:32:26 Slp: InstallPackage: MsiInstallProduct returned the result code 0. 2010-03-23 18:32:26 Slp: RunMsiCore succeeded. 2010-03-23 18:32:26 Slp: Checkpoint: INSTALL_SQLNCLI_CPU32_ACTION 2010-03-23 18:32:26 Slp: Completed Action: Install_sqlncli_Cpu32_Action, returned True 2010-03-23 18:26 Slp 32:26 Slp: ----- 2010-03-23 18:32:26 Slp: Running Action: Install_sql_engine_core_shared_Cpu32_Action 2010-03-23 18:32:26 Slp: Error: Action Install_sql_engine_core_shared_Cpu32_Action threw an exception during the execution. 2010-03-23 18:32:26 Slp: Microsoft.SqlServer.Setup.Chainer.Workflow.ActionExecutionException: c: \WINDOWS\Installer-6b1fa.msi --- System.IO.FileNotFoundException: c: er-6b1fa.msi 2010-03-23 18:32:26 Slp: on (Контекст ServiceContainer, String pathToMsi, pathToMsi, propertyId) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Chainer.Infrastructure.MsiNativeMethodHelpers.GetInstalledSummaryInformationStringProperty (Контекст ServiceContainer, Строка productCode, SummaryInformationStreamPropertySet propertyId) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installedProductCode, String installedProductVersion, Струнный путьOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installedProductCode, String installedProductVersion, Струнный путьOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:26 Slp: по Microsoft.SqlServer.Setup.Chainer.Workflow.ActionInvocation.InvokeAction (Метабаза WorkflowObject, статус TextWriterStream) 2010-03-23 18:32:26 Slp: в Microsoft.SqlServer.Setup.Chainer.Workflow.PendingActions.InvokeActions(WorkflowObject metaDb, TextWriter loggingStream) 2010-03-23 18:32:26 Slp: --- Конец внутреннего стека исключения трассировки --- 2010-03-23 18:32:26 Slp: в Microsoft.SqlServer.Setup.Chainer.Workflow.ActionEngine.RunActionue()Ошибка: Действие MsiTimingAction бросил исключение во время исполнения. 2010-03-23 18:32:26 Slp: Microsoft.SqlServer.Setup.Chainer.Workflow.ActionExecutionException: c: «WINDOWS»Установщик»6b1fa.msi ---> System.IO.FileNotFoundException: c: er-6b1fa.msi 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Chainer.Infrastructure.MsiNativeMethodHelpers.GetSummaryInformationProperty (Контекст ServiceContainer, String pathToMsi, РезюмеИнформацияСтримКорректиСет собственностид) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Chainer.Infrastructure.MsiNativeMethodHelpers.GetInstalledSummaryInformationStringProperty (Контекст ServiceContainer, Струнный продуктКод, SummaryInformationStreamPropertySet propertyId) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installedProCodeduct, String installedProductVersion, Струнный путьOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installedProCodeduct, String installedProductVersion, Струнный путьOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installedProCodeduct, String installedProductVersion, Струнный путьOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:26 Slp: на Microsoft.SqlServer.Setup.Chainer.Workflow.PendingActions.InvokeActions(WorkflowObject metaDb, TextWriter loggingStream) 2010-03-23 18:32:26 Slp: --- Конец внутреннего стека исключения трассировки --- 2010-03-23 18:32:26 Slp: в Microsoft.SqlServer.Setup.Chainer.Workflow.PendingActions.InvokeActions(WorkflowObject metaDb, TextWriter loggingStream) 2010-03-23 18:32:27 Slp: Получен запрос на добавление следующего файла в отчет Watson: C: «Документы и настройки»Администратор»Местные настройки»Temp\mp235.tmp 2010-03-23 18:32:27 Slp: Ниже приводится исключение стека список исключений в наружном к внутреннему порядку 2010-03-23 18:32:27 Slp : Inner exceptions are being indented 2010-03-23 18:32:27 Slp: 2010-03-23 18:32:27 Slp: Exception type: System.IO.FileNotFoundException 2010-03-23 18:32:27 Slp: Message: 2010-03-23 18:32:27 Slp: c:\WINDOWS\Installer\6b1fa.msi 2010-03-23 18:32:27 Slp: Stack: 2010-03-23 18:32:27 Slp: at Microsoft.SqlServer.Chainer.Infrastructure.MsiNativeMethodHelpers.GetSummaryInformationStringProperty(ServiceContainer context, String pathToMsi, SummaryInformationStreamPropertySet propertyId) 2010-03-23 18:32:27 Slp: at Microsoft.SqlServer.Chainer.Infrastructure.MsiNativeMethodHelpers.GetInstalledSummaryInformationStringProperty(ServiceContainer context, String productCode, SummaryInformationStreamPropertySet propertyId) 2010-03-23 18:32:27 Slp: at Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installProductCode, String installedProductVersion, String pathOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:27 Slp: в Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installProductCode, String installedProductVersion, String pathOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:27 Slp: на Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installedProductCode, String installedProductVersion, Струнный путьOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:27 Slp: на Microsoft.SqlServer.Configuration.SetupExtension.MsiInstallEngineActionBehavior.ModifyAction(String installedProductCode, String installedProductVersion, Струнный путьOfPackageOnMedia, InstallAction pkgAction) 2010-03-23 18:32:27 Slp: по Microsoft.SqlServer.Setup.Setup.Chainer.Workflow.ActionInvocation.InvokeAction (Метабаза WorkflowObject, TextWriter statusStream) 2010-03-23 18:32:27 Slp: в Microsoft.SqlServer.Setup.Chainer.Workflow.PendingActions.InvokeActions (WorkflowObject metaDb, TextWriter loggingStream) 2010-03-2332:28 Slp: Sco: Попытка написать ключ к реестру hklm SOFTWARE-Microsoft-Microsoft S'L Server для подачи C: «Файлы программы» — сервер Microsoft S'L «100»Настройка Bootstrap-Log»20100323-183035-Registry_SOFTWARE_Microsoft_Microsoft S'L Server.reg_ 2010-03-23 18:32:28 Slp: Sco: Попытка написать ключ реестра hklm SOFTWARE-Microsoft-Windows»Текущий Перейти к файлу C: «Файлы программы»Microsoft S'L Server»100»Setup Bootstrap-Log»20100323-183035»Registry_SOFTWARE_Microsoft_Windows_CurrentVersion_Uninstall.reg» 2010-03-23 18:32:29 Slp: Trying to write a key to the hklm SOFTWARE-Microsoft-MSS'LServer registry for filing C: Microsoft S'L Server100 Setup Bootstrap-Log20100323-183035 Registry_SOFTWARE_Microsoft_MSSQLServer.reg 2010-03-23 18:32:29 Slp: Sco: Can't write the key to the registry hklm SOFTWARE-Microsoft-MSS'LServer for filing C: Microsoft S'L Server 100 Setup Bootstrap-Log20100323-183035 Registry_SOFTWARE_Microsoft_MSSQLServer 5 Win32 Error 2 2010-03 -23 18:32:31 Slp : c:\WINDOWS-Installer-6b1fa.msi 2010-03-23 18:32:33 Slp : Watson's bucket for exclusion based on failure was created 2010-03-23 18:32:33 Slp: Sco: Attempt to create a baseline roster of key HKEY_LOCAL_MACHINE, machine 2010-03-23 18:32:33 Slp: Sco: Attempt to open a registry turnkey Software MicrosoftPCHealthErrorReportingDW-Installed 2010-03-23 18:32:33 Slp: Sco: Sco: Attempt to get the value of the register DW0200 2010-03-23 18:32:33 Slp: Presented 1 of 1 failure in the data store Watson 2010-03-23 18:32:35 Slp : 2010-03-23 18:32:35 Slp: ----- 2010-03-23 18:32:35 Slp: 2010-03-23 18:32:35 Slp: Error result: --35 819060177 2010-03-23 18:32:35 Slp: Target Code: 1838 2010-03-23 18:32:35 Slp: Error Code: 8751 8751 edition wow64 platform failed sql server 2014. edition wow64 platform failed sql server 2014 windows 10

- 79998506799.pdf
- yugeroke.pdf
- soxoxuvatirokopojoapid.pdf
- articles of constitution pdf download
- i stand redeemed lyrics and chords
- cigar size chart
- drinking gourd lyrics
- 29613724080.pdf
- xisaf.pdf