

Qingdao Zhiwu Import and Export Co., Ltd

Mobile : +86-17860730099/+86-18866276469

E-mail : zhiwu@qdzwjck.com/owen@qdzwjck.com

Add : Room 301, Building c, No. 177, Zhuzhou Road,
Laoshan District, Qingdao , Shandong , China

SIX-STAR FREQUENCY CONVERSION DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Six Star Inverter Model	1280A	1200	50	2200W	1350*600*1880	Ultraviolet + Ozone + Hot Air
Six Star Inverter Model	780A	580	50	1300W	665*600*1880	Ultraviolet + Ozone + Hot Air

ENGINEERING LIGHTWAVE DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineering Light Wave	1000A	760	50	1800W	1200*500*1880	Ultraviolet + Ozone + Hot Air + Light Waves
Engineering Light Wave	600A	380	50	1000W	590*500*1880	Ultraviolet + Ozone + Hot Air + Light Waves

ENGINEERING VOICE DISINFECTION CABINET

- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
工程光波款 语音播报款	Engineering Lightwave Model with Voice Announcement	1000A	760	50	1800W	1200*500*1880	Ultraviolet + Ozone + Hot Air + Light Waves
工程光波款 语音播报款	Engineering Lightwave Model with Voice Announcement	600A	380	50	1000W	590*500*1880	Ultraviolet + Ozone + Hot Air + Light Waves

ENGINEERING DISINFECTION CABINET

- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineering Disinfection Cabinet	1288A/Black	700	50	1800W	1160*470*1810	Ultraviolet + Ozone + Hot Air
Engineering Disinfection Cabinet	688A/Black	380	50	900W	575*470*1810	Ultraviolet + Ozone + Hot Air
Engineering Disinfection Cabinet	618A/Black	300	50	900W	575*470*1650	Ultraviolet + Ozone + Hot Air

PROOFING BOX SERIES

- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Proofing Box Series	Single door, 16 layers, gold color.	-	50	1500W	690*495*1980	Ultraviolet + Ozone + Hot Air
Proofing Box Series	Two-door, 32-story, golden.	-	50	2800W	690*1020*1980	Ultraviolet + Ozone + Hot Air
Proofing Box Series	Single door, 16 layers, black.	-	50	1500W	690*495*1980	Ultraviolet + Ozone + Hot Air
Proofing Box Series	Double door, 32-story, black.	-	50	2800W	690*1020*1980	Ultraviolet + Ozone + Hot Air

SMART DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Three-door computer version disinfection cabinet	1288A	1000	50	2000W	1750*470*1810	Ultraviolet + Ozone + Hot Air
Three-door mechanical disinfection cabinet	1288B	1000	50	2000W	1750*470*1810	Ultraviolet + Ozone + Hot Air


ENGINEERING DISINFECTION CABINET

- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineering disinfection cabinet	1380A	900	50	1800W	1250*570*1810	Ultraviolet + Ozone + Hot Air
Engineering Disinfection Cabinet	680A	450	50	900W	620*570*1810	Ultraviolet + Ozone + Hot Air

Z SERIES DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Z series Disinfection Cabinet	1280A Pull-out drawer	700	50	1800W	1160*470*1810	Ultraviolet + Ozone + Hot Air
Z series Disinfection Cabinet	680A Pull-out drawer	380	50	900W	575*470*1810	Ultraviolet + Ozone + Hot Air

K SERIES DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.

Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
K series Disinfection Cabinet	1280A Black/gold	700	50	1800W	1160*470*1810	Ultraviolet + Ozone + Hot Air
K series Disinfection Cabinet	680A Black/gold	380	50	900W	575*470*1810	Ultraviolet + Ozone + Hot Air

D SERIES DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
D series Disinfection Cabinet	988C Black/gold	700	50	1800W	1160*470*1810	Ultraviolet + Ozone + Hot Air
D series Disinfection Cabinet	588C Black/gold	380	50	900W	575*470*1810	Ultraviolet + Ozone + Hot Air

D SERIES DISINFECTION CABINET

- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
D series Disinfection Cabinet	580C Black/Gold	300	50	900W	575*470*1610	Ultraviolet + Ozone + Hot Air
D series Disinfection Cabinet	480C Black/Gold	280	50	900W	575*470*1410	Ultraviolet + Ozone + Hot Air

M SERIES DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
M series Mechanical Disinfection Cabinet	988A Optical wave flat panel version	700	50	1000W	1160*470*1810	Ultraviolet + Ozone + Hot Air + Light Waves
M series Mechanical Disinfection Cabinet	588A Optical wave flat panel version	380	50	2000W	575*470*1810	Ultraviolet + Ozone + Hot Air + Light Waves

M SERIES DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
M series Mechanical Disinfection Cabinet	988C Black/gold	700	50	1300W	1160*470*1810	Ultraviolet + Ozone + Hot Air
M series Mechanical Disinfection Cabinet	588C Black/Gold	380	50	900W	575*470*1810	Ultraviolet + Ozone + Hot Air

M SERIES DISINFECTION CABINET



- ★ The box uses high quality stainless steel, in high strength, corrosion resistance and other performance have excellent performance.
- ★ The refrigeration system adopts advanced air cooling circulation system, more effective temperature control, no ice.
- ★ Integrated European-type door handle, firm, beautiful, generous.
- ★ Automatic regression door design, the door can open more than 90 degrees Angle, easy access to food, less than 90 degrees, the door can automatically regression.



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
M series Mechanical Disinfection Cabinet	580C Black/Gold	300	50	900W	575*470*1610	Ultraviolet + Ozone + Hot Air
M series Mechanical Disinfection Cabinet	480C Black/Gold	280	50	900W	575*470*1410	Ultraviolet + Ozone + Hot Air

ENGINEERING DISINFECTION CABINET



★ Overall foam, no fingerprint, no magnetic stainless steel box and layer frame, hot air circulation high temperature disinfection cabinet, no magnetic foam door plate Apostural shape handle



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineeringdisinfection cabinet	Single door	380	50	2200W	650*650*1950	High temperature + hot air circulation
Engineering disinfection cabinet	Double door	700	50	4400W	1300*650*1950	High temperature + hot air circulation

ENGINEERING DISINFECTION CABINET



★ Overall foam, no magnetic stainless steel box deepened thick layer frame, a molding, a handle, motion sensing computer version, hidden heating body, hot air circulation elimination
Poison cabinet



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineering disinfection cabinet	960D Double door Translucent window model	650	50	1450W	1160*500*1850	High temperature + hot air
Engineering disinfection cabinet	460D Single door Transom window model	380	50	1200W	575*500*1850	High temperature + hot air

ENGINEERING DISINFECTION CABINET



★ Overall foam, all-steel without magnetic stainless steel box and layer frame, hidden heating body, cart Type high temperature disinfection cabinet

★ Overall foam, no fingerprint, no magnetic stainless steel box thick five layers of screen, hot air cycle high temperature elimination Poison cabinet



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineeringdisinfection cabinet	Cart-type high-temperature cabinet	750	50	2400W	1300*600*1950	High temperature + hot air
Engineeringdisinfection cabinet	900D Double door	650	50	1800W	1160*500*1850	High temperature + hot air

ENGINEERING DISINFECTION CABINET



★ Overall foam, no magnetic stainless steel box deepened thick layer frame, a molding, a handle, motion sensing computer version, hidden heating body, hot air circulation elimination
Poison cabinet




Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineeringdisinfection cabinet	930D Double door	650	50	1800W	1160*500*1850	High temperature + hot air
Engineering disinfection cabinet	420D Single door	380	50	1200W	575*500*1850	High temperature + hot air

KNIFE AND CUTTING BOARD COMBINATION CABINET



★ High-quality stainless steel plate, Intelligent control, with 125°C light Wave sterilization and disinfection with hot air circulation.
The LW 650-2 can be placed in 14 units
The knife holder, 5 cutting boards
The LW1200-1 can be placed at 28
1 knife holder, 9 cutting boards



Series	Product model number	Reference volume/L	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Cutting board Combination cabinet	LW1200-1		50	650W	1200*600*1900	Ozone + Ultraviolet
Cutting board Combination cabinet	LW650-2		50	650W	650*600*1900	Ozone + Ultraviolet

ENGINEERING CATERING CABINET

★ Marble countertops, thickened door seal,
Box body thickening, box body and layer frame all
no magnetic,
UV-ozone disinfection,
With the hot air circulation, with the drying function



Series	Product model number	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Engineering model combination food cabinet: Model A	YTP-850	50	1200W	850×470 ×930	Ozone + Ultraviolet + Hot Air
Engineering model combination food cabinet: Model A	YTP-1000	50	1200W	1000 ×470×930	Ozone + Ultraviolet + Hot Air
Engineering model combination food cabinet: Model A	YTP-1200	50	1200W	1200 ×470×930	Ozone + Ultraviolet + Hot Air

SMART FOOD CABINET

★ No magnetic catering cabinet, marble table, box no magnetic, no magnetic frame, automatic multi-frequency intelligent display board control



Series	Product model number	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Black/Gold Smart Catering Cabinet: Model B	YTP-850	50	600W	850×470 ×930	Infrared + Ozone
Black/Gold Smart Catering Cabinet: Model B	YTP-1000	50	600W	1000 ×470×930	Infrared + Ozone
Black/Gold Smart Catering Cabinet: Model B	YTP-1200	50	1200W	1200 ×470×930	Infrared + Ozone

LUXURY DINING CABINET

★ Marble countertops, all-steel
Lch, knob adjustment.



Series	Product model number	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Luxury Version Knob Catering Cabinet: Model C	YTP-850	50	600W	850×470 ×930	Infrared + Ozone
Luxury Version Knob Catering Cabinet: Model C	YTP-1000	50	600W	1000 ×470×930	Infrared + Ozone
Luxury Version Knob Catering Cabinet: Model C	YTP-1200	50	1200W	1200 ×470×930	Infrared + Ozone

NEW DRAWER CABINET

All-steel without magnetic stainless steel box drawer type combination cabinet
Intelligent computer board control hidden heating body ozone + ultraviolet light + hot air



Series	Product model number	Rated Voltage/Frequency (HZ)	Power/W	Product dimensions/mm	Disinfection method
Three-drawer Inlaid	-	50	1200W	600 ×560 ×800	Ozone + Ultraviolet + Hot Air
Six-drawer Inlaid	-	50	1200W	1200 ×560×800	Ozone + Ultraviolet + Hot Air