


Nicehash Miner For Mac

How long it will run a script before looking into changing algorithm. In this case 1 second + 1 second = 2 seconds.



Settings

General Advanced Devices/Algorithms

Miners:

Minimum Idle [s]: 60	Miner Restart Delay [ms]: 500	Switch Minimum Fixed [s]: 1
Switch Minimum AMD [s]: 90	Switch Minimum Dynamic [s]: 1	API Bind port pool start: 4000
Miner API Query Interval [s]: 5	Ethminer Default Block Height: 2000000	Switch Profitability Threshold: 0.10
	Dag Load Mode: singlekeep	

Benchmark Time Limits:

(NVIDIA) [s]:	(CPU) [s]:	(AMD) [s]:
Quick: 10	Quick: 10	Quick: 120
Standard: 20	Standard: 20	Standard: 180
Precise: 60	Precise: 60	Precise: 240

Designates how much of a gain (percentage wise) a different algorithm gives before it switches.
0.05 = 5%
0.10 = 10%
0.50 = 50%
etc.

Defaults Save and Close Close without Saving

DOWNLOAD: <https://byltly.com/290abl>



7c23cce9bc

[Train Announcement Ringtone In Malayalam](#)
[prudentes como serpientes pdf download](#)
[skip beat tagalog version full movie](#)
[Zakhm 2 Movie Download 720p](#)
[Elo Touchscreen Serial Ubuntu](#)