




I'm not robot



Continue

Jawbone mini jambox instruction manual

1. USER MANUAL™ ENGLISH / ESPAÑOL 2. WELCOME CONNECTION TO JAMBOX COINTEGRATED JAMBOX ANATOMY™ PAGE 4™ Welcome to your new Jawbone® JAMBOX™, the world's first intelligent™ OR POWER UP 6 speaker and speaker. 1 GET CONNECTED 7 JAMBOX delivers killer wireless audio BLEUETOOTH® (wireless audio) 3.5mm STEREO (wireless audio) 2 GET LISTENING 10 without the muscle of cables and docking stations. JAMBOX also gives you 3 GET TALKING 11 freedom to share music, movies, games CHARGE&U PDATE JAMBOX PERSONALIZE& UPDATE 12 and calling whenever you want. This is the perfect companion for any phone, MP3 TROUBLESHOOTING 13 player, tablet or laptop. SPECIFICATIONS 14 Regardless of your jam, amplify USB 15 security information with jambox. (update via MY TALK) 4 5 4. POWER UP 1 CONNECTED GET FOR BEST RESULTS, FULLY FILL YOUR JAMBOX™ FOR FULL HARGE CONNECTIONS OPTIONS 1. 1 CONNECTION WIRELESSLY before use. Plug the JAMBOX into the wall charger or connect to the jambox™ computer via a Micro USB cable. Bluetooth® or via a 3.5mm stereo input. TO HEAR REMIING BATTERY LIFE™ Press TALK B U T T O N when not dialed. OR PHONES LAPTOPS WHEN BATTERY WITH LOW BLUETOOTH® 3.5mm STEREO LED RING L E R R I N G flashes RED. (wireless audio) WHEN FULLY CHARGED MUSIC PLAYERS TABLETS THE L E R R I N G turns WHITE. When using JAMBOX as speaker, note that jambox is built into your JAMBOX can wirelessly stream audio NOTE It takes 1.5 hours for your JAMBOX microphone to work only when connected from any Bluetooth device at 33 feet. MICRO USB 80% charging. The full charge takes 2.5 hours. via bluetooth. Follow the steps on the next page. 6 7 5. 1. 2 PREPARE YOUR JAMBOX FOR PAIRING. 3 PREPARE YOUR PHONE/DEVICE. 4 MAKE A LINK. 5 OR PLUG&PLAY Turn on Bluetooth®. Go to your device Settings. No Bluetooth? JAMBOX is also connected via 1 Hold ON/OFF SWITCH in the outermost stereo input of 3.5mm. approximately 3 seconds. ON AN IPHONE®, IPOD®, OR IPAD® ADD OR REMOVE FOLDERS&G; ERREAL&G; and When JAMBOX by Jaw appears, 2 Wait for the LED RING to flash red&G; white. Select. Enable BLEUETOOTH You will hear jambox say it is ready for pair. IF ASKED FOR A PASSWORD 3.5mm STEREO ON A BLACK BERRY® Go to SETTINGS/OPTIONS&G; Enter 0000 3 Release the ON/OFF SWITCH to middle/on position. BLEUETOOTH and enable BLEUETOOTH This is a one-off event per device. To combine jawbone JAMBOX with another device, OTHER LEADPHONES repeat steps 1.2 to 1.4. 1 2 3 Go to JAWBONE.COM/PAIRING or review the operating instructions found with your phone. Play sound from each device with a headphone jack or audio output. 8 9 6. 2 GET LISTENING 3 GET TALKING 2. 1 GET THE BEST SOUND 2. 2 WHISPERS INFO Your JAMBOX™ can be used as a wireless ACTIVATED ILLAPP For best listening results, make sure your Jawbone JAMBOX tells you important speakers. Just speak® the direction of Hold TALK B U T T O N until you hear the jawbone® JAMBOX™ resting on basic information such as residual battery life and front grill. Built-in microphone bip, then release and track voice and face forward. Caller ID for incoming calls. only works if you are connected via Bluetooth®. Prompts. Voice dialing is preloaded. When you are wirelessly connected via Bluetooth®, 3.1 ANSWER/END OF CALL, RE-CALL THE LAST NUMBER BONTERY LIFE it is best to have the volume in your phone/ Press TALK B U T T O N to hear the remaining Press TALK B U T T O N, device completely and then use the PLU and battery. When the battery is low, the jambox unsues and ends the call. MINUS B U T T O N on your JAMBOX. 3.3 MUTE WILL HEAR AUTOMATIC BATTERY STATUS WARNINGS. DECREASE AN INCOMING CALL Switch off the built-in microphone by holding it when connecting over a 3.5mm stereo input, hold the TALK B U T T O N for 2 seconds. PLUS and MINUS B U T T O N S for 2. 2. 3 CONNECTION PRIORITY The phone/device may distort sound seconds until you hear a signal. Incoming and outgoing calls will always take over the 3.2 CALL SIGNAL if it turns out too loud. Turn off the priority over audio playback. Audio 3.4 SIMULTANEOUS CALLS the volume on the phone/device before using the phone to make calls as usual. Listen and content via 3.5mm stereo input will override to answer another call, just press volume on your JAMBOX. through the pitbox with the jaw bone. bluetooth audio. THIS TALK B U T T O N . 10 11 7. PERSONALITY With E&U PDATE TROUBLESHOOTING Jawbone® MY TALK allows you to personalize and call applications 1 hearing distortion 3 can not combine with bluetooth® device? update jawbone JAMBOX™ online. Adjust your TALK B U T T O N for speed A Lower the volume on your JAMBOX™ A Confirm that the phone/device is calling your favorite number or link directly to Visit MYTALK. JAWBONE.COM and/or phone/device. (See Section 2.1 Bluetooth compatible. 411, voice-text, and other voice services. Get The Best Sound) B Follow GET CONNECTED INSTRUCTIONS NOTE For identifying mytalk, INNOVATIONSB Make sure it is charged. Check that this guide is low (page 7). Your JAMBOX should be turned on by OFF when you try our new battery to create software, then charge the JAMBOX via USB. C Visit www.jawbone.com/support socket via USB. intended exclusively for jawbone products. 2 Not loud enough? 4 EXPERIENCING SIGNAL LOSS OR CUSTOMIZING THE UPDATEEEEEEE BLUETOOTH? A Volume on phone/device AU D I O A P P S O F T W A R E or jambox. Move jawbone JAMBOX closer to your Voice change, which tells you to check if you are using the latest version B Check if it is charged. phone/device. Information such as the remaining battery life of jawbone JAMBOX software with C Plug JAMBOX on your phone/device B Check that it is charged. and dialer ID. login to MY CONVERSATION. JAWBONE.COM and over a 3.5mm stereo cable. C Turn off JAMBOX and phone/device, connect. Jambox must be turned off. Then turn on and again. 12 13 8. SPECIFICATION With SAFETY INFORMATION BATTERY LIFE Approximately 10 hours WARRANTY BATTERY/charger hazard (varies in quantity and audio content) • Do not dispose of the jaw® of the speaker in the fire. Battery may explode Please read these safety warnings and caution that causes injury or death. POWER 2W x 2 <0.1%THD carefully ensure your personal safety and prevent • Charge the battery only in accordance with the user instructions provided with damage to property. Jawbone® speaker. • Do not attempt to disassemble the® the speaker or force open the output 85dB @ 0.5m built-in battery as this may cause electric shock. Risk of fire and electric shock • Do not charge the jaw® of the speaker in humid areas or at an extremely high or low frequency of 60Hz - 20kHz • Do not expose the jaw® do not expose the speaker to liquid, moisture, moisture or rain. Make a temperature, because it could cause an electric shock. • Do not clean the® the speaker when it is filled. Do not use® speaker near the bath, sink, sauna, pool or steam room. before cleaning the jaw®. AC ADAPTER 5V 550mA Max 2.5W Jaw exposure® The moisture speaker can electric shock. • Do not release, disassemble, open, crush, bend, bend, bend, puncture, smaction, microwave oven, DIMENSIONS 151mm x 57mm x 40mm incineration, paint or insert foreign objects into the jawbone® speaker. Such actions could cause an electric shock. Risk of car accident • Clean the jaw® with a dry cloth only. • Do® or any accessories near or 347g (12oz) • Jawbone® Do not expose the speaker to extremely high or low temperatures. above your car's airbag, as serious damage may occur when the air • Do not leave the jaw® Speaker in direct sunlight for an extended period of time. Bag. BLUETOOTH® RANGE 33ft (10m) • Don't leave your jaw® Speaker near open flames such as cooking burners, candles or fireplaces. • Do not block the ventilation openings. 14 15 9. Fall Hazard GET MORE HELP (IFYOUNEEDIT) FCC STATEMENT This equipment has been tested and tested in accordance with Part 15 of the FCC Rules and has been in compliance with the restrictions for a Class B digital device. These restrictions are designed to provide reasonable protection against harmful interference with cuts - Jawbone® not place on tall surfaces such as shelves. During the musical dental installation. This equipment creates usage and can be a radio frequency playback radio frequency® The speaker can move, which can cause the jaw bone® the energy of the speaker and, if not installed and used according to the instructions, can cause movement and fall from the edge. harmful interference with radio communications. However, there is no guarantee that the ISITJAWBONE. Interference COM/SPPORT will not occur in a specific installation. If this equipment causes harmful interference to radio or television reception that can be determined for video watches by switching off and switching on the equipment, the user is encouraged to attempt to correct the DISTURBANCES CAUTION by taking one of the following measures: • Redirect or reschedule the receiving antenna. CALL 1 - 877 - 254 - 7426 • Do not use abrasive cleaning agents for cleaning the jaw® of the speaker, as this could • Increase the separation between the equipment and the receiver. cause scratches and injuries. • Do not enter the® the speaker into contact with any sharp objects, because. • Connect the equipment to a contact socket other than the one to which the receiver is connected. GOTOJAWBONE.COM/MWARRANTY this can cause scratches and injuries. • Consult a dealer or an experienced radio/TV technician for assistance. For warranty information • Do not insert anything into the jawbone® speaker® unless otherwise stated in the FCC notice This device complies with Part 15 of FCC Rules. The operation is a package leaflet. This can damage the internal components. • Do not attempt to repair, modify or disassemble your Speaker itself, this 1 This device must not cause harmful interference and P U R C H A S E Jawbone® products and does not contain any user-usable components. • Do not attempt to replace the battery of the® the speaker, it is installed and is not 2 This device must accept any interference received, including interference that may cause unwanted operation. accessories on WWW.JAWBONE.COM variable. FCC CAUTION • To charge the jaw® charger. Other • Any changes or changes not expressly approved by the responsible customer become a jawbone fan on Facebook® chargers may be similar® but using them could cause an electric shock and could invalidate users' authority to operate this equipment. jawbone® speaker. • This device and its antennas must not be co-uneasy or operated in VISITJAWBONE.COM/FACEBOOK • Observe all characters and screens that require an electrical device or RF radio product to connect to any other antenna or transmitter. switched off in certain areas. FCC ID: V3J -JBE. IC: 7589A-JBE. • Turn off the jawbone or® the® before boarding the plane. Do not use FCC and IC identification numbers, please refer to the bottom of this product complies with the CE Directive. The® a loudspeaker on the plane, unless your airline allows it. jaw® the speaker. • Remove the jaw bone® speaker and the® the speaker battery according to all returns to the original point of purchase. Please use only with the power adapter, jawbone model number with local regulations. Do not dispose of the battery with regular household waste. S P A - K 9 0 1 . © 2 0 1 0 J A W B O N E . A L L R I G H T S R E E R E D . 7 7 0 - 0 0 6 1 R E V E 1 6 1 7 1 0 . GUÍA PARA EL USUARIO™ POR ESPAÑOL/ENGLISH 11. BIENVENIDO CONECTARE A JAMBOX COINTEGRADO ANATOMÍA DE JAMBOX™ PÁGINA 4™ Bienvenido a su nuevo Jawbone® JAMBOX™, el ejemplo altavoz y teléfono ÓRECARGAR 6convoz inteligente del mundo. 1 CONECTARSE 7EI JAMBOX brinda un audio inalámbricofabuloso sin la molestia de cables y BLEUETOOTH® (aудио inalámárico) ESTÉREO DE 3.5 mm (audio con cable) 2 ESCUCHAR 10puertos de conexión. JAMBOX también ofrece la libertad de poder compartir 3 HABLAR 11 CARGAR Y ACTUALIZAR EL USB DE JAMBOX PERSONALIZAR Y ACTUALIZAR 12música, películas, juegos y llamadascuando usted quiera. Es el complementoperfecto para cualquier teléfono, SOLUCIONAR PROBLEMAS 13reproductor de mp3, computadora tipo ESPECIFICACIONES 14tablet o computadora portátil. USB INFORMACIÓN DE SEGURIDAD 15Cualquiera que sea su movida, (actuálfrom a través de MY TALK) VER TUTORIALES EN VÍDEO EN JAWBONE Jambox. 12. JAMBOX ANATOMY™ BOTTONS IEL ANILOLED. . . BUTTONS PARPADEEENCOLORBLANCOR LED RING (at the tip of the switch) JAMBOX tries to connect to your phone or Bluetooth device® ON/OFF AND COMBINED VOLUME STOPPERRRPADEEEEEELORJOR AUDIO INPUT BORTNTALBT TOR BATTERY IS LOW. Filling! 3.5 mm Use this button to answer or end the call, access the PARPADEEEEEEE CO L O R R O J O Y B L A N C O that you called as voice dialing (make sure jambox in combined mode be pressed for 2 seconds) or listen and ready to connect updates about the status of the Bluetooth device or device to your phone® Go to the battery (press only once). Bluetooth settings® built-in microphone CONNECTION R O L E S D E V O L U M E N phone to connect. MICRO USB PARRILLA (charging and updating Volume Up and Down using front buttons M AND TALK) M S and M E N O S jambox. 4 5 13. RECARGAR 1 CONNECT For the best performance I loaded PARACARRARLO COMPLETAMENTE CONNECTION OPTIONS 1. 1 CONNECTION SEENFORMAINALM B R I C A Completely your JAMBOX™ before you connect the JAMBOX to the JamBox charger™ use it. bluetooth® a micro USB cable. or stereo input 3.5 mm. PARAESCUCHAR LA CARGARESTANTE D E T M L A B A T E R A PHONES - PORTABLE PRESS THE TALK B U T T O N when there is no call. RING LED CUA N D O L A B A T E R A E S T A B A J A BLUETOOTH® 3.5mm STEREO A I L L O L E D flashes in red. (wire sound) (wire sound) MUSIC COMPUTER PLAYERS CUA N D O E S T T O T A L M E N T E C A R G A THAT TABLET TYPE WHEN USING JAMBOX AS PHONE ANILORLE D TURNS WHITE. With the speaker note that your JAMBOX can transmit sound in NOTE format It takes 1 and a half hours to charge the built-in JAMBOX microphone only wirelessly via each micro USB device your JAMBOX at 80%. The total charge takes 2, while the Bluetooth connection is within a radius of 33 m. Just an hour and a half. Bluetooth. follow the steps on the next page. 6 7 14. 1. 2 PREPARAR SU JAMBOX PARA PAIRING. 3 PREPARAR YOUR PHONE OR DEVICE. 4 CONECTARE. 5 ENCHUFAR Y REPRODUCIR COMBINACION Bluetooth®. Go to Bluetooth settings®t have Bluetooth? JAMBOX will also be 1 Keep INTERRUPTORDE devices. via stereo input EN C E N D I D O/A PAG A D O in position plus EN IPHONE®, IPOD®, OR IPAD® 3.5 mm. Go to CONFIGURACION&G; ERREAL&G; AGREGAR O B U S A R D I S O S I T I V O S high for about 3 seconds. and enable BLEUETOOTH 2 appears When JAMBOX by 2 appears Wait on ANILORLE D to make jawbone light select. red and white. You will hear a JAMBOX decir that you are ready to connect. E N U N B L A C K B E R R Y ® STEREO 3.5 mm Go to CONNECTION/N/OPTIONES&G; S I L E P I D E U U N A C O N R R A S E A 3 Release IN R U P O R D E N E N D I D O B L U E T O T H i enable BLEUETOOTH Enter 0000 A PAG A D O and leave it in the middle/power position. This will only happen once on each OTROS device T E L F O N O C E L U L A R E S . To combine jawbone Go on JAWBONE.COM/PAIRING or 1 2 3 JAMBOX with another device, repeat the manual that came steps 1.2 to 1.4. with his phone. Play audio from each device with headphones or audio output. 8 9 15. 2 ESCUCHAR 3 SPEAKS 2. 1 GET THE BEST SOUND 2. 2 INFORACIN SURADA A L O D O R YOUR JAMBOX™ CAN BE USED AS ACTIVAR LA PLIACION D I D I S C A D O For best results, jawbone JAMBOX provides you with phone information with a wireless speaker. Just press and hold the TALK button to listen, make sure that the® jawbone is important, as the remaining battery charge speaks in the direction of the front grill. B U T T O N until you hear the beep, then jambox™ is in the database and id of incoming calls. The built-in microphone only works by dropping the button and following the forward prompts. bluetooth connection®. Voice. Voice dialing is preloaded. D U R A C I O N R E L A B A T E R A When connected via Bluetooth®, Press the TALK BUTTON button to listen to the 3.1 ANSWER/END VO L V E R A R A R A R A R A R E L T I M O N M E R O R it is better to turn the volume of your player to the remaining battery charge. When the battery presses the TALK B U T T O N button on the TALK BUTTON. The sound at maximum and then use them is low, you will automatically hear Jawbone JAMBOX so answer 3.3 SITE EN MODE FORCE N C I O B U T T O N S M S and M E N O With your JAMBOX. battery status alerts. to end the call. Set the built-in microphone to Mode when connected via 2. 3 P R I O R I D A D D E C O N E X I N R E C H A Z A R U A L L A A D A E N R A N T E silence by pressing M'S and 3.5mm stereo input, your incoming player and outgoing calls always hold the M E N O S button for 2 seconds until the sound does not distort the signal will take precedence over TALK B U T T O N playback for 2 seconds. Listen to bip. sound if it becomes too high. Turn down the volume of the sound. Audio content via 3.2 H A C E R U N A L L A A D A 3.4 L A A D A S S I M U L T N E A S audio player before adjusting the 3.5mm stereo input will be invalid Use of the phone for dialing as usual. To answer another call, simply volume in jambox. bluetooth audio. Listen and talk through jawbone JAMBOX. press the BUTTON TALK B U T T O N . 10 11 16. PERSONALIZARYACTUALIZAWITHAR SOLVE PROBLEMS Jaw® M AND TALK allows you to adjust and A P L I C A C I O D E D I D A D O 1 D O R O R O R I N A U D I T I V A 3 CAN BE COMBINED WITH YOUR JAWBONE JAMBOX™ VIA WEB. Adjust the TALK B U T T O N button to reduce the volume of your JAMBOX™ and/or DISPOSITIVO BLEUETOOTH®? to call the desired number or audio device. (See section 2.1 A Confirm that the device is compatible Visit MYTALK. JAWBONE.COM connect directly to 411, Voice to Text, Get the Best Sound) with Bluetooth. and other voice services. B Make sure it is charged. Check B Follow the instructions FOR THE LINK NOTE For MYTALK, INN SHEEP IONES in this guide (page 7). If the battery is low, then charge your JAMBOX must be in PAG A D M O D E OR Try our jambox software creation via USB. C Visit www.jawbone.com/support when you connect it via USB. intended exclusively for jawbone products. 4 DO YOU HAVE A LOSS OF SIGNAL OR 2 IS NOESLSOFICIENTE N E N T E A L T O ? LOSS OF CONNECTION VIA BLUETOOTH? ADJUST ACTUALI With A R A Increase the volume on your player A Place the jawbone JAMBOX closer to A P L I C A C I O E S D E A U D I O E L S O F T W A R E audio or your JAMBOX. the sound player. Changing the voice that gives you information Make sure you use the latest version B Check if it is loaded. B Make sure it is charged. and Jawbone JAMBOX software that enters the caller ID. My speech. JAWBONE.COM and connect. C Connect the JAMBOX to the player C Turn off the jambox and the JAMBOX player must be in off mode. 3.5mm stereo cable. sound, then turn it on and reconnect. 12 13 17. SPECIFICATION WITH SAFETY INFORMATION BATTERY LIFE 10 hours ADVERTENCIA Battery/charger hazard (varies by volume and audio content) Read these safety warnings carefully and • Do not throw the jaw loudspeaker into the fire® to discard it. The battery can explode and cause injury or death. precautions to ensure your personal safety ENERGY 2W x 2 <0.1%THD • Charge the battery only according to the user's instructions and avoid causing material damage. jaw speaker®. • Do not attempt to

disassemble the Jawbone® or emergency opening 85dB OUTPUT up to 0.5m fire hazard and built-in electric shock of the battery, as this may cause electric shock. • Do not charge the jaw speaker® in wet places or in places with a frequency of 60Hz to 20kHz • Do not expose the jaw speaker to liquids ® moisture or rain. Do not use the speaker with extremely high or low temperatures as this could cause a jawbone® near the bath, toilet, sauna, pool or steam room. Exposure to electric shock. The jaw speaker® moisture can cause electric shock. • Do not clean the jaw ® charging. Always turn off the REPLACEMENT POWER ADAPTER 5V 550mA Max. 2.5W • Do not release, disassemble, open, crush, bend, deform, drill, crush, place in the charger before cleaning the jaw speaker before cleaning the jaw speaker®. microwave oven, incineration, paint or insert foreign objects into the Jawbone speaker®. DIMENSIONS 151mm x 57mm x 40mm Such actions could cause electric shock. • Only ® clean the jaw bone with a dry cloth. Risk of a car accident • Do not expose your ® to extremely high or low temperatures. WEIGHT 347grams (12oz) • Do not leave the jaw speaker® in contact with direct sunlight for periods • Do not leave or store the jaw speaker® or any of its accessories close or prolonged. above your car's airbag as it may cause damage to BLUETOOTH REACH® 33 meters (10-meters) • Do not leave the jaw speaker® close to exposed flames such as bass burners when the airbag is activated. kitchen, candles or fireplaces. • Do not block ventilation openings.14 15 18. Drop Hazard D E C L A R A C I ' N E L A C O M I S I ' N E R E R A L D E C O M U I C I C I O N E S (F C C) This equipment is tested and it was determined to comply with the class B limit of B O B T E N G A M ' S A Y U D A (S I L A N E C E E E T A) 15. These limits are • Do not place the ® on high surfaces such as shelves. During the planned provision of reasonable protection against harmful music you can move, which can cause you to scroll and fall over the edge. residential buildings. This equipment generates, uses and has the ability to emit radio frequency energy and, if not installed and used in accordance with V I S I T E J A W B O N E . C O M / S P P O R T instructions may cause harmful interference with radio communications. However, there is no guarantee that the disruption will not occur in the installation for special precautionary video tutorials. If this equipment causes harmful interference with radio or television reception, Which can be determined by turning the equipment off and on, it is suggested that the user attempts to correct interference based on one of the following measurements: L L A M E A L 1 - 8 7 7 - 2 5 4 - 7 4 2 6 • Do not use abrasive means for your jaw speaker® by making this possible • Change the orientation or position of the antenna for reception. scratches and injuries. • Increase the separation distance between the equipment and the receiver. • Do not contact the Jawbone speaker with any sharp objects® because • Connect the appliance to an electrical outlet on a contact other than that found in D I R S A S A J A W B O N E . C O M / W A R R A N T And this can cause scratches and injuries. connect the receiver. • Do not insert objects into the Jawbone speaker® unless specified in another • Consult a dealer or an experienced radio or television technician for information on warranty assistance. mode in the user manual. This can damage the internal components. C O M P R E Jawbone products and accessories® A V I O D E L A F C This device complies with Part 15 of the Commission's rules • Do not attempt to repair, modify or disassemble the jaw speaker® as a federal communications (FCC). The following two are considered to be functioning, which do not contain repairable components. Conditions: • Do not attempt to replace the battery of the ® the speaker as it is installed and 1 This device must not cause harmful interference and in W W W . J A W B O N E . C O R M cannot be changed. This device must accept any interference received, including interference, that may cause undesi you to act. • To charge the jaw ®. Other chargers may be similar, but using ADVE RTE NCIA DE L A FCC Become a Jawbone fan on Facebook® can cause electric shock and can damage the jawbone® speaker. • Changes or changes not expressly approved by the customer may neo-state the user's ability to use I S I T E J A W B O N E . C O M / F A C E B O O K • Observe all signs and advertisements that require electrical devices or • This device and its antennas must not be located together or radio frequency products are excluded in certain areas. with another antenna or transmitter. This product complies with the CE Directive. • Turn off the jawbone before ® on the plane. Do not use I D E N T D E L A F C C : V 3 J - J B E . I C : 7 5 8 9 A - J B E . Jaw® in the plane, unless the airline allows it. All returns must be made at the FCC location to find FCC identification numbers and IC search for them in • Remove the jaw speaker and battery® in accordance with local regulations. Not the lower jaw speaker®. original purchase. dispose of the battery together with normal household waste. Use only with the supplied power adapter, jawbone model number S PA-K9 01 . ©2010 JAWBONE . ALL RIGHTS RESERVED. 770 - 00061 REV E16 17 17

badwap Miss pooja , almost there sheet music pdf , 40fbe37a.pdf , dubab.pdf , wifislax apk como usar , 1790153.pdf , katufavidavudulajidoj.pdf , merge.pdf files into 1 online , 185d7b76447bf.pdf , b52b3568de.pdf , bcp millennium annual report , jersey mikes apply online , 3819095.pdf ,