



SUNGLASS

JIANGSU SUNGLASS CO., LTD



*Jiangsu Sunglass Co., Ltd,
professional reed diffuser glass bottles & candle jars manufacturer.*

Jiangsu Sunglass Co.,Ltd is located in Zhenjiang, Jiangsu Province, we are devoted into design, research and development of reed diffuser glass bottles,candle jars,essential oil bottles and perfume glass bottles etc, which specialized in OEM&ODM home fragrances glasswares.

Factory covers an area of 173420 m² and has more than 700 employees, including more than 150 professional technicians and managers. Now it has more than 2 high-efficiency oxygen-fuel combustion and energy-saving intelligent control glass kilns, and supporting 20 production lines, with annual output of 100,000 tons of various kinds of medium and high-grade glass bottles and containers. Also we have our own post-processing workshop which can do painting, printing, hot stamping, decal paper,frosted etc.

Our factory has passed ISO 9001-2015 and SA8000-2014, the products sell well in the global market, mainly export to North America,Europe,Southeast Asia,Australia,Middle East, we also build long-term business relationship with IKEA, Walmart, Qingdao KingKing Applied Chemistry Co.,Ltd,Meitong Home Group etc.

On the road to the future, Sunglass always open eyes to the world, learning advanced technology of the industry, and adhering to the principle of quality first and service first, so as to be the most reliable quality supplier for customers.



GB-0206-95

W 重量/g: 100
V 容积/ml: 100
T 口径/mm: 55
H 高度/mm: 68
B 底径/mm: 49



GB-0213-50

W 重量/g: 60
V 容积/ml: 40
T 口径/mm: 45
H 高度/mm: 53
B 底径/mm: 39



GB-0262-350

W 重量/g: 365
V 容积/ml: 250
T 口径/mm: 79
H 高度/mm: 93
B 底径/mm: 72



GB-0268-370

W 重量/g: 360
V 容积/ml: 320
T 口径/mm: 80
H 高度/mm: 105
B 底径/mm: 75



GB-0363-540 玻璃盖子 Glass lid

W 重量/g: 528	GZ-0001-170
V 容积/ml: 470	W 重量/g: 157
T 口径/mm: 89	T 口径/mm: 83
H 高度/mm: 110	H 高度/mm: 19
B 底径/mm: 87	B 底径/mm: 77



GB-0708-130

W 重量/g: 150
V 容积/ml: 140
T 口径/mm: 71
H 高度/mm: 89
B 底径/mm: 45



GB-0851-85

W 重量/g: 95
V 容积/ml: 70
T 口径/mm: 48
H 高度/mm: 77
B 底径/mm: 38



GB-0878-560

W 重量/g: 540
V 容积/ml: 440
T 口径/mm: 101
H 高度/mm: 123
B 底径/mm: 73



GB-2133-230

W 重量/g: 270
V 容积/ml: 270
T 口径/mm: 75
H 高度/mm: 92
B 底径/mm: 68



GB-2253-350

W 重量/g: 335
V 容积/ml: 340
T 口径/mm: 81
H 高度/mm: 105
B 底径/mm: 73



GB-2278-400

W 重量/g: 410
V 容积/ml: 370
T 口径/mm: 88
H 高度/mm: 100
B 底径/mm: 82



GB-2387-130

W 重量/g: 130
V 容积/ml: 135
T 口径/mm: 75
H 高度/mm: 62
B 底径/mm: 50



GL-8362-580

W 重量/g: 550
V 容积/ml: 250
T 口径/mm: 79
H 高度/mm: 106
B 底径/mm: 74



GB-2482-70

W 重量/g: 75
V 容积/ml: 55
T 口径/mm: 45
H 高度/mm: 51
B 底径/mm: 42



GB-8151-200

W 重量/g: 200
V 容积/ml: 200
T 口径/mm: 72
H 高度/mm: 76
B 底径/mm: 56



GB-8225-250

W 重量/g: 270
V 容积/ml: 275
T 口径/mm: 75
H 高度/mm: 110
B 底径/mm: 45



GL-8263-220

W 重量/g: 260
V 容积/ml: 304
T 口径/mm: 86
H 高度/mm: 91
B 底径/mm: 62



GB-0204-80

W 重量/g: 80
V 容积/ml: 65
T 口径/mm: 66
H 高度/mm: 46
B 底径/mm: 42



GB-0208-180

W 重量/g: 194
V 容积/ml: 190
T 口径/mm: 71
H 高度/mm: 77
B 底径/mm: 66



GB-0210-90

W 重量/g: 108
V 容积/ml: 120
T 口径/mm: 65
H 高度/mm: 67
B 底径/mm: 46



GB-0221-105

W 重量/g: 123
V 容积/ml: 120
T 口径/mm: 70
H 高度/mm: 67
B 底径/mm: 45



GB-0293-250

W 重量/g: 247
V 容积/ml: 240
T 口径/mm: 90
H 高度/mm: 80
B 底径/mm: 66



GB-0370-210

W 重量/g: 193
V 容积/ml: 150
T 口径/mm: 68
H 高度/mm: 78
B 底径/mm: 67



GL-0805-55

W 重量/g: 55
V 容积/ml: 40
T 口径/mm: 53
H 高度/mm: 34
B 底径/mm: 50



GL-0813-45

W 重量/g: 50
V 容积/ml: 30
T 口径/mm: 50
H 高度/mm: 27
B 底径/mm: 48



GL-0819-130

W 重量/g: 125
V 容积/ml: 67
T 口径/mm: 52
H 高度/mm: 50
B 底径/mm: 48



GB-2124-560

W 重量/g: 670
V 容积/ml: 750
T 口径/mm: 115
H 高度/mm: 115
B 底径/mm: 110



GB-2180-160

W 重量/g: 160
V 容积/ml: 190
T 口径/mm: 75
H 高度/mm: 73
B 底径/mm: 51



GB-2353-250

W 重量/g: 240
V 容积/ml: 250
T 口径/mm: 80
H 高度/mm: 80
B 底径/mm: 75



GL-8100-500

W 重量/g: 488
V 容积/ml: 480
T 口径/mm: 108
H 高度/mm: 78
B 底径/mm: 102



GL-8115-140

W 重量/g: 140
V 容积/ml: 115
T 口径/mm: 75
H 高度/mm: 65
B 底径/mm: 53



GL-2181-500

W 重量/g: 480
V 容积/ml: 600
T 口径/mm: 120
H 高度/mm: 110
B 底径/mm: 80



GB-0206-95

W 重量/g: 100
V 容积/ml: 100
T 口径/mm: 55
H 高度/mm: 68
B 底径/mm: 49



GB-0213-50

W 重量/g: 60
V 容积/ml: 40
T 口径/mm: 45
H 高度/mm: 53
B 底径/mm: 39



GB-0262-350

W 重量/g: 365
V 容积/ml: 250
T 口径/mm: 79
H 高度/mm: 93
B 底径/mm: 72



GB-0268-370

W 重量/g: 360
V 容积/ml: 320
T 口径/mm: 80
H 高度/mm: 105
B 底径/mm: 75



GB-0363-540 玻璃盖子 Glass lid

W 重量/g: 528	GZ-0001-170
V 容积/ml: 470	W 重量/g: 157
T 口径/mm: 89	T 口径/mm: 83
H 高度/mm: 110	H 高度/mm: 19
B 底径/mm: 87	B 底径/mm: 77



GB-0708-130

W 重量/g: 150
V 容积/ml: 140
T 口径/mm: 71
H 高度/mm: 89
B 底径/mm: 45



GB-0851-85

W 重量/g: 95
V 容积/ml: 70
T 口径/mm: 48
H 高度/mm: 77
B 底径/mm: 38



GB-0878-560

W 重量/g: 540
V 容积/ml: 440
T 口径/mm: 101
H 高度/mm: 123
B 底径/mm: 73



GB-2133-230

W 重量/g: 270
V 容积/ml: 270
T 口径/mm: 75
H 高度/mm: 92
B 底径/mm: 68



GB-2253-350

W 重量/g: 335
V 容积/ml: 340
T 口径/mm: 81
H 高度/mm: 105
B 底径/mm: 73



GB-2278-400

W 重量/g: 410
V 容积/ml: 370
T 口径/mm: 88
H 高度/mm: 100
B 底径/mm: 82



GB-2387-130

W 重量/g: 130
V 容积/ml: 135
T 口径/mm: 75
H 高度/mm: 62
B 底径/mm: 50



GL-8362-580

W 重量/g: 550
V 容积/ml: 250
T 口径/mm: 79
H 高度/mm: 106
B 底径/mm: 74



GB-2482-70

W 重量/g: 75
V 容积/ml: 55
T 口径/mm: 45
H 高度/mm: 51
B 底径/mm: 42



GB-8151-200

W 重量/g: 200
V 容积/ml: 200
T 口径/mm: 72
H 高度/mm: 76
B 底径/mm: 56



GB-8225-250

W 重量/g: 270
V 容积/ml: 275
T 口径/mm: 75
H 高度/mm: 110
B 底径/mm: 45



GL-8343-430

W 重量/g: 425
V 容积/ml: 300
T 口径/mm: 83
H 高度/mm: 95
B 底径/mm: 80



GL-8264-750

W 重量/g: 660
V 容积/ml: 450
T 口径/mm: 99
H 高度/mm: 100
B 底径/mm: 94



GL-8261-75

W 重量/g: 80
V 容积/ml: 50
T 口径/mm: 45
H 高度/mm: 74
B 底径/mm: 38



GL-8281-85

W 重量/g: 85
V 容积/ml: 55
T 口径/mm: 56
H 高度/mm: 77
B 底径/mm: 33



GL-8291-160

W 重量/g: 170
V 容积/ml: 160
T 口径/mm: 62
H 高度/mm: 78
B 底径/mm: 56



GL-8292-780

W 重量/g: 720
V 容积/ml: 540
T 口径/mm: 100
H 高度/mm: 125
B 底径/mm: 96



GL-8302-580

W 重量/g: 580
V 容积/ml: 430
T 口径/mm: 95
H 高度/mm: 103
B 底径/mm: 83



GL-8305-340

W 重量/g: 350
V 容积/ml: 150
T 口径/mm: 85
H 高度/mm: 65
B 底径/mm: 76



GL-8310-530

W 重量/g: 536
V 容积/ml: 690
T 口径/mm: 128
H 高度/mm: 78
B 底径/mm: 121



GL-8311-440

W 重量/g: 435
V 容积/ml: 430
T 口径/mm: 98
H 高度/mm: 90
B 底径/mm: 95



GL-8316-560

W 重量/g: 560
V 容积/ml: 310
T 口径/mm: 88
H 高度/mm: 98
B 底径/mm: 82



GL-8288-220

W 重量/g: 225
V 容积/ml: 19
T 口径/mm: 97
H 高度/mm: 15
B 底径/mm: 96



GL-8323-360

W 重量/g: 360
V 容积/ml: 350
T 口径/mm: 80
H 高度/mm: 100
B 底径/mm: 90



GL-8328-250

W 重量/g: 250
V 容积/ml: 220
T 口径/mm: 73
H 高度/mm: 65
B 底径/mm: 71



GL-8329-740

W 重量/g: 730
V 容积/ml: 400
T 口径/mm: 104
H 高度/mm: 95
B 底径/mm: 102



GL-8330-1260

W 重量/g: 1253
V 容积/ml: 1110
T 口径/mm: 134
H 高度/mm: 136
B 底径/mm: 134



GL-8242-480

W 重量/g: 460
V 容积/ml: 255
T 口径/mm: 100
H 高度/mm: 78
B 底径/mm: 82



GL-8139-180

W 重量/g: 168
V 容积/ml: 70
T 口径/mm: 79
H 高度/mm: 37
B 底径/mm: 75



GL-8140-110

W 重量/g: 105
V 容积/ml: 22
T 口径/mm: 75
H 高度/mm: 20
B 底径/mm: 75



GL-8142-530

W 重量/g: 630
V 容积/ml: 640
T 口径/mm: 120
H 高度/mm: 85
B 底径/mm: 114



GL-8144-270

W 重量/g: 273
V 容积/ml: 210
T 口径/mm: 74
H 高度/mm: 77
B 底径/mm: 64



GL-8146-125

W 重量/g: 128
V 容积/ml: 70
T 口径/mm: 59
H 高度/mm: 59
B 底径/mm: 48



GL-8153-340

W 重量/g: 330
V 容积/ml: 310
T 口径/mm: 88
H 高度/mm: 78
B 底径/mm: 84



GL-8159-500

W 重量/g: 540
V 容积/ml: 440
T 口径/mm: 98
H 高度/mm: 100
B 底径/mm: 94



GL-8175-600

W 重量/g: 610
V 容积/ml: 560
T 口径/mm: 130
H 高度/mm: 78
B 底径/mm: 72



GL-8177-770

W 重量/g: 719
V 容积/ml: 190
T 口径/mm: 72
H 高度/mm: 99
B 底径/mm: 72



GL-8186-500

W 重量/g: 440
V 容积/ml: 105
T 口径/mm: 82
H 高度/mm: 57
B 底径/mm: 78



GL-8211-560

W 重量/g: 570
V 容积/ml: 600
T 口径/mm: 100
H 高度/mm: 125
B 底径/mm: 95



GL-8217-510

W 重量/g: 500
V 容积/ml: 470
T 口径/mm: 100
H 高度/mm: 122
B 底径/mm: 71



GL-8218-200

W 重量/g: 195
V 容积/ml: 110
T 口径/mm: 70
H 高度/mm: 57
B 底径/mm: 56



GL-8238-160

W 重量/g: 170
V 容积/ml: 22
T 口径/mm: 70
H 高度/mm: 27
B 底径/mm: 35



GL-8322-130

W 重量/g: 135
V 容积/ml: 25
T 口径/mm: 75
H 高度/mm: 34
B 底径/mm: 30



GL-8361-160

W 重量/g: 160
V 容积/ml: 145
T 口径/mm: 81
H 高度/mm: 45
B 底径/mm: 70



GL-8394-190

W 重量/g: 200
V 容积/ml: /
T 口径/mm: 54
H 高度/mm: 80
B 底径/mm: /



ZZ-7172-420 (椭圆)
ZEllipse

W 重量/g: 415
V 容积/ml: 370
T 口径/mm: 108x64
H 高度/mm: 116
B 底径/mm: 100



ZZ-7212-580 (椭圆)
ZEllipse

W 重量/g: 540
V 容积/ml: 600
T 口径/mm: 125x100
H 高度/mm: 100
B 底径/mm: 95



GB-2566-320

W 重量/g: 355
V 容积/ml: 310
T 口径/mm: 76
H 高度/mm: 100
B 底径/mm: 77



GB-2466-190

W 重量/g: 190
V 容积/ml: 220
T 口径/mm: 70
H 高度/mm: 84
B 底径/mm: 65



GB-2467-250

W 重量/g: 270
V 容积/ml: 335
T 口径/mm: 80
H 高度/mm: 90
B 底径/mm: 76



GB-2468-380

W 重量/g: 380
V 容积/ml: 380
T 口径/mm: 90
H 高度/mm: 102
B 底径/mm: 85



GL-8301-410

W 重量/g: 430
V 容积/ml: 545
T 口径/mm: 104
H 高度/mm: 99
B 底径/mm: 103



GL-8422-470

W 重量/g: 452
V 容积/ml: 470
T 口径/mm: 95
H 高度/mm: 106
B 底径/mm: 89



GL-8425-540

W 重量/g: 535
V 容积/ml: 390
T 口径/mm: 79
H 高度/mm: 107
B 底径/mm: 80



GL-8426-750

W 重量/g: 750
V 容积/ml: 550
T 口径/mm: 79
H 高度/mm: 148
B 底径/mm: 80



GL-8427-600

W 重量/g: 638
V 容积/ml: 520
T 口径/mm: 110
H 高度/mm: 85
B 底径/mm: 125



GL-8428-710 玻璃盖子 Glass lid

W 重量/g: 653
V 容积/ml: 550
T 口径/mm: 105
H 高度/mm: 112
B 底径/mm: 98

GZ-0042-200
W 重量/g: 220
T 口径/mm: 105
H 高度/mm: 21
B 底径/mm: 95



GL-8420-210

W 重量/g: 210
V 容积/ml: 137
T 口径/mm: 64
H 高度/mm: 74
B 底径/mm: 64



GL-8412-440

W 重量/g: 458
V 容积/ml: 388
T 口径/mm: 90
H 高度/mm: 100
B 底径/mm: 90



GL-8414-250

W 重量/g: 250
V 容积/ml: 230
T 口径/mm: 75
H 高度/mm: 83
B 底径/mm: 71



GL-8415-350

W 重量/g: 350
V 容积/ml: 490
T 口径/mm: 85
H 高度/mm: 94
B 底径/mm: 81



GL-8416-470

W 重量/g: 470
V 容积/ml: 490
T 口径/mm: 95
H 高度/mm: 105
B 底径/mm: 90.2



GL-8417-390

W 重量/g: 372
V 容积/ml: 360
T 口径/mm: 85
H 高度/mm: 94
B 底径/mm: 85



GL-8413-340

W 重量/g: 357
V 容积/ml: 277
T 口径/mm: 85
H 高度/mm: 80
B 底径/mm: 85



GL-8418-560

W 重量/g: 560
V 容积/ml: 575
T 口径/mm: 105
H 高度/mm: 100
B 底径/mm: 105



GL-8421-480

W 重量/g: 480
V 容积/ml: 420
T 口径/mm: 104
H 高度/mm: 79
B 底径/mm: 104

Add: No.468, Zihui Road,
Zhenjiang City,
Jiangsu Province, China
Tel & Fax: (86-511) 81882265
Web: jssunglass.en.alibaba.com

