



MD:15 UPPER RECEIVERS

32

35

35

STOCKS & BRACES

HANDGUARDS

ACCESSORIES

Maxim Defense has become the go-to manufacturer for some of the toughest firearms in the world. This isn't by accident. By focusing on military environments, we ensure our products are dependable enough for everyone.

"Professional Grade" means the product can't fail. That is always our goal, even in extreme conditions. The term professional doesn't describe a job. It describes a user. Today's military, law enforcement, and citizens all have a need for dependable tools designed to last.

We started with an innovative COB stock, expanded to dominating compact firearm needs, and have since developed quality match-grade ammunition, suppressors, and more. No matter your application, know that if it has the Maxim Defense name, it's been built to our professional grade standards.





PCM

When you're looking for Maxim Defense ingenuity in a new standard AR-9, the MD-9 is your answer. The MD-9 was engineered to fit the growing demand for cutting-edge AR9 style rifles for today's military and commercial market.

For increased comfort and versatility every MDX features our free-floating barrel with our custom handguard. These handguards provide a monolithic-like upper receiver platform and M-SLOT compatibility.

SPECIFICATIONS

	M > 905	M > 904K)
BARREL LENGTH	5.8"	4.5"
OVERALL LENGTH	20"	17.25"
WEIGHT (EMPTY)	6lbs 1oz	5lbs 5oz
FINISH	Type III anodized	Type III anodized

- 1. Military grade materials; 6AI-4V Titanium and 17-4 Stainless Steel, 7075-T6 Aluminum
- 2. Maxim Defense brace or stock
- **■.** Ambidextrous charging handle
- 4. Ambidextrous QD sling mounts
- 5. Ambidextrous selector

- **5**. Accepts all Glock 9mm pattern magazines, G19 and longer
- 7. ALG Defense Combat Trigger
- B. Maxim Defense 7075 billet receiver set
- M-RAX[™] and M-SLOT compatible handguard
- 10. Free floated barrel
- 11. Last round hold open



Born from the SOCOM PDW solicitation, the Maxim Defense PDX is designed to handle the fierce demands of the Tier 1 community. It dominates close quarter encounters and achieves maximum energy on target. At just 18.75" in overall length, the PDX delivers groundbreaking power and performance in a sub compact platform.

At the heart of the PDX is our SCW system. This award-winning system cuts down the length of the stock to 4". The integrated BCG with interchangeable buffer weights gives you maximum performance and versatility without sacrificing form and functionality.

The PDX is also equipped with our HATEBRAKE muzzle booster. This patent-pending device significantly reduces recoil, decreases the flash signature, pushes gasses and concussion wave downrange away from the operator and improves overall performance in short barrel pistols and rifles.

SPECIFICATIONS

	POX
BARREL LENGTH	5.5"
OVERALL LENGTH	18.75"
WEIGHT (EMPTY)	5.9 lbs
FINISH	Type III anodized

- 1. Military grade materials; 6Al-4V Titanium and 17-4 Stainless Steel, 7075-T6 Aluminum
- 2 MOA accurate
- ■. Maxim Defense brace or stock
- 4. Ambidextrous charging handle
- 5. Ambidextrous QD sling mounts
- **5.** Ambidextrous rear QD sling mount
- 7. Ambidextrous selector

- Armorer level adjustable gas block
- scw buffer & carrier
- 10. HK height rail for a more rigid upper receiver
- 11. ALG Defense Combat Trigger
- 12. Maxim Defense 7075 billet receiver set
- **13**. M-RAX™ and M-SLOT compatible handguard
- 14. HATEBRAKE™ Muzzle Booster





With the same heart and soul of the proven PDX, The MDX:508 and 510 models deliver maximum concealment and higher velocities.

The SCW and CQB systems play a key role in the compact size. The SCW stock adds a mere 4" to the end of the receiver with a full extension of 8.75", providing complete comfort to the operator. Our patented HATEBRAKE, proprietary bolt carrier group, and buffer & spring options ensure extreme durability and smooth cycling.

SPECIFICATIONS

	MS (508)	M) 510
BARREL LENGTH	8.5"	10.3"
OVERALL LENGTH	21.5"-23"	23.5"-25"
WEIGHT (EMPTY)	<6.5 lbs	<6.5 lbs
FINISH	Type III anodized	Type III anodized

- Military grade materials; 6Al-4V Titanium and 17-4 Stainless Steel, 7075-T6 Aluminum
- **2**. Maxim Defense brace or stock
- **■.** Ambidextrous charging handle
- 4. Ambidextrous QD sling mounts
- 5. Armorer level adjustable gas block

- 5. Ambidextrous rear QD sling mount
- 7. Ambidextrous selector
- ALG Defense Combat Trigger
- s. Maxim Defense 7075 billet receiver set
- **10**. M-RAX[™] and M-SLOT compatible handguard
- 11. HATEBRAKE™ Muzzle Booster







M>:15

When you're looking for Maxim Defense ingenuity in a standard AR-15 package, the MD-15 is your answer. The MD-15 was engineered to fit the growing demand for reliable, accurate and affordable AR15 style rifles for civilians and today's Law Enforcement Patrol Officers.

SPECIFICATIONS

	M > (1505)	M) (1508)	M) (1510)
BARREL LENGTH	5.5"	8.5"	10.3"
OVERALL LENGTH	18.7"	23 1/8"	24 7/8"
WEIGHT (EMPTY)	5.5 lbs	6.3 lbs	6.8 lbs
FINISH	Type III anodized	Type III anodized	Type III anodized





- Military grade materials; 17-4 Stainless Steel, 7075-T6 Aluminum
- **2.** Maxim Defense brace or stock, or B5 stock
- a. Ambidextrous charging handle
- 4. Ambidextrous QD sling mounts
- 5. Maxim Defense Slimline Handguard
- Ambidextrous selector
- 7. ALG Defense Combat Trigger
- B. MIL-SPEC forged receiver set
- HATEBRAKE™ Muzzle Booster or A1 flash hider





The MD:15L is the newest addition to our MD:15 family. The 16" barrel maximizes caliber effectiveness and the spiral fluting saves weight while dissipating heat. The 3lb Zero" trigger from Blackout Defense has an incredibly short reset, aiding in faster and more accurate follow up shots. Rounded out with an ambidextrous charging handle and 7-sided M-Slot compatible handguard, the MD:15L is ready for the field.

SPECIFICATIONS

	M>:15 L
BARREL LENGTH	16"
OVERALL LENGTH	33"
WEIGHT (EMPTY)	6lbs 6oz
FINISH	Type III anodized

- Military grade materials;
 7075/6061 Aluminum & Tool Steel
- 2. A2 flash hider
- a. Maxim Defense M-RAX and M-Slot compatible Handguard
- u. Blackout Defense Zero™ 3.0lb Trigger
- 5. Radian charging handle

- **6.** Magpul furniture
- Magpul sights
- Carbine stock and standard buffer
- s. Free floated barrel
- 10. 30 round magazine





The MD-11 series is a direct impingement rifle made on the SR-25 cut pattern. This large frame rifle is available in 6.5 Creedmoor or .308 Winchester. The 18" Proof Research carbon fiber or stainless-steel barrel allows them to come in at just 9lbs. Equipped with a carbine buffer system, paired with a B5 S0PMOD stock and a Geissele SSA-E trigger.

SPECIFICATIONS


	M⊃:11
BARREL LENGTH	18"
OVERALL LENGTH	37"
WEIGHT (EMPTY W/MAG)	Starting at 9lbs
FINISH	Type III anodized

- Military grade materials
- 2. 18" Proof carbon fiber or stainless steel barrel
- Ambidextrous charging handle
- 4. Ambidextrous selector
- 5. Ambidextrous magazine release
- **5**. B5 SOPMOD carbine length stock
- 7. Geissele SSA-E trigger
- B. Maxim Defense 7075 billet receiver set

- M-RAX[™] and M-SLOT compatible handguard
- 10. Free-floated barrel
- 11. SR-25 pattern
- 12. Optimized rifle system
- 13. Receives all SR-25 pattern magazines
- **14**. MIL-SPEC+ coatings and materials
- **15**. Fully and easily serviceable
- **16.** Disassembles with common tools



RIMFIRE SUPPRESSORS





Maxim Defense rimfire suppressors come in two flavors. The venerable MKIV-SD complete suppressor package and the DRF:22 standalone suppressor each offer amazing sound suppression while encouraging clean operation and reduced blowback.

SPECIFICATIONS	DRF:22
COMPATIBLE CALIBERS	.22LR, .22 Mag, .17 HMR
LENGTH	5.9"
DIAMETER	1.0"
WEIGHT	3.5oz
MATERIALS	7075-T6 Aluminum, 6Al-4V Titanium
FINISH	Type III MIL-SPEC hard coat anodizing, DLC (Diamond-like coating)

FEATURES

- 1. State-of-the-art MonoKore design
- **2**. Simple 3-piece design
- Military grade materials
- 4. Adds 5.4" to the muzzle
- 5. Specifically designed .22LR rifles and pistols
- No detectable first round pop
- 7. Drops sound to well below hearing safe levels
- B. Decreases flash, decreases recoil, increases accuracy
- 9. Fully and easily serviceable
- 10. Disassembles with common tools

LENGTH 12.6" overall length (firearm) DIAMETER 1.0" WEIGHT 3.5oz (suppressor) MATERIALS 7075-T6 Aluminum & 4140 steel FINISH Nitride/Type III hard coat anodizing

- 1. State-of-the-art MonoKore design
- **2.** Simple 3-piece design
- Military grade materials
- 4. Integrated into the modern Ruger MKIV pistol
- 5. Has secondary retention mechanism on suppressor tube
- **5**. MonoKore has integrated carbon cutters for cleaning the suppressor
- No detectable first round pop
- B. Drops sound to well below hearing safe levels
- Decreases flash, decreases recoil, increases accuracy
- 10. Fully and easily serviceable
- 11. Disassembles with common tools





PRS

The PRS suppressor is designed to be the lightest suppressor for competitions and hunting. Unparalleled strength in design, achieving a previously impossible strength to weight ratio.

SPECIFICATIONS

	PRS
AVAILABLE CALIBERS	.308 Win, 6.5 Creedmoor
FIRING SCHEDULE	20 rounds @ 1 round per second, allow to cool
CONFIGURATION	Direct Thread
LENGTH	7.9"
LENGTH ADDED TO MUZZLE	7.25″
DIAMETER	1.75"
WEIGHT	10.8oz
MATERIALS	Grade-5 Titanium, 7075-T6 Aluminum
FINISH	Cerakote®, DLC (Diamond-like coating)

- 1. State-of-the-art MonoKore design
- **2.** Simple 3-piece design
- Military grade materials
- 4. Adds 7.25" to the muzzle
- 5. Suppressor core has integrated carbon cutters for tube cleaning
- **5**. Fully and easily serviceable, disassembles with common tools
- 7. Drops sound to well below hearing safe levels
- Increase reliability and longevity with host firearm due to low gas blow back and low gain in host weapon cyclic rate compared to traditional suppressor designs
- s. Ships with 5/8-24 direct thread mount
- 10. Decreases flash, decreases recoil, increases accuracy



CENTERFIRE SUPPRESSORS






The DSX suppressor is built for the world's most rigorous demands, designed to be the most robust and strongest suppressor in category.

SPECIFICATIONS

	DSX®
AVAILABLE CALIBERS	5.56 NATO, .308 Win, 6.5 Creedmoor
FIRING SCHEDULE	Full auto rated, 8.5" barrel restriction
CONFIGURATION	Direct Thread
LENGTH	7.9"
LENGTH ADDED TO MUZZLE	7.25"
DIAMETER	1.75"
WEIGHT	21oz
MATERIALS	Grade-5 Titanium, 17-4 SS
FINISH	Cerakote®, DLC (Diamond-like coating)

- 1. State-of-the-art MonoKore design, Simple 3-piece design
- Military grade materials
- ■. Adds 7.25" to the muzzle
- 4. Suppressor core has integrated carbon cutters for tube cleaning
- 5. Can be pinned to a 10.3" barrel to effect a 16" overall barrel length
- **6**. Fully and easily serviceable, disassembles with common tools
- 7. Secondary retention feature for suppressor tube
- Drops sound to well below hearing safe levels
- Increase reliability and longevity with host firearm due to low gas blow back and low gain in host weapon cyclic rate compared to traditional suppressor designs
- 10. Repeatably tested with SOCOM tables down to 8.5" 5.56 NATO with no damage or significant change in sound reduction





SPECIFICATIONS

	MSX 240
CONFIGURATION	Made specifically for FN M240 belt-fed machine gun
LENGTH	10.7″ overall length Adds 10″ to the muzzle (including integrated .75″ flash hider on suppressor)
DIAMETER	2.05"
WEIGHT	62.2oz
MATERIALS	17-4 H900 Stainless
FINISH	DLC (Diamond-like coating)

FEATURES

- 1. State-of-the-art MonoKore design
- **2.** Self-torquing during fire
- **■.** Military grade materials
- **4.** Adds 10" to the muzzle
- 5. Simple 2-piece design
- **5.** Specifically designed for 7.62x51mm MMGs
- Increase reliability and longevity with host firearms due to low gas blowback and low gain in host weapon cyclic rate (4% cyclic increase on FN M240 Lima)
- Drops sound to well below hearing safe levels
- 9. Decreases flash, decreases recoil, increases accuracy
- 10. Fully and easily serviceable
- 11. Disassembles with common tools

M5X(240)

MSX 240 SUPPRESSOR

The Maxim Defense MSX M240 suppressor is specifically designed to minimize the increase in cyclic rate and gas blowback of a suppressed weapon system. Primary design features include the significant reduction of sound signature, decreasing flash signature, reduction of recoil and increase in accuracy.

During installation, the suppressor locks into place with a specific torque on the core, then is pinned onto the barrel for absolute assurance of installation. When installed to spec, this method ensures the suppressor will not loosen during fire.



Turn your existing Mil-Spec lower receiver into a PDX. This kit comes with everything needed. All you have to do is pick a color and choose between a stock or brace. The PDX upper receiver is ready to install directly on to your completed lower. Within minutes you'll be up and running with your own PDW measuring just 18.75" in total length.

SPECIFICATIONS

KITS AND ACCESSORIES

	PDX
BARREL LENGTH	5.5"
WEIGHT (NO BCG)	5lbs
FINISH	Type III anodized

FEATURES

1. Increased reliability due to included HATEBRAKE™


PDX SCW Stock Kit

- 2. Optimized Personal Defense Weapon kit
- a. Armorer level adjustable gas block
- 4. M-SLOT compatible handguard
- 5. Military grade materials
- **6.** HK height rail for a more rigid upper receiver
- 7. Government tested rapid deploying PDW stock
- B. Installs on any Mil-Spec lower receiver


INCLUDES

- PDX upper receiver
- SCW bolt carrier group
- ■. SCW Stock or Brace
- 4. SCW buffer & spring
- 5. Reptilia grip
- **5**. Ambidextrous charging handle

MDX UPPER RECEIVERS







MD:15 UPPER RECEIVERS

The MDX upper receivers are optimized for maximum velocities out of short barrels and are 100% compatible with your Mil-Spec lower receiver. They ship complete, including a Maxim Defense Mil-Spec or SCW bolt carrier group and Radian Raptor charging handle.





FEATURES

- Increased reliability due to included HATEBRAKE™
- 2. Armorer level adjustable gas block
- ■. M-SLOT compatible handguard
- 4. Military grade materials [17-4 Stainless Steel, 7075 and 6061 Aluminum]
- 5. HK height rail for a more rigid upper receiver
- 6. Installs on any Mil-Spec lower receiver
- 7. Includes Mil-Spec or PDX BCG



FEATURES

- Increased reliability due to included HATEBRAKE™
- ■. M-SLOT compatible handguard
- Military grade materials [17-4 Stainless Steel, 7075 and 6061 Aluminum]
- 4. Installs on any Mil-Spec lower receiver
- 5. Includes Mil-Spec or PDX BCG

SPECIFICATIONS

	POX®	M) (508)	M) (510)
BARREL LENGTH	5.5"	8.5"	10.3"
WEIGHT (NO BCG)	2lbs 15oz	3lbs 10oz	4lbs 2oz
FINISH	Type III anodized	Type III anodized	Type III anodized

SPECIFICATIONS

	M) (1505)	M) 1508	M D (1510)
BARREL LENGTH	5.5"	8.5"	10.3"
FINISH	Type III anodized	Type III anodized	Type III anodized






















SCW FOR SIG MPX & MCX	GEN 7 CQB	GEN 6 CQB	PDW	CCS
•	✓	~	×	~
✓	×	✓	✓	~
4.2" (collapsed) 9" (extended)	5.3" (collapsed) 10" (extended)	5.375" (collapsed) 10" (extended)	5.375" (collapsed) 10" (extended)	6.825" (collapsed) 10.5" (extended)
5	4	4	4	3
	Proprietary Buffer & Spring: Standard, H1, H2, H3, Pistol	Proprietary Buffer & Spring: Standard, H1, H2, H3, Pistol	Proprietary Buffer & Spring: Standard, H1, H2, H3, Pistol	Any carbine length buffer &
N/A	JP Silent Captured Spring: JP Silent Captured Spring: JP	JP Silent Captured Spring: Standard, Heavy, 9mm	spring	
Existing	Any Mil-Spec	Any Mil-Spec	Any Mil-Spec	Any Mil-Spec

MAXIM HANDGUARDS

Maxim Defense Handguards continue our quality tradition and "No-Holds-Barred" product development philosophy for hard-use duty. These free-floating handguards provide a monolithic-like upper receiver platform and M-Slot compatibility.




SPECIFICATIONS

	HK416/MR556	MDX	SLIMLINE
LENGTHS	9.25", 12.625", 14"	6", 8", 9", 11", 12", 15"	7.25", 9.25", 12.625"
DIAMETER	1-5/8" outside 1-3/8" inside	1-5/8" outside 1-3/8" inside	1-5/8" outside 1-3/8" inside
COMPATIBILITY	PDX/MDX, HK416	PDX/MDX, HK416	Mil-Spec uppers
FINISH	Type III anodized	Type III anodized	Type III anodized
COLORS	Black, FDF	Black, Arid	Black

FEATURES

- 1. M-Slot compatible on five sides
- **2.** Steel QD limited rotation sling swivel mounts
- 3. Provides monolithic like upper receiver platform
- 4. Free-floating design

ACCESSORIES





Unlike the traditional M-Slot mounting systems, M-RAX[™] utilizes the full slot of your rail, maximizing space. This makes the M-RAX[™] system end-to-end stackable, giving you the option to create seamless monolithic rail sections where needed. Spring-loaded screws remove mounting frustrations. Simply push the screw in with a standard hex tool and rotate 90 degrees. The locking lugs engage that easily.



Simple push-and-turn install with the spring-loaded screws.

HATEBRAKE/

Maxim Defense HATEBRAKE" muzzle booster is designed to regulate firearm exhaust gases to ensure PDW's cycle more reliably. It redirects the sound signature and decreases the flash signature while significantly reducing recoil and increasing accuracy.





HANDSTOP

Our hand stop is machined from 6061-T6 aluminum and features our patented M-RAX mounting system for fast and easy installation. It can be used as a traditional hand stop, barrier support, or as an indexing point for your support hand. Fits all M-Slot compatible handguards.



