

Powerfarm



LANDINI POWERFARM

Landini

POWERFARM T3-T0



POWERFARM, THE ESSENCE OF MODERNITY

The Powerfarm series is a range of simple and modern tractors. Available in both platform and cab versions, the Powerfarm tractors are powered by ecofriendly, fuel-efficient Perkins 1104D engines that deliver 83, 92.5 and 102 hp/ISO and meet the Tier 3 emission regulations. Featuring an advanced fuel injection system that optimizes air-fuel mixture and enhances combustion efficiency, these engines combine high power and torque levels with low running costs. The Powerfarm 110 is also available in a turbocharged version powered by a Tier0 1104-44T engine that develops 106.8 hp/ISO.



POWERFARM T3-TO

PRODUCTIVITY, VERSATILITY AND COMFORT

DIMENSIONS AND WEIGHTS

	POWERFARM 110 (T0)STD	POWERFARM 90STD	POWERFARM 100STD	POWERFARM 110STD
Front tyres	12.4-24	12.4-24	12.4-24	12.4-24
Rear tyres	18.4-30	18.4-30	18.4-30	18.4-30
A length (with ballast), in. (mm)	163.8 (4160)	162.8 (4136)	162.8 (4136)	163.8 (4160)
B min. width, in. (mm)	81.2 (2063)	81.2 (2063)	81.2 (2063)	81.2 (2063)
C wheelbase 2WD/4WD,(mm)	2365/2340	2341/2316 2255/2230	2341/2316 2255/2230	2365/2340 2255/2230
D height over cab, in. (mm)	100.4 (2550)	100.4 (2550)	100.4 (2550)	100.4 (2550)
E ground clearance 4WD, in. (mm)	17.8 (453)	17.8 (453)	17.8 (453)	17.8 (453)
weight 4WD (w/o ballast) + 150kg cab.(kg)	3450	3330	3330	3450

POWER



83, 92.5, 102, 106.8

ENGINE

4,4 / 4

TRANSMISSION

Synchro Shuttle





The hood, fully restyled to reflect the new family styling, provides unobstructed view in all directions and opens wide to provide easy access to the engine compartment for service and maintenance. The synchro shuttle transmission offers four gears in three ranges providing 12 speeds forward and 12 reverse. A 30 km/h transmission is available with either an underdrive (standard on the 2WD version) or a creep speed option. An overdrive option with 40 km/h maximum speed is also available for the 4WD models. The fully-glazed Total View cab with its roof-mounted air conditioning system and logically arranged controls offers the operator a functional and comfortable working environment for maximum ease of operation. Offering a wide choice of models and versions, the Powerfarm range is designed for productivity, versatility and comfort.




Landini FEATURES



ENGINE

The Powerfarm tractors are powered by ecofriendly, fuel-efficient Perkins 1104D engines that deliver 83, 92.5 and 102 hp/ISO and meet the Tier 3 emission regulations. Featuring an advanced fuel injection system that optimizes air-fuel mixture and enhances combustion efficiency, these engines combine high power and torque levels with low running costs. The Powerfarm 110 is also available in a turbocharged version powered by a Tier0 1104-44T engine that develops 106.8 hp/ISO.



TRANSMISSION

The synchro shuttle transmission offers four gears in three ranges providing 12 speeds forward and 12 reverse. A 30 km/h transmission is available with either an underdrive (standard on the 2WD version) or a creep speed option. An overdrive option with 40 km/h maximum speed is also available for the 4WD models.



"TOTAL VIEW"

The fully-glazed Total View cab with its roof-mounted air conditioning system and logically arranged controls offers the operator a functional and comfortable working environment for maximum ease of operation. Offering a wide choice of models and versions, the Powerfarm range is designed for productivity, versatility and comfort.