

MOW SMART

PRODUCT CATALOGUE

2024-2025



TURBO
GARDENING MACHINERY



ABOUT TURBO

WE ARE THE MANUFACTURER

At Turbo, we are a leading manufacturer of high-quality garden tools, including gasoline engines, lawn mowers, and tillers. Our commitment to innovation is reflected in our dedicated R&D team, which continuously develops cutting-edge technologies to improve the performance, reliability, and sustainability of our products.

We prioritize quality and strictly adhere to ISO guidelines to ensure that our manufacturing processes meet the highest standards for quality management and environmental protection. This dedication to excellence has earned us the trust and appreciation of discerning customers worldwide.

Thank you for considering Turbo for your professional needs. We look forward to demonstrating our expertise and providing you with exceptional service.



Production Lines, Warehouses & Testing Rooms





Office Area & Our Team





CE for Gasoline Products



CE for Electric Products



ISO 9001



EURO V



GS



BSCI Report



Noise



EMC

CERTIFICATES
All Products are Certified

PATENTS

R&D - Intellectual Property



MAJOR PRODUCTS

More than 100 models, all customizable.



**Gasoline
Lawn Mowers**



**Premium Gasoline
Lawn Mowers**



**Electric
Lawn Mowers**



**Premium Gasoline
Tillers**

GASOLINE LAWN MOWERS

All Models Customizable

TURBO
GARDENING MACHINERY



TB1P65F - 139cc



TB1P65FE (E-start) - 139cc



TB1P70FA - 173cc



TB1P70FAE (E-start) - 173cc

OPTIONAL COVERS



Efficient

Side Discharge

TB45P01

Engine Model	Turbo TB1P65F
Engine Power	2.7kW (3.6HP)
Displacement	139cc
Starting System	Recoil
Walk Type	Hand push
Discharge	Rear
Cutting Width / Height	450mm / 25-75mm
Height Adjustment	5-level central adjustment

710*560*370 mm
Carton Dimensions

469
Container Load (40HQ)



Robust

16 inch

TB40S01A

Engine Model	Turbo TB1P65F
Engine Power	2.7kW (3.6HP)
Displacement	139cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear
Cutting Width / Height	400mm / 25-75mm
Height Adjustment	7-level central adjustment

650*510*430 mm
Carton Dimensions

492
Container Load (40HQ)



Ergonomic Design

17 inch

TB43S01A

Engine Model	Turbo TB1P65F
Engine Power	2.7kW (3.6HP)
Displacement	139cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear
Cutting Width / Height	430mm / 25-75mm
Height Adjustment	6-level central adjustment

690*510*430 mm
Carton Dimensions

444
Container Load (40HQ)

GASOLINE LAWN MOWERS

All Models Customizable



TB1P65F - 139cc



TB1P65FE (E-start) - 139cc



TB1P70FA - 173cc



TB1P70FAE (E-start) - 173cc

OPTIONAL COVERS

Electric-Start



18
inch

TB46S11E

Engine Model	Turbo TB1P65F
Engine Power	2.7kW (3.6HP)
Displacement	139cc
Starting System	Recoil & electric start
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	460mm / 25-75mm
Height Adjustment	7-level central adjustment



790*570*480 mm
Carton Dimensions



300
Container Load (40HQ)

4-in-1
Discharge



20
inch

TB51S11E

Engine Model	Turbo TB1P70FA
Engine Power	3.6kW (4.8HP)
Displacement	173cc
Starting System	Recoil & electric start
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	510mm / 25-75mm
Height Adjustment	7-level central adjustment



830*570*490 mm
Carton Dimensions



285
Container Load (40HQ)

Sophisticated



21
inch

TB53S11E

Engine Model	Turbo TB1P70FA
Engine Power	3.6kW (4.8HP)
Displacement	173cc
Starting System	Recoil & electric start
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	530mm / 25-75mm
Height Adjustment	7-level central adjustment



860*570*490 mm
Carton Dimensions



270
Container Load (40HQ)

PREMIUM GASOLINE LAWN MOWERS

All Models Customizable



TB1P65F - 139cc



TB1P65FE (E-start) - 139cc



TB1P70FA - 173cc



TB1P70FAE (E-start) - 173cc

OPTIONAL COVERS



COMMERCIAL MODEL



UPGRADED CHASSIS



22
inch

TB56S11

Engine Model Turbo TB1P70FA

Engine Power 3.6kW (4.8HP)

Displacement 173cc

Starting System Recoil

Walk Type Self-propelled

Discharge Rear, side, mulching

Cutting Width / Height 560mm / 25-75mm

Height Adjustment 8-level central adjustment



INTERLOCKED
CENTRAL ADJUSTMENT



ZERO-TURN
WITH DIRECTION LOCK



ZERO
TURN

MODEL "ZERO"

Engine Model Turbo TB1P70FA

Engine Power 3.6kW (4.8HP)

Displacement 173cc

Starting System Recoil

Walk Type Self-propelled

Discharge Rear, side, mulching

Cutting Width / Height 510mm / 25-75mm

Height Adjustment 7-level central adjustment

(8-level on 22-inch Models)



Available for
20, 21 & 22 inch models



910*610*490 mm
Carton Dimensions



225
Container Load (40HQ)



830*570*490 mm
Carton Dimensions



285
Container Load (40HQ)

PATENTED DESIGN

CROSS-BLADE & FAN SYSTEM

Efficiency increased by

45% in side discharge

80% in rear discharge

Wind Test



Available on 18, 20, 21 & 22 inch models

GASOLINE LAWN MOWERS

LONCIN Powered



LONCIN 123CC TB40S03A

Engine Model	LC1P65FE-3
Engine Power	2.1kW
Displacement	123cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear
Cutting Width / Height	400mm / 25-75mm
Height Adjustment	7-level central adjustment

 650*515*420 mm
Carton Dimensions

 492
Container Load (40HQ)



LONCIN 159CC TB46S13A

Engine Model	LC1P65FC
Engine Power	2.7kW
Displacement	159cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	460mm / 25-75mm
Height Adjustment	7-level central adjustment

 790*570*480 mm
Carton Dimensions

 300
Container Load (40HQ)



LONCIN 196CC TB53S13

Engine Model	LC1P70FC
Engine Power	3.5kW
Displacement	196cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	530mm / 25-75mm
Height Adjustment	7-level central adjustment

 860*570*490 mm
Carton Dimensions

 270
Container Load (40HQ)



GASOLINE LAWN MOWERS

B&S Powered



B&S 450/500E TB46S12

Engine Model	B&S 500E
Engine Power	2.1kW
Displacement	140cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	460mm / 25-75mm
Height Adjustment	7-level central adjustment

 790*570*480 mm
Carton Dimensions

 300
Container Load (40HQ)



B&S 625EXI TB51S12

Engine Model	B&S 625Exi
Engine Power	2.5kW
Displacement	150cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	510mm / 25-75mm
Height Adjustment	7-level central adjustment

 830*570*490 mm
Carton Dimensions

 285
Container Load (40HQ)



B&S 750EXI TB53S12

Engine Model	B&S 750E
Engine Power	2.74kW
Displacement	161cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	530mm / 25-75mm
Height Adjustment	7-level central adjustment

 860*570*490 mm
Carton Dimensions

 270
Container Load (40HQ)

GASOLINE LAWN MOWERS

HONDA Powered

HONDA

TURBO
GARDENING MACHINERY



HONDA GCV145 TB46S15

Engine Model	GCV145
Engine Power	3.4kW
Displacement	145cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	460mm / 25-75mm
Height Adjustment	7-level central adjustment

 790*570*480mm
Carton Dimensions

 300
Container Load (40HQ)



HONDA GCV170 TB51S15

Engine Model	GCV170
Engine Power	3.6kW
Displacement	166cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	510mm / 25-75mm
Height Adjustment	7-level central adjustment

 830*570*490mm
Carton Dimensions

 285
Container Load (40HQ)



HONDA GCV200 TB53S15

Engine Model	GCV200
Engine Power	4.2kW
Displacement	201cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	530mm / 25-75mm
Height Adjustment	7-level central adjustment

 860*570*490mm
Carton Dimensions

 270
Container Load (40HQ)



YAMAHA MA175 TB46S16

Engine Model	MA175
Engine Power	3.4kW
Displacement	174cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	460mm / 25-75mm
Height Adjustment	7-level central adjustment

 790*570*480mm
Carton Dimensions

 300
Container Load (40HQ)



YAMAHA MA190 TB51S16

Engine Model	MA190
Engine Power	3.7kW
Displacement	189cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	510mm / 25-75mm
Height Adjustment	7-level central adjustment


 830*570*490mm
Carton Dimensions

 285
Container Load (40HQ)



YAMAHA MA190 TB53S16

Engine Model	MA190
Engine Power	3.7kW
Displacement	189cc
Starting System	Recoil
Walk Type	Self-propelled
Discharge	Rear, side, mulching
Cutting Width / Height	530mm / 25-75mm
Height Adjustment	7-level central adjustment

 860*570*490mm
Carton Dimensions


 270
Container Load (40HQ)

Improvements for Electric Lawn Mowers

Multiple Sensor Overload Protection



New Material For Carbon Brush



Re-designed Belt



ELECTRIC LAWN MOWERS

All Models Customizable



1000W	TBE1032
Wattage	1000W
Cutting Width	320mm
Rated Power	230-240V/50Hz
Non-Load Speed	3300r/min
Height Adjustment	3 position 30-60mm
Collection Box	30L (full plastic)
Wheels Diameter	Φ125mm/Φ140mm
Brake System	Mechanical (belt reducer)
Height Adjustment	3-level adjustment

1300W	TBE1332
Wattage	1300W
Cutting Width	320mm
Rated Power	230-240V/50Hz
Non-Load Speed	3300r/min
Height Adjustment	3 position 30-60mm
Collection Box	30L (full plastic)
Wheels Diameter	Φ125mm/Φ140mm
Brake System	Mechanical (belt reducer)
Height Adjustment	3-level adjustment

1600W	TBE1636
Wattage	1600W
Cutting Width	360mm
Rated Power	230V-240V~, 50Hz
Non-Load Speed	3600r/min
Height Adjustment	6 position 20-70mm
Collection Box	40L (full plastic)
Wheels Diameter	Φ140mm/Φ198mm
Brake System	Mechanical (belt reducer)
Height Adjustment	6-level central adjustment

1800W	TBE1842
Wattage	1800W
Cutting Width	420mm
Rated Power	230V-240V~, 50Hz
Non-Load Speed	3600r/min
Height Adjustment	6 position 20-70mm
Collection Box	40L (full plastic)
Wheels Diameter	Φ140mm/Φ198mm
Brake System	Mechanical (belt reducer)
Height Adjustment	6-level central adjustment

580*385*275 mm Carton Dimensions 1120 Container Load (40HQ)

620*385*320 mm Carton Dimensions 929 Container Load (40HQ)

670*445*370 mm Carton Dimensions 616 Container Load (40HQ)

700*465*370 mm Carton Dimensions 595 Container Load (40HQ)

GASOLINE TILLERS

All Models Customizable



Low
Maintenance



4
bladed

TB36T1

Engine Model	Turbo TB1P65F
Engine Power	2.6kW (3.5HP)
Engine Speed	3000rpm
Displacement	139cc
Starting System	Recoil
Tilling Width	360mm
Max. Tilling Depth	270mm
No. of Blade Groups	4

 660*380*650 mm
Carton Dimensions

 430
Container Load (40HQ)



Upgraded
Gearbox



6
bladed

TB60T1

Engine Model	Turbo TB1P65F
Engine Power	2.6kW (3.5HP)
Engine Speed	3000rpm
Displacement	139cc
Starting System	Recoil
Tilling Width	360mm
Max. Tilling Depth	270mm
No. of Blade Groups	6
Feature	Blade protectors

 660*380*650 mm
Carton Dimensions

 430
Container Load (40HQ)



Unique Blades



6
bladed

TB60T1B

Engine Model	Turbo TB1P70FA
Engine Power	3.6kW (4.8HP)
Engine Speed	3000rpm
Displacement	173cc
Starting System	Recoil
Tilling Width	600mm
Max. Tilling Depth	270mm
No. of Blade Groups	6
Feature	Blade protectors

 660*380*650 mm
Carton Dimensions

 430
Container Load (40HQ)

PREMIUM GASOLINE TILLERS

All Models Customizable

Optional Parts
for Multiple Use



Reverse Gear



6 bladed	TB85T1
Engine Model	Turbo TB1P70FA
Engine Power	3.6kW (4.8HP)
Engine Speed	2600 - 3300rpm
Displacement	173cc
Starting System	Recoil / Electric
Tilling Width	360 / 600 / 850mm customizable
Max. Tilling Depth	340mm
No. of Blade Groups	6

 660*380*660 mm
Carton Dimensions

 430
Container Load (40HQ)

6 bladed	TB85TR1
Engine Model	LB170F
Engine Power	4.5kW (6HP)
Engine Speed	3600rpm
Displacement	212cc
Starting System	Recoil
Brake System	Belt & Chain
Tilling Width	360 / 600 / 850mm customizable
Max. Tilling Depth	100 - 250mm
No. of Blade Groups	6
Blade Diameter	340mm

 660*380*660 mm
Carton Dimensions

 430
Container Load (40HQ)



AVAILABLE ENGINES



TB1P65F - 139cc



TB1P65FE (E-start) - 139cc



TB1P70FA - 173cc



TB1P70FAE (E-start) - 173cc

TURBO SERIES



LC1P65FE-3 - 123cc



LC1P65FE - 139cc



V200 - 196cc



LC1P70FC - 196cc

LONCIN SERIES



450E - 125cc



500E - 140cc



750EX - 161cc

B&S SERIES



GCV145



GCV170



GCV200

HONDA SERIES



Available on Request



Wheels (all sizes)

Sealed Package Available



Mower Blades



Transmission



Carburetors



Spark Plugs



Belts




Starter Coils



Batteries with Indicators


NOTES

Date: _____



Date: _____

NOTES



CONTACT US

TURBO
GARDENING MACHINERY

200 km

100KM

Port of Shanghai

Port of Ningbo

ZHEJIANG TURBO GARDENING MACHINERY CO., LTD.

✉ dan.li@turbogardening.com

★ www.turbogardening.com

📍 #138 East Jianghuan Rd., The East Industrial Park,
Shangyu, Zhejiang, China, 312300

☎ +86 187 2109 6950



WECHAT
(Turbo_Gardening)



WHATSAPP
(07883 934 448)