



I'm not robot



Continue

Taotronics humidifier cool mist ah001 manual

1 Table Contents 2 3 4 5 6 7 8 9 10 11 12 Use cookies necessary for the operation of this website or third party tools to achieve the objectives set out in the cookie policy. If you would like to know more about all or part of the cookies or withdraw your consent, please refer to the cookie policy. By closing this banner, scrolling this page, clicking a link, or otherwise continuing to browse, absorbing acceptance of the use of cookies. Drop the essential oil and place the lid back. Connect to a power supply and the device enters standby mode. You will then hear a beep and the buttons on the control panel will spread red. Note: When placing the tank cover back on top, align the notches on the cover with the protrusions in the tank. In standby mode, if no action is taken within 3 seconds, the LED display will dim to half the brightness. Tap any button to maintain brightness. How to Turn Off /Close Fog? Tap the Power Button once to start the fog output (default: mid-level). The Power Button turns green. Tap again to stop the exit. How to set TaoTronics Humidifier light Tap the Light Button to enter color carousel mode, which will automatically switch between different color options. Tap again to stay the current color. Continue to touch to navigate in different colors. After cycling in all colors, it will return to color rotating mode by tapping the Light Button again. Press and hold the Light Button for 1.5 seconds to turn off the light. Memory Function If the Power connection is not disconnected, the humidifier remembers the fog setting from the moment it was last turned off. How to Remote Control TaoTronics Humidifier? All buttons on the remote control work just like the humidifier. For better response, aim the remote control at the humidifier's LED display. The active range between the remote control and the product is 4 meters / 157.5. How to Clean and Care for TaoTronics Humidifier Fill half of the water tank and add 100ml white vinegar. Run the humidifier for 5-10 minutes to work with vinegar/water mixture and allow the gunk to loosen. Turn off the humidifier, unplug it and drain the water. Cover the air outlet with the protection cover, then wipe the diffuser with a cleaning brush. Pay particular attention to cleaning the water level sensor because it usually causes the most problems when contaminated. You can use a drop of brush or q-tip lemon essential oil if you need to cut it with extra dirt. (Be extra careful when draining water to prevent water from entering the bottom or engine area to ruin the product). Use a soft cloth to wipe outside the machine to remove any fingerprints, stains, etc. The cloth can be dampened with water or gently spray a little of the soft cleaner or vinegar/water solution. Clean Once a week. How to Set Up Floater on TaoTronics Humidifier Place the fog tube in the hole at the base of the humidifier. Rotate it so that it locks into place. Place the floater in the fog tube facing up. Align the hole in the lock with the bugles in the fog tube and lock it in place, make sure the convex side is leaning upwards. How to Set Fan Mode in TaoTronics Humidifier Rotate the Control Tone to set the fan between quiet and standard modes. How to Clear or Replace a Filter If - Hard and grumpy - a smell develops - How to Clean and Disinfect filter as the outlet of the deodor is reduced? Soak the filter in vinegar first for easier cleaning. Apply household detergent as needed. Wash once a week. Leave the washed filter in boiled water at 100°C for 10 minutes and expose it to strong sunlight to disinfect. How to Clean the Water Tank Wipe the water tank with a soft cloth or included cleaning brush. Rinse with clean water. Remove the Water Outlet Cover clockwise and remove the rubber seal to drain the water. Note: If you have not used the humidifier for a long time, please drain the water from inside the tank. What are the SAFETY INSTRUCTIONS BEFORE USING MOISTURIZER? Please extend the cable and check for signs of damage. Do not use the humidifier if the cable is damaged. DO NOT place this humidifier in wet environments. Please always keep the humidifier out of reach of patients and children and pets. Please always place the unit on a smooth, flat, hairless, non-metallic, waterproof and flat surface and keep it away from direct sunlight. Always place the unit 2 feet (60 cm) above the ground, 12 inches (30 cm) away from the wall, other tools or wooden furniture. DO NOT place the unit on a carpet, towel or wooden surface that prevents ventilation and damages the unit. Do not place the humidifier near bare flames and heat sources such as stove tops, ovens, radiators or computers. What are the safety instructions when using humidifier? DO NOT wear the unit with wet hands. DO NOT direct the fog head towards the wall. DO NOT use your hand or other object to cover the nipple while the unit is in order not to damage the product or cause injury. DO NOT clean the unit when connected to a power source or on. Do not move or tilt the humidifier while it is running. The most comfortable environmental deer is between 40-60%. What are the Safety Instructions After Using Moisturizer? Always disconnect from the power supply by pulling the plug when not in use. The humidifier requires regular cleaning. Please refer to and follow the Cleaning and Maintenance instructions. If the humidifier has been running for a long time, do not clean the humidifier immediately after closing. Allow the humidifier to cool completely before cleaning. DONT TRY or adjust any electrical or mechanical function on this humidifier. Doing so will void your warranty. How to Add Water to TaoTronics Ultrasonic Cool Fog Moisturizer? Remove the head and turn the water tank upside down. Remove the tank cover and fill the tank with only clean, cold water. Insert the tank cover and place the tank back on base. Make sure that the water sits securely together to ensure that it can pass from the tank to the reservoir. Put the nozzle back on. Notes: If tap water is too hard, it is recommended to use filtered or distilled water to avoid white do not use hot water. Do not add any essential oils or medical tablets into the water tank. Do not add water through the base or nozzle. How to Power A/OFF TaoTronics Ultrasonic Cool Fog Humidifier While the water tank is full of water to prevent leakage or base? By default, press the Power Button once to enter with moderate fog. The LED display shows fog level and ambient delight level. Press again to stop the fog, the fan will continue to work for 5 minutes to dry the fog tube How to set TaoTronics Ultrasonic Cool Fog Moisturizing Fog? When the unit is on, press Mist to adjust the fog between low/medium/high levels. How to Set Timer on TaoTronics Ultrasonic Cool Fog Humidifier To set the timer from 1 hour to 24 hours, press the Timer Button and the timer flashes three times to confirm your setting. After it is set, the LED display alternately displays the countdown counter and the ambient delight level. When the time is up, the volume will shut down automatically. How to Switch Nightlight/Sleep Mode TaoTronics Ultrasonic Cool Fog Humidifier? Press the Night Light Button / Sleep Button once and turn on the night light. Press again to go to sleep while the fog level is low. All indicators on the LED display will be closed except for the SLEEP indicator. If no action is taken within 3 seconds under Sleep Mode, press any button (the sleep indicator is on) to activate sleep indicator Sleep Mode is turned off. All other buttons remain functional. Press once more to wake up. When there is not enough water in the water tank under Sleep Mode, the humidifier and LED display will turn off automatically. How To Set TaoTronics Ultrasonic Cool Fog Moisturizing Level? Press the Deer Button to adjust the deer level from 30% to 95% with a 5% increase/decrease in each tap. The deer level set flashes three times to confirm your setting. When the ambient deer reaches the preset level of deer, the unit stops fogging and continues with fog after the ambient deer level has been lowered below the preset level. To exit the de-de-setting, press the Nem Button once again or restart the unit when the deer is set to 95%. Note: Most comfortable 40-60% of the time. Please adjust the fog as needed. How to Clean and Maintain TaoTronics Ultrasonic Cool Fog Moisturizer? Caution: Do not immerse the base in water. Make sure that the water does not enter the base through the air outlet, air insuffer entry or control buttons and LED display. DO NOT wash any part of this moisturizer in the dishwasher, which will damage the humidifier and void the warranty. Daily Maintenance: Turn off the humidifier, remove it from the power supply. Drain the water from the tank, reservoir and floor. Weekly Maintenance To clean your humidifier properly, we recommend removing the scale and disinfecting the humidifier separately. Do not mix vinegar and bleach solution. Do not use more than 1 dessert of bleach per gallon of water to avoid damaging your humidifier. To prevent water leakage, please make sure that the rubber ring and rubber cover of the tank cover are properly installed after cleaning. How to Remove TaoTronics Ultrasonic Cool Fog Moisturizing Scale? Turn it off and unplug the humidifier. Remove the title. Remove the water tank from the top. Remove the tank cover. Make sure the white sealing ring does not come out. Drain the water from the water tank and base. Remove any accessories and set aside. Fill half the water tank. Add 1 teaspoon of undiluted dinged white vinegar. Insert the tank cover and shake for 15 seconds. Place the tank at the base. Vinegar solution atomizer will enter the water tank to loosen the sub-mineral accumulation (scale) of the water tank, floating in the water. Set still for 15-20 minutes. Open the Tank Cover and empty the solution. Wipe the atomizer and floater with a soft cloth to remove the loosened mineral bearings. Rinse both the water tank and the water tank until the vinegar (for descaling) or bleach solution (for disinfecting, see below) has gone to smell. How to Disinfect TaoTronics Ultrasonic Cool Fog Humidifier? Follow steps 1-2 of the previous section on scale removal. Fill half the water tank. Add 1/2 tsp bleach. Swish the solution around the tank with a tone tone with the tone of the tank cover again. Place the tank at the base. The bleach solution enters and disinfects other components as well as the water tank. Set still for 15-20 minutes. TaoTronics Ultrasonic Cool Fog Moisturizer Dustproof Sponge Follow steps 4-6 of the previous section on how to remove scale to complete disinfecting? Clean the dustproof sponge (at the bottom of the base) once a month with water or detergent. Put it back after you clean it up. End-of-Season Maintenance and Storage Follow the cleaning instructions that the Humidifier will not be used for at least a week or at the end of the season. Remove the accessories used with the humidifier and let the humidifier and accessories dry completely before storing. WITH WATER INSIDE base, water tank or tank. Pack the unit safely and store it in a cool, dry place. How to Add Water to TaoTronics Top Filler Humidifier? Remove the Tank Cover, hold the tank arm and remove the water tank. Fill the tank with clean water. Place the tank back on base, close the lid. Please make sure that the water is securely seated together to ensure that it can pass from the tank to the reservoir. Connect to an appropriate power source. The unit enters standby mode with a beep, the LED display shows the relative humidity of the current environment. Note: If the tap water is too hard, it is recommended to use filtered or distilled water to avoid white do not use hot water. Do not add any essential oils or medical tablets into the water tank. Do not add water through the base or nozzle. DO NOT move the humidifier when the water tank is full of water to prevent leakage or excessive filling of the base. You can fill the water tank without removing it from the bottom, and be careful to prevent water from entering the air outlet. How to Set Hot Fog Tap the Hot Fog Button to adjust the temperature level between high/medium/low levels. When the temperature is high, tap the Hot Fog Button once again to turn off the heating. The relevant hot fog level indicator on the LED Display lights up. How to Set a High Temperature Alarm If the heat pipe temperature is too high, the high temperature alarm is activated, 8 beeps are heard every second. The unit will stop working after 1 minute. Caution: Unplug the power supply and wait 3 minutes for it to cool down before unplugging the unit again. How to Remove Scale from TaoTronics Top Fill Humidifier Turn it off and unplug the humidifier. Remove the tank from the base and drain the water according to the specified location. Fill half the water tank. Add 1 teaspoon of undiluted dinged white vinegar. Use a soft cloth to wipe the tank thoroughly. Place the tank at the base. Vinegar solution atomizer will enter the water tank to loosen the sub-mineral accumulation (scale) of the water tank, floating in the water. Set still for 15-20 minutes. Open the Tank Cover and empty the solution. Wipe the atomizer and floater with a soft cloth to remove the loosened mineral bearings. Rinse both the water tank and the water tank until the vinegar (for descaling) or bleach solution (for disinfecting, see below) has gone to smell. How to Use Essential Oils for Baby Room Nursery Please be sure to follow our recommendations on how to use essential oils for baby room nursery with moisturizer. Failure to de-moisturizing may cause the humidifier to malfunction or damage or even damage babies. Young children or infants have super sensitive skin. Thin, sensitive skin can be passed on to essential oils much larger than children's or adult skin. A very high can cause skin irritation and then other problems on the way. Therefore, before applying essential oils to infants, it is important to understand the appropriate dilution rates and methods of application. Even if essential oils are diluted with a carrier oil, they can cause skin irritation and sun sensitivity, especially in children. It is recommended that a patch test (sometimes referred to as a point test) be done on the skin, with each new oil introduced. How to Test Your Baby's Response to Fat Apply a very small amount of diluted essential oil to your baby's skin for leg or wait about 24 hours and check for any signs of irritation, redness or inflammation if you notice a reaction, stop using this particular oil. If your baby has any reactions, then you can continue using this oil. Safety Tips for Infants / Children Essential oils should be used with appropriate care and precautions to avoid any risk. We recommend limiting diffusion to 30-60 minutes several times a day when necessary. Due to strong concentration, there are many essential oils that may not be best for your child at a certain age. It's best to ensure you have a discussion with your baby's doctor about the best child-friendly essential oils that are ideal for a little one. You also get instructions on how to use all oils as they are available on all routes. To prevent accidental inging, essential oils need to keep out of your child's reach. Make sure you buy quality essential oils from a trusted brand. Do not expose children to direct sunlight after using essential oils such as citrus oils, as this can cause severe irritation to the skin. Make sure the room is well ventilated so the oils are not very strong in the room. If you find the oil strong, then you need to lower the amount used. How to Add Water to Humidifier for Infants Turn the water tank upside down. Remove the tank cover and fill the tank with only clean, cold water. [Optional] Add diluted aromatherapy grade essential oils to the tank, if you are using moisturizer for the baby room nursery, please READ ABOUT THE USE OF ESSENTIAL OILS FOR BABY ROOM NURSERY. Please make sure that the water is securely seated together to ensure that it can pass from the tank to the reservoir. If the tap water is too hard, it is recommended to use filtered or distilled water to avoid white DO NOT USE hot water. Do not put anything in the water tank other than water or diluted essential oil. Do not add water through the base or nozzle. Do not move the humidifier when the water tank is full to prevent leakage or base How to Strengthen/Turn Off Fog in TaoTronics Humidifier for Infants Connect the power adapter to the humidifier input port and plug the adapter into a wall outlet. Now the humidifier is ready Use. Change the control tone clockwise to ON. The LED indicator lights up and shows that the humidifier is opening to the minimum fog level. Continue rotating your control tone clockwise to increase the fog level. To turn off the humidifier, rotate the control wrist counterclockwise to OFF. The LED indicator will turn off. The fan fog tube will run for another 2 minutes to dry. The most comfortable environmental deer is between 40-60%. Please adjust the fog as needed. How to Set Nightlight Control at TaoTronics Humidifier for Infants Press the button to turn the night light on/off, brightness is in the default medium range. Press and hold the button for 1.5 seconds to adjust the brightness of the light, releasing it at the level you want. Press and hold again to adjust the brightness in the opposite direction. The night light has memory function, and if the power is not cut off, the unit remembers the brightness setting for the last time when the night light or humidifier is turned off.

