



Cargo Box		Refrigerated Box		Flatbed		Pickup		Tipper	
23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh

Battery pack options <sup>2</sup>

MAIN SPECIFICATIONS										
L7e-CU Category	●		●		●		●		●	
Dimensions L x W x H (mm)	3700 x 1440 x 2100		3700 x 1440 x 2100		3600 x 1440 x 1750		3700 x 1440 x 1800		3700 x 1440 x 1800	
Width incl. mirror	1,735 mm		1,735 mm		1,735 mm		1,735 mm		1,735 mm	
Minimum turning radius	5,500 mm		5,500 mm		5,500 mm		5,500 mm		5,500 mm	
Driving range per WVTA *	260 km	130 km	240 km	-	260 km	130 km	260 km	130 km	260 km	130 km
Real-world range	200+ km	100+ km	190+ km	-	200+ km	100+ km	200+ km	100+ km	200+ km	100+ km
Track (Front/Rear)	1145 / 1195 mm		1145 / 1195 mm		1145 / 1195 mm		1145 / 1195 mm		1145 / 1195 mm	
Ramp angles (Front/Rear)	48° / 30°		48° / 30°		48° / 30°		48° / 30°		48° / 30°	
Min. ground clearance	160 mm		160 mm		160 mm		160 mm		160 mm	
Gross Vehicle Weight	1,450 kg		1,450 kg		1,450 kg		1,450 kg		1,450 kg	
Curb weight	845 kg	760 kg	930 kg	-	850 kg	760 kg	850 kg	770 kg	850 kg	770 kg
Top speed	75 km/h		75 km/h		75 km/h		75 km/h		75 km/h	
Gradeability	25% (14°)	20% (11.3°)	25% (14°)	-	25% (14°)	20% (11.3°)	25% (14°)	20% (11.3°)	25% (14°)	20% (11.3°)
Wheels	Alloy	Steel	Alloy	-	Alloy	Steel	Alloy	Steel	Alloy	Steel
AC slow charging	●		●		●		●		●	
Charger connector type	EU Type 2		EU Type 2		EU Type 2		EU Type 2		EU Type 2	
On-board charger (OBC)	3.3 kW	2.2 kW	3.3 kW	-	3.3 kW	2.2 kW	3.3 kW	2.2 kW	3.3 kW	2.2 kW
Charging time in hours (20-80%) <sup>3</sup>	≈5 hrs	≈4 hrs	≈5 hrs	-	≈5 hrs	≈4 hrs	≈5 hrs	≈4 hrs	≈5 hrs	≈4 hrs
Charging time in hours (0-100%) <sup>3</sup>	≈9 hrs	≈7 hrs	≈9 hrs	-	≈9 hrs	≈7 hrs	≈9 hrs	≈7 hrs	≈9 hrs	≈7 hrs
Permanent Magnet Synchronous Motor	●		●		●		●		●	
Peak power	20 kW (27 hp)		20 kW (27 hp)		20 kW (27 hp)		20 kW (27 hp)		20 kW (27 hp)	
Peak torque 112 N.m	●		●		●		●		●	
Rear-wheel drive	●		●		●		●		●	
Regenerative braking system	●		●		●		●		●	
Suspension Front / Rear	McPherson / Leaf Spring		McPherson / Leaf Spring		McPherson / Leaf Spring		McPherson / Leaf Spring		McPherson / Leaf Spring	
Brakes Front/Rear	Disc / Drum		Disc / Drum		Disc / Drum		Disc / Drum		Disc / Drum	
Tire 155R13C (LT)	●		●		●		●		●	
Hand Brake (Foot Brake on RHD variants)	●		●		●		●		●	
Wheelbase 2500 mm	●		●		●		●		●	
Battery warranty	4 years or 200,000 km (whichever comes first)									
Vehicle warranty	3 years or 50,000 km (whichever comes first)									

CARGO PLATFORM										
Cargo volume & Payload area	3 m <sup>3</sup>		2.8 m <sup>3</sup>		2.3 m <sup>2</sup>		2.2 m <sup>2</sup>		2.2 m <sup>2</sup>	
Cargo payload **	500 kg	590 kg	380 kg	-	500 kg	590 kg	500 kg	580 kg	500 kg	580 kg
Box external (L x W x H) in mm	1710 x 1450 x 1360		1710 (2260) x 1450 x 1360		-		-		-	
Box internal (L x W x H) in mm	1635 x 1420 x 1290		1625 x 1365 x 1275		-		-		-	
Rear door frame (W x H) in mm	1315 x 1245		1370 x 1280		-		-		-	
Rear door left (W x H) in mm	657 x 1235		630 x 1150		-		-		-	
Rear door right (W x H) in mm	657 x 1235		630 x 1150		-		-		-	
Panel thickness in mm	-		85		-		-		-	
Compressor unit (L x W x H) in mm	-		1080 x 550 x 240		-		-		-	
Cargo bed height in mm	700		700		700		700		700	
Load bed (L x W) in mm	-		-		1650 x 1371		1700 x 1375		1700 x 1375	
Bucket height in mm	-		-		-		325		325	
Bucket thickness in mm	-		-		-		40		40	
Headboard height in mm	-		-		-		1030		1030	
Compressor rated power	-		700 W (72 V)		-		-		-	
Service temperature	-		-18°C ~+10°C		-		-		-	

SAFETY FEATURES										
Anti-lock Braking System ABS	●		●		●		●		●	
Electric Power Steering EPS	●		●		●		●		●	
Driver Seat Belt Alarm	●		●		●		●		●	
Rear View Camera	●		●		●		●		●	
Door Ajar Alarm	●		●		●		●		●	
Reversing Warning Alarm	●		●		●		●		●	
Acoustic Vehicle Alerting Systems	●		●		●		●		●	
3-Point Safety Belt (retractable)	●		●		●		●		●	



Cargo Box		Refrigerated Box		Flatbed		Pickup		Tipper	
23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh

Battery pack options <sup>2</sup>



LIGHTING SYSTEM										
Front combination light LED	●	●	●	●	●	●	●	●	●	●
Combination Tail light LED	●	●	●	●	●	●	●	●	●	●
Daytime running light LED	●	●	●	●	●	●	●	●	●	●
Interior lighting LED	●	●	●	●	●	●	●	●	●	●

ACCESSORIES & OTHERS										
Intermittent windshield wipers	●	●	●	●	●	●	●	●	●	●
Imitation leather seat cover	●	●	●	●	●	●	●	●	●	●
4-Way adjustable Seats (manual)	●	●	●	●	●	●	●	●	●	●
Heating	●	●	●	●	●	●	●	●	●	●
Central door locking system	●	●	●	●	●	●	●	●	●	●
OBD connection	●	●	●	●	●	●	●	●	●	●
9" LCD Infotainment display	●	●	●	●	●	●	●	●	●	●
Loudspeakers x 2	●	●	●	●	●	●	●	●	●	●
Bluetooth connectivity	●	●	●	●	●	●	●	●	●	●
USB port x 1	●	●	●	●	●	●	●	●	●	●
Key FOB / Keyless Entry	●	●	●	●	●	●	●	●	●	●
Push-Start button	●	●	●	●	●	●	●	●	●	●
Power windows	●	●	●	●	●	●	●	●	●	●
Door storage box	●	●	●	●	●	●	●	●	●	●
Sun visor (flip) x 2	●	●	●	●	●	●	●	●	●	●
Radio, MP3, MP4	●	●	●	●	●	●	●	●	●	●
Portable EU Type2 charger (220V)	●	●	●	●	●	●	●	●	●	●
Foldable warning triangle & safety vest	●	●	●	●	●	●	●	●	●	●

OPTIONS										
Air condition	○	○	○	○	○	○	○	○	○	○
Towing Hook	○	-	○	-	○	○	○	○	○	○
Bull bar (Front and Rear)	○	○	○	○	○	○	○	○	○	○
Tools kit	○	○	○	○	○	○	○	○	○	○
On-board charger (OBC) 3.3 kW	-	○	○	-	-	○	-	○	-	○
On-board charger (OBC) 6.6 kW	○	○	○	○	○	○	○	○	○	○
Wall Charger 7.4 kW	○	○	○	○	○	○	○	○	○	○
RHD variant	○	○	○	○	○	○	○	○	○	○
4 x Winter tires	○	○	○	○	○	○	○	○	○	○
Alloy Wheel	●	○	●	○	●	○	●	○	●	○
Magnet-mounted wired control switch	-	-	-	-	-	-	-	-	-	○


PAINT OPTIONS										
White (standard)	●	●	●	●	●	●	●	●	●	●
Yellow	○	○	○	○	○	○	○	○	○	○
Black	○	○	○	○	○	○	○	○	○	○
Light Grey	○	○	○	○	○	○	○	○	○	○
Light Green	○	○	○	○	○	○	○	○	○	○
Light Blue	○	○	○	○	○	○	○	○	○	○
Customs Color (On Request)	○	○	○	○	○	○	○	○	○	○

CARGO PLATFORM OPTIONS										
Flatbed (as standard)	○	○	○	○	●	○	○	○	○	○
Alloy Tray for Pick-up	○	○	○	○	○	○	○	○	○	○
Steel Tray for Pick-up	○	○	○	○	○	○	●	○	○	○
Alloy Tray for Tipper	○	○	○	○	○	○	○	○	○	○
Steel Tray for Tipper	○	○	○	○	○	○	○	○	●	○
Box (FRP Honeycomb Panel)	●	○	○	○	○	○	○	○	○	○
Refrigerated Box (Max. Temp. -18°C)	○	●	○	○	○	○	○	○	○	○
Cargo Box with side roller shutter door <sup>1</sup>	○	○	○	○	○	○	○	○	○	○
Cargo Box with side door <sup>1</sup>	○	○	○	○	○	○	○	○	○	○
Cargo Box with tarpaulin cover <sup>1</sup>	○	○	○	○	○	○	○	○	○	○




	Cargo Box		Refrigerated Box		Flatbed		Pickup		Tipper	
	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh
Battery pack options <sup>2</sup>										
Small Cargo Box <sup>1</sup>		○		○		○		○		○
Small Cargo Box with side door <sup>1</sup>		○		○		○		○		○
Small Cargo Box with roof rack <sup>1</sup>		○		○		○		○		○
Waste Collection <sup>1</sup>		○		○		○		○		○
Mobile Coffee shop <sup>1</sup>		○		○		○		○		○
Mobile Advertisement with Screen <sup>1</sup>		○		○		○		○		○


## CARGO PLATFORM OPTIONS




Side Door Big  
FRP Honeycomb panel




Roll-up Door  
Custom version \*




Box Low-roof  
FRP Honeycomb panel




Side Door Small  
FRP Honeycomb panel



Roof Rack  
FRP Honeycomb panel




Waste Collection  
Custom version \*




Tarpaulin Cover  
Custom version \*




People Mover  
Custom version \*




Pick-up Panel  
Custom version \*



Mobile Shops  
Custom version \*



Mobile Ad



Trailer  
Custom version \*

### CONTACT US

Alex +86 139 6869 9888 | alexwang@jonwayev.com  
 Shelton +86 188 6292 8261 | sheltonwu@jonwayev.com  
 Sophie +86 183 6122 7440 | sophieyu@jonwayev.com  
 Ella +86 198 9583 6240 | ellawang@jonwayev.com  
 For general inquiry contact us at contact@jonwayev.com

<sup>1</sup> Available on a build-to-order basis and are offered upon request only.

\* The actual driving range may greatly vary based on driving behavior, charging habits, speed, payload, terrain, accessories and weather conditions.

\*\* Payload excludes the driver but includes cargo options. The total permissible cargo weight must not be exceeded.

<sup>2</sup> Battery pack capacity may naturally degrade over time and with use, which will affect vehicle overall performance.

<sup>3</sup> Charging times are approximate and require Type 2 compatible charging stations.

Technical specifications and data are true and accurate as of the publication date which may differ according to the country of sale and are subject to change without prior notice. Images provided are for illustrative purposes only and may not reflect the actual vehicle or its features. Figures provided are intended for comparability purposes only and should be compared with vehicles tested under the same technical procedures and within a similar weight class. Please check with your dealer for any local specifications.

The electric tipper is equipped with a hand-operated controller located on the driver's side as standard.

Don't drive while distracted! Don't use handheld devices while driving!