


JONWAY



Available as LHD two-seater

T2i

A light gray line drawing of a Toyota T21 van, shown from a side profile. The van has a large cargo area with a sliding door on the side, a roof rack, and distinctive multi-spoke wheels. The text is overlaid on the side of the van.

DRIVE SMART • SAVE BIG • REPEAT

T21


JONWAY

210^{Per charge}
km

70^{Top speed}
km/h



Driving range as per WMTC cycle and varies depending on the battery-pack size; top speed can be limited to 45 km/h.



The T21, with a peak motor power of 15 kW, is designed to deliver your goods throughout the day.



At pennies per km, the
T21 is the ultimate
solution for efficient
daily deliveries.

T21- Rooftop Solar Panel System


This system is optional

Dimension: L990 × W760 × H2.5 mm

Solar Cell: Monocrystalline HJT

Maximum power (P_{max}): 140W

Power Tolerance: ±5%



Compact | Lightweight | Efficient




It's compact, fitting effortlessly in any space.



It's lightweight yet robust, capable of carrying up to 330 kg.


Designed for efficiency, it helps save costs.

T21 Dimensions



A	Length	3250 mm
B	Width	1230 mm
	Width (incl. Mirror)	1460 mm
C	Height	1890 mm
D	Wheelbase	2140 mm
E	Ground Clearance	140 mm
F	Cargo Bed Height	710 mm

Cargo Box Dimensions



OUTSIDE MEASUREMENT

A	Length	1510 mm
B	Width	1194 mm
C	Height	1277 mm

INSIDE MEASUREMENT

A	Length	1397 mm
B	Width	1158 mm
C	Height	1207 mm

Cargo volume


2 m³

Cargo Variations

Select from a range of cargo variations tailored to meet the unique needs of your business. Additionally, custom solutions can be crafted upon prior request, ensuring your T21 perfectly aligns with your specific requirements.


Cargo Box

Rear door




Cargo Box

Side door *




Cargo Box

Solar roof *




Pickup

Alloy bucket *



Flatbed

Chassis Cabin



Products with (*) are available on a build-to-order basis and are offered upon request only.

In Details




Dashboard




Hidden Door Lock



Infotainment



Dialer gear shift



LED tail light



Power window



Compartments




Cargo steel floor



3-point Seatbelt



LED headlight



EU Type 2 charging port

The T21 charges 20-80% in 4 hours (2 hours with the optional 6.6 kW charger) and 0-100% in 6.7 hours (3.3 hours with the optional 6.6 kW charger).

Equipped with a 3.3 kW OBC as standard and an optional 6.6 kW upgrade, the T21 ensures fast, efficient overnight charging for every user.

T21 Specifications

CARGO TYPE: BOX		WHEELBASE: SWB		BATTERY PACK: 17.66 kWh		DRIVER SEAT: RHD	
General Information				Driving Range ¹			
Classification		L7e-CU		Driving Range (WMTC)		210 km	
Body Structure		Load-bearing		Real-world Driving Range		168+ km	
Dimensions (L × W × H)		3250 x 1230 x 1890 mm		Energy Consumption		≈ 105 Wh/km	
Width with mirror opened		1460 mm		Energy Efficiency		≈ 9.5 km/Wh	
Wheelbase		2140 mm					
Seats / Doors		2 / 2		Tires & Suspensions			
Ramp Angles (Front/Rear)		90° / 22°		Brake (Front / Rear)		Disc / Drum	
Track Width (Front/Rear)		960 / 1060 mm		Wheels		Steel	
Overhang (Front/Rear)		257 / 682 mm		Tire Size (Front / Rear)		145/70R12 (250 kPa)	
Gradeability		15% (8.53°)		Front Suspension		McPherson	
Min. Turning Radius		5000 mm		Rear Suspension		Leaf Spring	
Min. Ground Clearance		140 mm					
GVW		930 kg		Lighting			
Curb Weight		652 kg (645 kg if one seater)		Front Combination Light		Halogen	
				Daytime Running Light		Halogen	
				Turn Signal Lights		Halogen	
Electric Motor				Combination Tail light		LED	
Motor Type / Drive Mode		PMSM / RWD		Rear fog & Reversing light		LED	
Transmission		Fixed ratio		Interior Cabin Light		LED	
Top Speed		70 km/h					
Max Power (Contd. Rated)		15 kW (7.5 kW)		Standard Accessories			
Max Torque (Contd. Rated)		85 N.m (42.5 N.m)		CBS Combined Braking System		Power Windows	
Battery Pack ³				Intermittent Windshield Wiper		Analogue Instrument Cluster	
Battery Type		LiFePO4 (Air-cooled)		Imitation Leather Seat Covers		Heating	
Battery Pack Capacity		17.66 kWh		2-way Manual Seats		Rearview Mirrors ^(manual)	
Battery Pack Nominal Voltage		76.8V		1 × USB Port		7" LCD Infotainment Display	
Battery Pack Rated Capacity		230Ah		Reversing Warning Alarm		Bluetooth connectivity	
Battery Pack Weight		147 kg		2 × Cup Holders		OBD Connection	

¹ Results are based on our internal testing.

The battery pack capacity may/will degrade over time and usage. The actual driving range will vary depending on driving behaviors, charging intervals, driving speed, cargo load weight and weather conditions. The figures shown are for comparability purposes; only compare with other vehicles tested to the same technical procedures and similar vehicle weight class. The charging times are estimates. Charging stations must be Type 2 compatible. The permissible total cargo weight must not exceed. Technical specifications and data are valid at the time of publishing. The product images shown are for illustrative purposes only. Specifications are subject to change without prior notice.

T21 Specifications

CARGO TYPE: BOX		WHEELBASE: SWB		BATTERY PACK: 17.66 kWh		DRIVER SEAT: RHD	
Cargo Platform ²				Standard Accessories			
Box Volume		2 m³		Central Door Lock		Rear-view Camera	
Cargo Outside (L × W × H)		1510 × 1194 × 1277 mm		Key FOB / Keyless Entry		Key-in Ignition	
Cargo Inside (L × W × H)		1397 × 1158 × 1207 mm		3-point Safety Belt ^(retractable)		EU Type2 Charging Plug	
Cargo Payload		278 kg (285 kg if one seater)		4 × Loudspeaker		Portable Charger (220V)	
Load Height		710 mm		Adjustable Air Vents		Warning Triangle & Safety Vest	
				Drive Mode Dialer (R N D)			
Charging ⁴				Warranty			
Charging Mode		AC charging		Battery Pack Warranty		4 years or 200k km ^(whichever comes first)	
On-board Charger (OBC)		3.3 kW		Vehicle Warranty		3 years or 40k km ^(whichever comes first)	
Charging Time (20-80%)		≈ 4.0 h					
Charging Time (0-100%)		≈ 6.7 h					
Charging Distance in 1 hour (est.)		≈ 47 km					
				Options			
				6.6 kW On-board Charger (OBC)		Air Condition	
				Alloy Wheel		Roof Rack Platform	
				Rooftop Solar Panel			

For other cargo modules such as pickup and chassis-cab variations please download our detailed specs sheet from our website at www.jonwayev.com

¹ Results are based on our internal testing.


The battery pack capacity may/will degrade over time and usage. The actual driving range will vary depending on driving behaviors, charging intervals, driving speed, cargo load weight and weather conditions. The figures shown are for comparability purposes; only compare with other vehicles tested to the same technical procedures and similar vehicle weight class. The charging times are estimates. Charging stations must be Type 2 compatible. The permissible total cargo weight must not exceed. Technical specifications and data are valid at the time of publishing. The product images shown are for illustrative purposes only. Specifications are subject to change without prior notice.

Warranty



BATTERY

4 years or 200,000 km
(whichever comes first)




VEHICLE

3 years or 40,000 km
(whichever comes first)


For current warranty conditions
and details consult with your local
dealer and/or distributor.

Available in..

The T21 comes with two driver position options, allowing buyers to choose the one that best suits their needs.



Center



LHD

JONWAY

Business Name: Jiangsu JONWAY Electric Technology Co., Ltd
Business type: Automotive & Technology
Phone: Alex: +86 139 6869 9888
Email: alexwang@jonwayev.com
sophieyu@jonwayev.com
sheltonwu@jonwayev.com
philzhou@jonwayev.com
Website: www.jonwayev.com



IMPORTANT This digital information document is a guide. We have tried to make the information comprehensive and factual, but errors and changes can occur. Jonway EV and its dealers may change specifications at any time and may discontinue items depicted without notice and without obligation. Vehicle configuration and / or products shown may vary by region due to compliance regulations. Please consult your local dealer for further information.