




	Cargo Box		Refrigerated Box		Flatbed		Pickup		Tipper	
Battery pack options ²	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh	23.04 kWh	11.52 kWh

MAIN SPECIFICATIONS										
L7e-CU Category	●		●		●		●		●	
Dimensions L × W × H (mm)	3700 × 1440 × 2100		3700 × 1440 × 2100		3600 × 1440 × 1750		3700 × 1440 × 1800		3700 × 1440 × 1800	
Width incl. mirror	1,735 mm		1,735 mm		1,735 mm		1,735 mm		1,735 mm	
Minimum turning radius	5,500 mm		5,501 mm		5,502 mm		5,503 mm		5,504 mm	
Driving range per WVTA *	260 km	130 km	240 km	-	260 km	130 km	260 km	130 km	260 km	130 km
Real-world range	200+ km	100+ km	190+ km	-	200+ km	100+ km	200+ km	100+ km	200+ km	100+ km
Track (Front/Rear)	1145 / 1195 mm		1145 / 1195 mm		1145 / 1195 mm		1145 / 1195 mm		1145 / 1195 mm	
Ramp angles (Front/Rear)	48° / 30°		48° / 30°		48° / 30°		48° / 30°		48° / 30°	
Min. ground clearance	160 mm		161 mm		162 mm		163 mm		164 mm	
Gross Vehicle Weight	1,450 kg		1,451 kg		1,452 kg		1,453 kg		1,454 kg	
Curb weight	845 kg	760 kg	930 kg	-	850 kg	760 kg	850 kg	770 kg	850 kg	770 kg
Top speed	75 km/h		75 km/h		75 km/h		75 km/h		75 km/h	
Gradeability	25% (14°)	20% (11.3°)	25% (14°)	20% (11.3°)	25% (14°)	20% (11.3°)	25% (14°)	20% (11.3°)	25% (14°)	20% (11.3°)
Wheels	Alloy	Steel	Alloy	-	Alloy	Steel	Alloy	Steel	Alloy	Steel
AC slow charging	●		●		●		●		●	
Charger connector type	EU Type 2		EU Type 2		EU Type 2		EU Type 2		EU Type 2	
On-board charger (OBC)	3.3 kW	2.2 kW	3.3 kW	-	3.3 kW	2.2 kW	3.3 kW	2.2 kW	3.3 kW	2.2 kW
Charging time in hours (20-80%) ³	≈5 hrs	≈4 hrs	≈5 hrs	-	≈5 hrs	≈4 hrs	≈5 hrs	≈4 hrs	≈5 hrs	≈4 hrs
Charging time in hours (0-100%) ³	≈9 hrs	≈7 hrs	≈9 hrs	-	≈9 hrs	≈7 hrs	≈9 hrs	≈7 hrs	≈9 hrs	≈7 hrs
Permanent Magnet Synchronous Motor	●		●		●		●		●	
Peak power	20 kW (27 hp)		20 kW (27 hp)		20 kW (27 hp)		20 kW (27 hp)		20 kW (27 hp)	
Peak torque 112 N.m	●		●		●		●		●	
Rear-wheel drive	●		●		●		●		●	
Regenerative braking system	●		●		●		●		●	
Suspension Front / Rear	McPherson / Leaf Spring		McPherson / Leaf Spring		McPherson / Leaf Spring		McPherson / Leaf Spring		McPherson / Leaf Spring	
Brakes Front/Rear	Disc / Drum		Disc / Drum		Disc / Drum		Disc / Drum		Disc / Drum	
Tire 155R13C (LT)	●		●		●		●		●	
Hand Brake (Foot Brake on RHD variants)	●		●		●		●		●	
Wheelbase 2500 mm	●		●		●		●		●	
Battery warranty	4 years or 200,000 km (whichever comes first)									
Vehicle warranty	3 years or 50,000 km (whichever comes first)									
Compressor rated power	-	-	700 W (72 V)		-	-	-	-	-	-
Service temperature	-	-	-18°C ~+10°C		-	-	-	-	-	-

CARGO PLATFORM										
Cargo volume & Payload area	3 m ³		2.8 m ³		2.3 m ²		2.2 m ²		2.2 m ²	
Cargo payload **	500 kg	590 kg	380 kg	-	500 kg	590 kg	500 kg	580 kg	500 kg	580 kg
Box external (L × W × H) in mm	1710 × 1450 × 1360		1710 (2260) × 1450 × 1360		-		-		-	
Box internal (L × W × H) in mm	1635 × 1420 × 1290		1625 × 1365 × 1275		-		-		-	
Rear door frame (W × H) in mm	1315 × 1245		1370 × 1280		-		-		-	
Rear door left (W × H) in mm	657 × 1235		630 × 1150		-		-		-	
Rear door right (W × H) in mm	657 × 1235		630 × 1150		-		-		-	
Panel thickness in mm	-		85		-		-		-	
Compressor unit (L × W × H) in mm	-		1080 × 550 × 240		-		-		-	
Cargo bed height in mm	700		700		700		700		700	
Load bed (L × W) in mm	-		-		1650 × 1371		1700 × 1375		1700 × 1375	
Bucket height in mm	-		-		-		325		325	
Bucket thickness in mm	-		-		-		40		40	
Headboard height in mm	-		-		-		1030		1030	

SAFETY FEATURES										
Anti-lock Braking System ABS	●		●		●		●		●	
Electric Power Steering EPS	●		●		●		●		●	
Driver Seat Belt Alarm	●		●		●		●		●	
Rear View Camers	●		●		●		●		●	
Door Ajar Alarm	●		●		●		●		●	
Reversing Warning Alarm	●		●		●		●		●	
Acoustic Vehicle Alerting Systems	●		●		●		●		●	
3-Point Safety Belt (retractable)	●		●		●		●		●	



	Cargo Box	Refrigerated Box	Flatbed	Pickup	Tipper
--	-----------	------------------	---------	--------	--------

LIGHTING SYSTEM					
Front combination light LED	•	•	•	•	•
Combination Tail light LED	•	•	•	•	•
Daytime running light LED	•	•	•	•	•
Interior lighting LED	•	•	•	•	•

ACCESSORIES & OTHERS					
Intermittent windshield wipers	•	•	•	•	•
Imitation leather seat cover	•	•	•	•	•
4-Way adjustable Seats (manual)	•	•	•	•	•
Heating	•	•	•	•	•
Central door locking system	•	•	•	•	•
OBD connection	•	•	•	•	•
9" LCD Infotainment display	•	•	•	•	•
Loudspeakers x 2	•	•	•	•	•
Bluetooth connectivity	•	•	•	•	•
USB port x 1	•	•	•	•	•
Key FOB / Keyless Entry	•	•	•	•	•
Push-Start button	•	•	•	•	•
Power windows	•	•	•	•	•
Door storage box	•	•	•	•	•
Sun visor (flip) x 2	•	•	•	•	•
Radio, MP3, MP4	•	•	•	•	•
Portable EU Type2 charger (220V)	•	•	•	•	•
Foldable warning triangle & safety vest	•	•	•	•	•

OPTIONS					
Air condition	○	○	○	○	○
Towing Hook	○	-	○	○	○
Tools kit	○	○	○	○	○
On-board charger (OBC) 3.3 kW	•	○	○	-	•
On-board charger (OBC) 6.6 kW	○	○	○	○	○
Wall Charger 7.4 kW	○	○	○	○	○
RHD variant	○	○	○	○	○
4 x Winter tires	○	○	○	○	○
Alloy Wheel	•	○	•	○	•
Magnet-mounted wired control switch	-	-	-	-	-

PAINT OPTIONS					
White (standard)	•	•	•	•	•
Yellow	○	○	○	○	○
Black	○	○	○	○	○
Light Grey	○	○	○	○	○
Light Green	○	○	○	○	○
Light Blue	○	○	○	○	○
Customs Color (On Request)	○	○	○	○	○

CARGO PLATFORM OPTIONS					
Flatbed (as standard)	○	○	•	○	○
Alloy Tray for Pick-up	○	○	○	○	○
Steel Tray for Pick-up	○	○	○	•	○
Alloy Tray for Tipper	○	○	○	○	○
Steel Tray for Tipper	○	○	○	○	•
Box (FRP Honeycomb Panel)	•	○	○	○	○
Refrigerated Box (Max. Temp. -18°C)	○	•	○	○	○
Cargo Box with side roller shutter door ¹	○	○	○	○	○
Cargo Box with side door ¹	○	○	○	○	○
Cargo Box with tarpaulin cover ¹	○	○	○	○	○
Small Cargo Box ¹	○	○	○	○	○
Small Cargo Box with side door ¹	○	○	○	○	○
Small Cargo Box with roof rack ¹	○	○	○	○	○
Waste Collection ¹	○	○	○	○	○



	Cargo Box	Refrigerated Box	Flatbed	Pickup	Tipper
Mobile Coffee shop ¹	○	○	○	○	○
Mobile Advertisement with Screen ¹	○	○	○	○	○

● available | - not available | ○ optional

CARGO PLATFORM IMAGES



Side Door Big

FRP Honeycomb panel



Roll-up Door

Custom version *



Box Low-roof

FRP Honeycomb panel



Side Door Small

FRP Honeycomb panel



Roof Rack

FRP Honeycomb panel



Waste Collection

Custom version *



Tarpaulin Cover

Custom version *



People Mover

Custom version *



Pick-up Panel

Custom version *




Mobile Shops

Custom version *



Mobile Ad

Custom version *



Trailer

Custom version *

¹ Available on a build-to-order basis and are offered upon request only.

* The actual driving range may greatly vary based on driving behavior, charging habits, speed, payload, terrain, accessories and weather conditions.

** Payload excludes the driver but includes cargo options. The total permissible cargo weight must not be exceeded.

² Battery pack capacity may naturally degrade over time and with use, which will affect vehicle overall performance.

³ Charging times are approximate and require Type 2 compatible charging stations.

Technical specifications and data are true and accurate as of the publication date which may differ according to the country of sale and are subject to change without prior notice. Images provided are for illustrative purposes only and may not reflect the actual vehicle or its features. Figures provided are intended for comparability purposes only and should be compared with vehicles tested under the same technical procedures and within a similar weight class. Please check with your dealer for any local specifications.

The electric tipper is equipped with a hand-operated controller located on the driver's side as standard.

Don't drive while distracted! Don't use handheld devices while driving!

CONTACT US

Alex +86 139 6869 9888 | alexwang@jonwayev.com

Shelton +86 188 6292 8261 | sheltonwu@jonwayev.com

Sophie +86 183 6122 7440 | sophieyu@jonwayev.com

Ella +86 198 9583 6240 | ellawang@jonwayev.com

For general inquiry contact us at contact@jonwayev.com

