



WitFlame Supply Chain Coordination | Shenzhen

Your Eyes and Hands on the Factory Floor

Based in Shenzhen's electronics manufacturing heartland, I operate WitFlame as an independent sourcing partner for global buyers seeking reliable interactive display production. Rather than maintaining overhead of factory ownership, I embed myself directly within ISO-certified partner facilities—coordinating everything from initial supplier qualification to final pre-shipment inspection.

Manufacturing Network Access

Through deep partnerships established across Shenzhen and Dongguan, my clients gain access to:

- Production Infrastructure: Partner facilities with 120M+ RMB invested in automated SMT lines, injection molding, and dust-free assembly environments spanning 10,000+ square meters
- Technical Resources: Direct coordination with 500+ R&D engineers and technical staff specializing in display technology, touch systems, and hardware integration
- Scalable Capacity: Flexible production scheduling—from 10-unit pilot orders to 10,000-unit deployments—with typical lead times of 10-15 days for standard configurations

End-to-End Coordination

My role is simple: eliminate the communication barriers, quality risks, and logistical headaches of overseas procurement. I handle supplier vetting, production monitoring, QC documentation, and shipping coordination —ensuring your specifications translate accurately from design concept to delivered product.

CONFERENCE MACHINE



Function 16:9

- 01 4K ultra HD display
- 02 Android 13 is for all office needs
- 03 Type-C and USB3.0 high-speed data transmission
- 04 Multiple memory configurations to choose from
- 05 Support Windows, make office easier
- 06 Eye care mode, focus on health We mean business



PRODUCT DETAILS PARAMETERS

PRODUCT DETAILS PARAMETERS

Specifications



Model	WEMAX	WEMID	
Android OS(3 options)			
Solution	311D2	T982	V100
Screen Size	55"/65"/75"/86"/98"/110"	55"/65"/75"/86"/98"	55"/65"/75"/86"
System Version	Android 13.0	Android 13.0	Android 13.0/14.0
CPU/GPU	A73*4+A53*4,2.2GHZ / Mali-G52 MP8(8EE)	A55*4,1.9GHZ/Mali-G52 MP2	A55*8,1.2GHZ/ Mali-G52 MP4
RAM/ROM	4GB DDR4/ 32GB eMMC(default); 8GB DDR4/ 128GB eMMC (Optional for V100 & 311D2)		
Model No.	IWB5536 IWB6536 IWB7536 IWB8636 IWB9836 IWB11036		
Display			
Bonding Technology	Zero Bonding		
Aspect Ratio	16:9		
Resolution (HV)	4K UHD 3840x2160		
Contrast Ratio(Typ)	1100:1/1200:1/1300:1/4000:1/4500:1/5000:1/6000:1 (subject to change by using different open cells)		
Viewing Angles (H/V)	178°(H)/178°(V)		
Refresh Rate	60Hz		
Response Time	8ms		
Back Light	DLED		
Life	≥30000 hours		
Touch			
Touch Technology	20 Points Infrared Touch		
Supported Systems	Windows10/8/7/XP/Android/Linux/Mac OS/Chrome		
Interactivity	Simultaneous Pen and Touch		
Min. Object Size	2mm		
Touch Accuracy	+1mm		
Response Time	<4. 2ms for 311D2, <5ms for V100&T982		
General			
Camera & Mic (Optional)	13M/48M Pixel Camera, 8 Array Microphones		
Bluetooth	Version 5, 2.4GHz, 0~10m Working Distance		
Wi-Fi	Version 802.11 ac/b/g/n/a, 2.4GHZ/5GHZ, 0~10m Working Distance		
Speakers	2x16W(311D2 solution with 20W woofer for option)		
Voltage&Standby Power Consumption	100~240V,50/60Hzs0.5W		
Environmental	Working Temperature 0°C~40°C, Working Humidity 10%~90%RH		

LONG SCREEN CONFERENCE MACHINE



Function 21:9

- 01 The latest model in 2023, 21:9 super long screen
- 02 144hz Ultra high refresh rate
- 03 Zero Bonding, display better
- 04 Aluminum alloy profile, better texture
- 05 Type-C and USB3.0 high-speed data transmission
- 06 There are the eye-care features that won't be forgotten



PRODUCT DETAILS PARAMETERS

PRODUCT DETAILS PARAMETERS >>> Specifications



Model	WEMAX		
	Android oS(3 options)		
Screen Size	81"	94"	105"
CPU/GPU	Quad-core A76 + Quad-core A55/ARM Mali-G610 MC4		
Bonding Technology	Zero Bonding		
Aspect Ratio	21:9		
System	Android 13.0RAM:4GB(Optional 8GB):		
Storage	ROM:32GB(Optional 128GB)		
	Display		
Resolution(HV)	4K UHD 4096x2160		
Brightness(cd/m2)	350		
Contrast Ratio(Typ)	4000:1		
Viewing Angle(H)	178		
Refresh Rate	144Hz		
Response Time	8ms		
Front I/O	USB 3.0*2HDMI IN*1:TOUCH USB1:TYPE-C*1		
	Android oS(3 options)		
Camera&MIC	48MP8 Array Microphones(Only Luxury)		
Back Light	DLED		
Life	≥30000 hours		

SMART BLACKBOARD



Function Education

- 01 At least 1250 days of warranty
- 02 Traditional blackboard, electronic blackboard a variety of options
- 03 40 Points Capacitive Touch, Let the children write to their heart's content
- 04 Customized teaching software is available
- 05 8 Array Microphones, being there
- 06 It has the function of protecting children's eyes



PRODUCT DETAILS PARAMETERS

PRODUCT DETAILS PARAMETERS

Specifications



Model	EDU		
	Display		
SIZE	86	98	
Bonding Technology	Zero Bonding	Optical Bonding	
Aspect Ratio	16:9		
Resolution (HV)	4K UHD 3840x2160		
Brightness(cd/m2)	450	350	
Contrast Ratio(Typ)	1100:1,1200:1,4000:1,5000:1	5000:1	
Viewing Angles (HV)	178°		
Refresh Rate	60Hz		
Response Time	8 ms		
Back Light	DLED		
Life	>30,000 hours		
	Touch		
Touch Technology	20 Points Infrared Touch	20 Points Capacitive Touch	40 Points Capacitive Touch
Supported Systems	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome		
Input Method	Finger and Passive Infrared Pens		Finger and Passive Capacitive Pens
Touch Accuracy	<1.5mm	±1mm	±2mm
	Android OS		
System Version	Android 12.0	Android 11.0	
Solution	V100	T982	
CPU/GPU	8-Core A55/Quad-core MaliG52	4-Core A55/Mali-G52 MP2	
RAM/ROM	4GB DDR4/32GB eMMC		
Bluetooth	Version 5, 2.4GHz, 0-10m Working Distance		Version 5, 2.4GHz, 0-12m Working Distance
Wi-Fi	Version 802.11ac/b/g/n/a, 2.4GH/5GHz, 010m Working Distance, Built-in Wi-Fi		802.11ac/b/g/n/a/ax(Supports Wi-Fi6 protocol) 2.4GHz/5GHz,0-12m,with wireless module
	Connectivity		
Front Interfaces	USB(3.0)x2/Buttonsx6 (Power/Home/Screen Down/Record/Touch lock/Setting)	USB(3.0)x3/HDMI Inx1/Touch USBx1/TYPE-Cx1/Buttonsx6 (Power/Home/Screen Down/Record/Touch lock/Setting)	USB(3.0)x2/HDMI Inx1/TYPE-Cx1/TOUCH 2.0x1/Buttonsx6 (3-in-1 Power Button/Home/Back/Settings/Volume -/Volume +)
Rear Interfaces	TF Cardx1/USB(3.0)x1/USB(2.0)x1/TOUCHx1/HDMI Inx2/VGAx1/AUDIO Inx1/RS232x1/RJ45 Inx1/EARPHONEx1/COAXx1		HDMI Inx2/HDMI OUT(None by default optional 1 way)/USB(2.0)x1/USB(3.0)x2/TOUCHx1/VGA Inx1/AUDIO Inx1/AUDIO OUTx1/RS232x1/SPDIFx1/RJ45 Inx1/RJ45 OUTx1
	General		
Camera & Mic	13M Pixel Camera/8 Array Microphones		13M Pixel Camera/6 Array Microphones
Speaker	Soundtrack:2.0/Power:2x16W		Soundtrack:2.0/Power:2x16+20W



VERTICAL ADVERTISING MACHINE



Function Vertical

- 01 Cloud remote publishing
- 02 Cloud real-time monitoring screen
- 03 U disk drive rebroadcast automatically
- 04 Appointment on/off, time-sharing playback
- 05 Pictures and videos can be played simultaneously in split screen
- 06 Compatible with multi-format,mark logo more convenient



PRODUCT DETAILS PARAMETERS


PRODUCT DETAILS PARAMETERS

Specifications




Model	Vertical advertising machine	
	Infrared touch	Capacitive touch
	Infrared touch	Capacitive touch
Panel Size	43/50/55/65/75/85	32/43/50/55/65/75/85
Resolution	1920 1080	
Panel Grade	Brand new A+ LCD panel	
Viewing Angle	89/89/89/89 degrees	
Color Support	16.7 million (18-bit)	
Refresh Rate	60HZ	
Screen Brightness	2350cd/m2 (typical value)	
Operating System	Android	
System Version	7.1	
	hardware	
CPU	RK3399,1.8GHz/Can be Selected	RK3288/Can be Selected
GPU	Mali-T864	Mali-T764
RAM	DDR3 4GB	DDR3 2GB
Storage	EMMC FLASH 32GB	EMMC FLASH 16GB
Input Interfaces	USB2 TF card slot1	USB2 TF Card Slot1
Output Interfaces	HDMI1	HDMI1
Audio Interface	3.5mm headphone jack1	3.5mm Headphone Jack 1
Network Communication	WiFi + Ethernet	WiFi + Ethernet
3G/4G	Optional	Optional


WALL-MOUNTED ADVERTISING MACHINE



178° wide view angle



Support split-screen display



Ultra slim bezel



Remote control based on Cloud

Function **Wall**

01 Equal bezel-width 7.9mm

02 Super slim-overall thickness 46mm, front frame 14.1mm

03 Customized motherboard

04 Brightness-max 700Nits

05 Overall metal shell material

06 E-LED backlight



PRODUCT DETAILS PARAMETERS

PRODUCT DETAILS PARAMETERS

Specifications



Model	Wall-mounted advertising machine	
	Infrared touch	Capacitive touch
	Infrared touch	Capacitive touch
Panel Size	43/50/55/65/75/85	32/43/50/55/65/75/85
Resolution	1920 1080	
Panel Grade	Brand new A+ LCD panel	
Viewing Angle	89/89/89/89 degrees	
Color Support	16.7 million (18-bit)	
Refresh Rate	60HZ	
Screen Brightness	2350cd/m2 (typical value)	
Operating System	Android	
System Version	7.1	
	hardware	
CPU	RK 3288	RK 3288
GPU	Mali-T764	Mali-T764
RAM	DDR3 2GB	DDR3 2GB
Storage	EMMC FLASH 16GB	EMMC FLASH 16GB
Input Interfaces	USB*2, TF card slot1	USB*2, TF card slot1
Output Interfaces	HDMI1	HDMI1
Audio Interface	3.5mm headphone jack 1	3.5mm headphone jack 1
Network Communication	WiFi, Ethernet	WiFi, Ethernet
3G/4G	Optional	Optional
Touch Points	Default 10-point touch	Default 10-point touch
	Connectivity	
Response Speed	Single point mode: Click 8ms, Continuous 3ms	Single point mode: Click 8ms, Continuous 3ms
Touch Solution	Non-contact infrared sensing technology	Capacitive G+G
Response Speed	Single point mode: Click 8ms, Continuous 3ms	≤5ms
Software Query	Optional	Optional
Software Support	Can install third-party applications	Can install third-party applications
Boot Method	Power on auto start	Power on auto start

HORIZONTAL INQUIRY MACHINE



Function Horizontal

- 01 Cloud remote publishing
- 02 Cloud real-time monitoring screen
- 03 U disk drive rebroadcast automatically
- 04 Appointment on/off, time-sharing playback
- 05 Pictures and videos can be played simultaneously in split screen
- 06 Compatible with multi-format, mark logo more convenient



PRODUCT DETAILS PARAMETERS

PRODUCT DETAILS PARAMETERS

Specifications



Horizontal inquiry machine		
	Infrared touch	Capacitive touch
Panel Size	43/50/55/65	32/43/50/55/65
Resolution	1920 1080	
Panel Grade	Brand new A+ LCD panel	
Viewing Angle	89/89/89/89 degrees	
Color Support	16.7 million (18-bit)	
Refresh Rate	60HZ	
Screen Brightness	≥350 cd/m2 (typical value)	
Operating System	Android	
System Version	7.1	
CPU	RK 3288	RK 3288
GPU	Mali-T764	Mali-T764
RAM	DDR3 2GB	DDR3 2GB
Storage	EMMC FLASH 16GB	EMMC FLASH 16GB
Input Interfaces	USB*2, TF card slot1	USB*2, TF card slot1
Output Interfaces	HDMI*1	HDMI*1
Audio Interface	3.5mm headphone jack1	3.5mm headphone jack1
Network Communication	WiFi, Ethernet	WiFi, Ethernet
3G/4G	Optional	Optional
Touch Points	Default 10-point touch	Default 10-point touch
Response Speed	Single point mode: Click 8ms, Continuous 3ms	Single point mode: Click 8ms, Continuous 3ms
Touch Solution	Non-contact infrared sensing technology	Capacitive G+G

OPS

product type



- *10th Gen Intel Core mobile processors H-Series
- *IntelOPS-C Standard Module
- *Support OS one click restore and backup
- *Support network wake-up, network startup and power-on
- *Support optional TPM2.0
- *Support M.2 SATA/NVME protocol SSD

PRODUCT DETAILS PARAMETERS

Specifications

Model No.	i5	i7	
Processor	10th Gen Intel Core i5-10200H 4C8T2.4-4.1GHZTDP 45W	10th Gen Intel Core i7-10200H 4C8T2.5-4.2GHZTDP 45W	
	10th Gen Intel Core i5-10300H 4C8T2.5-4.5GHZTDP 45W	10th Gen Intel Core i7-10300H 4C8T2.6-4.6GHZTDP 45W	
Graphics	10th Gen Intel Core i5-10400H 4C8T2.6-4.5GHZTDP 45W	10th Gen Intel Core i7-10400H 4C8T2.7-4.6GHZTDP 45W	
Memory	Intel UHD Graphic	Intel UHD Graphic	
Storage	1* 8G SO-DIMM DDR4L Max to 32G	1* 8G SO-DIMM DDR4L Max to 32G	
	1* 2.5" SATA III HDD/SSD (Optional)	1* 2.5" SATA III HDD/SSD (Optional)	
Wireless	1* 256G M.2 2280 SATA III SSD	1* 256G M.2 2280 SATA III SSD	
I/O	1* M.2 2230 WIFI/BT DUAL ANT Supports 802.11 b/g/n/	1* M.2 2230 WIFI/BT DUAL ANT Supports 802.11 b/g/n/	
	USB	USB 3.0 * 6	USB 3.0 * 6
		Type C * 1(USB2.0)	Type C * 1(USB2.0)
	Audio	Mic in * 1	Mic in * 1
		Line Out * 1	Line Out * 1
	Display	Dp * 1(Up to 4K@60MHz)	Dp * 1(Up to 4K@60MHz)
		HDMI 1.4 * 1(Up to 4@30MHz)	HDMI 1.4 * 1(Up to 4@30MHz)
Ethernet	RJ45 * 1(10/100/100M)	RJ45 * 1(10/100/100M)	
Power	DC 12-19V 5.5 * 2.5 DC in Jack	DC 12-19V 5.5 * 2.5 DC in Jack	
	80Pin OPS port	80Pin OPS port	
Physic Size	195* 180* 30mm	195* 180* 30mm	
Environment	Operating Temp.	195 * 180 * 42mm	
	Operating Humidity	-5~50C10%~80% non-condensing	-5~50C10%~80% non-condensing
	Altitude	Below 5000 meters	Below 5000 meters
Os Supports	Windows10/Ubuntu/Windows11 (Optional TPM2.0)	Windows10/Ubuntu/Windows11 (Optional TPM2.0)	



MOBILE FLAT PANEL DISPLAY



Function IPS


- 01 The latest model in 2023, IPS Screen Delicate picture
- 02 Full fit process, display better
- 03 Type-C and USB3.0 high-speed data transmission
- 04 60hz Ultra high refresh rate
- 05 Aluminum alloy profile, better texture
- 06 There are the eye-care features that won't be forgotten



PRODUCT DETAILS PARAMETERS

PRODUCT DETAILS PARAMETERS >>>

Specifications



Model	Mobile flat panel display		
	Parameter		
Display size (inch)	21.5"	27"	32"
Grade	A+		
Display scale	0.672		
Angel of screen Rotation	90 °; screen tilt: 22 ° (up/down)		
Respond time (ms)	8ms		
Contract	≥1200:1		
Visual angle	178°/178°		
Display color	16.7M (8-bit)		
Resolution	1920 (H) * 1080 (V)		
Brightness (cd/m ²)	300 cd/m ²	450 cd/m ²	350 cd/m ²
Back light	WLED		
Lifespan	60000 h		
Android oS(3 options)			
ROM	4GB/8GB(optional)		
SSD/HDD	64GB/128GB(optional)		
Operation system	Android12		
Type	PCAP touch		
Port	USB		
Accuracy	±1mm		
Touch points	10 points		
Respond time (ms)	≤10ms		

CUSTOMIZED OEM/ODM SKD/CKD



OEM

We offer OEM manufacturing services, helping clients reduce costs and maintain excellent product quality through our professional processing and assembly workshops




ODM

We provide customized product solutions and comprehensive design and manufacturing services based on clients' specifications for performance, appearance accessories, and pricing. Our one-stop approach efficiently meets all supply needs.



SKD

We provide cost-efficient solutions to global customers by offering SKD/CKD customization options for component sourcing. Clients can assemble finished products in the destination country, leading to reduced tariffs and procurement costs.



CKD

We provide cost-efficient solutions to global customers by offering SKD/CKD customization options for component sourcing. Clients can assemble finished products in the destination country, leading to reduced tariffs and procurement costs.

COLLABORATION PROCESS



Consultation/Pre-sales

Contact our representative with your purchase or project details, including scenarios, quantity, and models.

If needed, our engineers may ensure product compatibility.

Proposal/Quotation

Based on your needs, our team recommends suitable products.

For customizations, we'll create proposals and quotes.

We support video calls or factory visits for product understanding.

Payment/Production

After confirming, proceed with payment.

We promptly handle model construction, production, inspection, and packaging.

Logistics/Delivery

After production, we inspect and package products.

Logistics use various methods, with optional video inspections or on-site checks.

Receipt/After-sales

Upon receipt, check for completeness and quality.

We offer product maintenance and updates for customer satisfaction.

Within three years, we provide timely solutions for any issues.


CUSTOMER REAL EXPERIENCE FEEDBACK



INDONESIA

"we have received the product well done"


This customer from Indonesia is a key and long-term partner who visited our factory, decided to make purchases, and has become one of our most important clients. I'm dedicated to meeting their needs and those of their customers, and we aim to maintain this relationship for the long term.



TAJKISTAN

"I like your product"


Customers trust us, buying conference tablets for diverse use in various meeting rooms at our corporate headquarters. These devices showcase rich features during meetings and events, reflecting our commitment to meeting individual needs.



INDIA

"It's fantastic, and I really like it!"


The customer bought a 98-inch conference tablet from us for their warehouse. It perfectly adapts to various scenarios and environments, and the customer is very satisfied.



BRITAIN

"It works well"

Through a customer referral, an educator purchased a bulk of conference tablets and expressed satisfaction upon receiving the products. These tablets bring joy to children's educational settings, enhancing the learning experience.



UNITED ARAB EMIRATES

"Yeah, it's exactly what I expected."

A customer from the UAE approached us to install advertising machines in their hotel. Beyond meeting their basic needs, we offered tailored services, leading to a successful partnership. The machines are now enhancing convenience at the hotel, aligning with our goals.

Why Work Directly with Me

Unlike traditional trading companies with layered account management, you work directly with me from inquiry to delivery. This means faster response times, transparent factory communication, and accountability that doesn't get lost in corporate hierarchy.

Independent export coordination | Serving education and commercial sectors since 2023

Contact: Eric Yi

Phone: +8613410043119

WhatsApp: +8615986612817

Email: jimERIC817@gmail.com