



**MIRROR MASTER**  
MANUFACTURING

[www.mirsmaster.com](http://www.mirsmaster.com)  
[info@mirsmaster.com](mailto:info@mirsmaster.com)  
630-689-3728



# Modern Mirror & Cabinet Collection

LED Mirrors · Mirror Cabinets · Decorative Mirrors



**MIRROR MASTER**  
MANUFACTURING

2026 Catalogue



# ABOUT Mirror Master

## illuminating Spaces, Enhancing Moments

### • From the Point to Global

Mirror Master has built a solid presence across Europe and Asia through thousands of successful installations, earning a reputation for quality and reliability. Backed by advanced manufacturing operations, we deliver precision engineering, dependable performance, and scalable production capabilities tailored to meet the evolving demands of the U.S. market.

### • Commitment to Excellence

At Mirror Master, we are dedicated to enhance everyday spaces with premium LED mirrors that combine modern design, smart functionality, and energy efficiency. Our mission is to deliver stylish, reliable and eco-friendly solutions that meet the needs of both residential and commercial customers.

[www.mirsmaster.com](http://www.mirsmaster.com)  
[info@mirsmaster.com](mailto:info@mirsmaster.com)

# CONTENTS



## Frameless LED Mirrors ..... P01-28

- LS2436RTDMDFLOE0000 ..... P03-04
- LS4836/6036/7232RTDMFLOE0000 ..... P03-04
- LS2436ARDMDFLOE0000 ..... P05-06
- LS2440PIDMFLOE0000 ..... P07-08
- LS2636HXDMFLOE0000 ..... P09-10
- LSDI24/30RODMFLOE0000 ..... P11-12
- LSDI36RODMDFLOE0000 ..... P11-12
- LS3048OVDMFLOE0000 ..... P13-14
- LS2436RTDMDFLFB0000 ..... P15-16
- LS4836/6036/7232RTDMFLFB0000 ..... P15-16
- LSDI24/28/32/36/40RODMDFDLOE0100 ..... P17-18
- LS2436PIDMDFBL000000 ..... P19-20
- LSDI24/28/32/36/40RODMDFBL000000 ..... P21-22
- LS2040/2448IRDMBL000000 ..... P23-24
- LS2430IRDMBL000000 ..... P25-26
- LS2032/2436TRDMBL000000 ..... P27-28



## Framed LED Mirrors ..... P29-62

- LF2234RTDMFLFB00SL ..... P31-32
- LF2234RTDMDFLFB00BS ..... P31-32
- LF2234RTDMFLFB00BK ..... P31-32
- LF2432ARDMDFLFB00SL ..... P33-34
- LF2432ARDMFLFB00BS/BK ..... P33-34
- LF2040PIDMFLFB00SL/BS/BK ..... P35-36
- LFDI36RODMFLFB00SL/BS/BK ..... P37-38
- LF3048OVDMFLFB00SL/BS/BK ..... P39-40
- LF3030SQDMDFTFB0000 ..... P41-42
- LF3636SQDMTFB0000 ..... P41-42
- LF2440/3048ARDMDFTFFB0000 ..... P43-44
- LF2036PIDMDFTFFB00SL/BS/BK ..... P45-46
- LFDI36RODMDFTFB00SL/BS/BK ..... P47-48
- LF3048OVDMDFDL0000SL/BS/BK ..... P49-50
- LFDI36OTDMDFDL0002SL/BS/BK ..... P51-52
- LF2440ARDMDFSFFB00SL/BS/BK ..... P53-54
- LF2036PIDMDFSFFB00SL/BS/BK ..... P55-56
- LFDI36RODMDFSFFB00SL/BS/BK ..... P57-58
- LF2430IRDMDFBL0000SL/BS/BK ..... P59-60
- LF2430TRDMDFBL0000SL/BS/BK ..... P61-62



## Framed Mirrors ..... P63-72

- RM2032/2436/2440AR ..... P65-66
- RM2032/2432/2440/2450/3260/3280PI ..... P67-68
- RMDI24/28/32/36RO ..... P69-70
- RM2432/2436OV ..... P71-72



## LED Lighted Medicine Cabinets ..... P73-98

- LC2430/4030/4830RSDMDFMFFLOE00AL ..... P75-80
- LC2430RSDMDFMFFLFB00AL ..... P81-86
- LCDI24/32/36OSDMDFMFDLOE00AL ..... P87-90
- LC2436PSDMDFMFFLFB00AL ..... P91-92
- LC2030/2430/3230/4030RSDMDFMFPFLOE00AL ..... P93-94
- LC2030/2430/3230/4030RSDMDFMFDLOE00AL ..... P95-96
- LC2030/2430/3230/4030RDDMDFMFPFLOE00AL ..... P97-98



# Frameless LED Mirrors




### Functional Features



#### Premium Tapered Aluminum Frame

- Sleek, modern edge design enhances aesthetics.
- Durable construction with refined craftsmanship.



#### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



#### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

### Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Product parameters


| Model.              | Size (W × H × D) | Lighting Mode | Shape     | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|---------------------|------------------|---------------|-----------|------------|--------------------|----------|--------------|---------------------|
| LS2436RTDMDFLOE0000 | 24" × 36" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LS4836RTDMFLOE0000  | 48" × 36" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LS6036RTDMFLOE0000  | 60" × 36" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LS7232RTDMFLOE0000  | 72" × 32" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |



## Functional Features



Acrylic light diffuser around all edges



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

## Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.



## Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

## Product parameters

| Model.              | Size (W × H × D) | Lighting Mode | Shape | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|---------------------|------------------|---------------|-------|------------|--------------------|----------|--------------|---------------------|
| LS2436ARDMDFLOE0000 | 24" × 36" × 1.5" | Front-Lit     | Arch  | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



## Functional Features



Acrylic light diffuser around all edges



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

### Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Product parameters


| Model.             | Size (W × H × D) | Lighting Mode | Shape | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|--------------------|------------------|---------------|-------|------------|--------------------|----------|--------------|---------------------|
| LS2440PIDMFLOE0000 | 24" × 40" × 1.5" | Front-Lit     | Pill  | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |



## Functional Features



Acrylic light diffuser around all edges



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

### Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Product parameters


| Model.             | Size (W × H × D) | Lighting Mode | Shape   | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|--------------------|------------------|---------------|---------|------------|--------------------|----------|--------------|---------------------|
| LS2636HXDMFLOE0000 | 26" × 36" × 1.5" | Front-Lit     | Hexagon | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |



## Functional Features



Acrylic light diffuser around all edges



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

## Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Product parameters


| Model.              | Size (W × H × D) | Lighting Mode | Shape | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|---------------------|------------------|---------------|-------|------------|--------------------|----------|--------------|---------------------|
| LSDI24RODMFLOE0000  | D24" × 1.5"      | Front-Lit     | Round | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LSDI30RODMFLOE0000  | D30" × 1.5"      | Front-Lit     | Round | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LSDI36RODMDFLOE0000 | D36" × 1.5"      | Front-Lit     | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



## Functional Features



Acrylic light diffuser around all edges



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

### Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Product parameters

| Model.            | Size (W × H × D) | Lighting Mode | Shape | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|-------------------|------------------|---------------|-------|------------|--------------------|----------|--------------|---------------------|
| LS3048OVDMFLOE000 | 30" × 48" × 1.5" | Front-Lit     | Oval  | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |




## Functional Features




### Premium Tapered Aluminum Frame

- Sleek, modern edge design enhances aesthetics.
- Durable construction with refined craftsmanship.



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



### Touch Sensor Controls



- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

## Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Product parameters

| Model.               | Size (W × H × D) | Lighting Mode | Shape     | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|------------------|---------------|-----------|------------|--------------------|----------|--------------|---------------------|
| LS2436RTDMDFFLFB0000 | 24" × 36" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LS4836RTDMFLFB0000   | 48" × 36" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LS6036RTDMFLFB0000   | 60" × 36" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LS7232RTDMFLFB0000   | 72" × 32" × 1.5" | Front-Lit     | Rectangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Product parameters

| Model.               | Size (W × H × D) | Lighting Mode | Shape | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|------------------|---------------|-------|------------|--------------------|----------|--------------|---------------------|
| LSDI24RODMDFDLOE0100 | D24" × 1.5"      | Dual Lighting | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI28RODMDFDLOE0100 | D28" × 1.5"      | Dual Lighting | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI32RODMDFDLOE0100 | D32" × 1.5"      | Dual Lighting | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI36RODMDFDLOE0100 | D36" × 1.5"      | Dual Lighting | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI40RODMDFDLOE0100 | D40" × 1.5"      | Dual Lighting | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |




**Backlit**



**Touch Sensor Controls**

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



**Anti-Fog Technology**


- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

**Description:**

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

**Product parameters**

| Model.               | Size (W × H × D) | Lighting Mode | Shape | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|------------------|---------------|-------|------------|--------------------|----------|--------------|---------------------|
| LS2436PIDMDFBL000000 | 24" × 36" × 1.5" | Backlit       | Pill  | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |




**Backlit**



**Touch Sensor Controls**

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



**Anti-Fog Technology**

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms. Ensures visibility and comfort right after a shower.

**Description:**

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

**Product parameters**

| Model.               | Size (W × H × D) | Lighting Mode | Shape | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|------------------|---------------|-------|------------|--------------------|----------|--------------|---------------------|
| LSDI24RODMDFBL000000 | D24" × 1.5"      | Backlit       | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI28RODMDFBL000000 | D28" × 1.5"      | Backlit       | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI32RODMDFBL000000 | D32" × 1.5"      | Backlit       | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI36RODMDFBL000000 | D36" × 1.5"      | Backlit       | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LSDI40RODMDFBL000000 | D40" × 1.5"      | Backlit       | Round | Frameless  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



**Description:**

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

**Product parameters**

| Model.             | Size (W x H x D) | Lighting Mode | Shape     | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|--------------------|------------------|---------------|-----------|------------|--------------------|----------|--------------|---------------------|
| LS2040IRDMBL000000 | 20" x 40" x 1.5" | Backlit       | Irregular | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LS2448IRDMBL000000 | 24" x 48" x 1.5" | Backlit       | Irregular | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |



**Description:**

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

**Product parameters**

| Model.             | Size (W x H x D) | Lighting Mode | Shape     | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|--------------------|------------------|---------------|-----------|------------|--------------------|----------|--------------|---------------------|
| LS2430IRDMBL000000 | 24" x 30" x 1.5" | Backlit       | Irregular | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |



## Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.


## Product parameters

| Model.             | Size (W × H × D) | Lighting Mode | Shape    | Frame Type | CCT Options        | Defogger | Touch Button | Additional Features |
|--------------------|------------------|---------------|----------|------------|--------------------|----------|--------------|---------------------|
| LS2032TRDMBL000000 | 20" × 32" × 1.5" | Backlit       | Triangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LS2436TRDMBL000000 | 24" × 36" × 1.5" | Backlit       | Triangle | Frameless  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |

## Functional Features




Backlit



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.




# Framed LED Mirrors




### Product parameters

| Model.               | Size (W × H × D) | Lighting Mode | Shape     | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|------------------|---------------|-----------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2234RTDMFLFB00SL   | 22" × 34" × 1.5" | Front-Lit     | Rectangle | Brushed Silver Aluminum | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LF2234RTDMDFFLFB00BS | 22" × 34" × 1.5" | Front-Lit     | Rectangle | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2234RTDMFLFB00BK   | 22" × 34" × 1.5" | Front-Lit     | Rectangle | Black Aluminum          | 3000K/4000K /6000K | No       | Yes          | Dimmable            |



- Touch Sensor Controls**
- Tap to switch between color temperature modes.
  - Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



- Anti-Fog Technology**
- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
  - Ensures visibility and comfort right after a shower.

### Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Frame color





## Product parameters


| Model.              | Size (W × H × D) | Lighting Mode | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|---------------------|------------------|---------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2432ARDMDFLFB00SL | 24" × 32" × 1.5" | Front-Lit     | Arch  | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2432ARDMFLFB00BS  | 24" × 32" × 1.5" | Front-Lit     | Arch  | Brushed Brass Aluminum  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LF2432ARDMFLFB00BK  | 24" × 32" × 1.5" | Front-Lit     | Arch  | Black Aluminum          | 3000K/4000K /6000K | No       | Yes          | Dimmable            |

## Functional Features



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Frame color



Brushed Silver

Brushed Brass

Anodized Black

### Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.



### Product parameters

| Model.             | Size (W × H × D) | Lighting Mode | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|--------------------|------------------|---------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2040PIDMFLFB00SL | 20" × 40" × 1.5" | Front-Lit     | Pill  | Brushed Silver Aluminum | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LF2040PIDMFLFB00BS | 20" × 40" × 1.5" | Front-Lit     | Pill  | Brushed Brass Aluminum  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LF2040PIDMFLFB00BK | 20" × 40" × 1.5" | Front-Lit     | Pill  | Black Aluminum          | 3000K/4000K /6000K | No       | Yes          | Dimmable            |

### Functional Features



Aluminum frame



#### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

### Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Frame color



Brushed Silver

Brushed Brass

Anodized Black



## Product parameters

| Model.              | Size (W × H × D) | Lighting Mode | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|---------------------|------------------|---------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LFDI36RODMFLFB00SL  | D36"×1.5"        | Front-Lit     | Round | Brushed Silver Aluminum | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LFDI36RODMFLFB00BS  | D36"×1.5"        | Front-Lit     | Round | Brushed Brass Aluminum  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LFDI36RODMDFLFB00BK | D36"×1.5"        | Front-Lit     | Round | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |

## Functional Features




Aluminum frame



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Frame color



Brushed Silver

Brushed Brass

Anodized Black



### Product parameters

| Model.            | Size (W x H x D) | Lighting Mode | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|-------------------|------------------|---------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LF3048OVDMLFB00SL | 30"x48"x1.5"     | Front-Lit     | Oval  | Brushed Silver Aluminum | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LF3048OVDMLFB00BS | 30"x48"x1.5"     | Front-Lit     | Oval  | Brushed Brass Aluminum  | 3000K/4000K /6000K | No       | Yes          | Dimmable            |
| LF3048OVDMLFB00BK | 30"x48"x1.5"     | Front-Lit     | Oval  | Black Aluminum          | 3000K/4000K /6000K | No       | Yes          | Dimmable            |

### Functional Features



Aluminum frame



#### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

### Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Frame color



Brushed Silver



Brushed Brass



Anodized Black




### Product parameters

| Model.               | Size (W×H) | Lighting Mode | Shape  | Frame Type       | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|------------|---------------|--------|------------------|--------------------|----------|--------------|---------------------|
| LF3030SQDMDFTFFB0000 | 30"×30"    | Top Front-Lit | Square | Variety Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF3636SQDMDTFFB0000  | 36"×36"    | Top Front-Lit | Square | Variety Aluminum | 3000K/4000K /6000K | No       | Yes          | Dimmable            |

### Functional Features



- Touch Sensor Controls**
- Tap to switch between color temperature modes.
  - Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



- Anti-Fog Technology**
- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
  - Ensures visibility and comfort right after a shower.

### Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Frame color







## Product parameters

| Model.               | Size (W × H) | Lighting Mode | Shape | Frame Type       | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|--------------|---------------|-------|------------------|--------------------|----------|--------------|---------------------|
| LF2440ARDMDFTFFB0000 | 24"×40"      | Top Front-Lit | Arch  | Variety Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF3048ARDMDFTFFB0000 | 30"×48"      | Top Front-Lit | Arch  | Variety Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |


## Functional Features




Aluminum frame +Light diffuser



The light diffuser color is matching with aluminum frame



- Touch Sensor Controls**
- Tap to switch between color temperature modes.
  - Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



- Anti-Fog Technology**
- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
  - Ensures visibility and comfort right after a shower.

## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Frame color



Brushed Silver    Brushed Brass    Brushed Rose Gold    Anodized Black




## Product parameters

| Model.               | Size (W × H) | Lighting Mode | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|--------------|---------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2036PIDMDFTFFB00SL | 20"×36"      | Top Front-Lit | Pill  | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2036PIDMDFTFFB00BS | 20"×36"      | Top Front-Lit | Pill  | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2036PIDMDFTFFB00BK | 20"×36"      | Top Front-Lit | Pill  | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |


## Functional Features



Aluminum frame +Light diffuser




The light diffuser color is matching with aluminum frame



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Before Defogging

After Defogging

### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Frame color



Brushed Silver

Brushed Brass

Brushed Rose Gold

Anodized Black

## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.




## Functional Features



Aluminum frame +Light diffuser



The light diffuser color is matching with aluminum frame



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Frame color



## Product parameters

| Model.              | Size (W × H) | Lighting Mode | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|---------------------|--------------|---------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LFDI36RODMDFTFB00SL | D36"         | Top Front-Lit | Round | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LFDI36RODMDFTFB00BS | D36"         | Top Front-Lit | Round | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LFDI36RODMDFTFB00BK | D36"         | Top Front-Lit | Round | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |




## Product parameters

| Model.               | Size (W × H) | Lighting Mode | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|--------------|---------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LF3048OVDMDFDL0000SL | 30"×48"      | Dual Lighting | Oval  | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF3048OVDMDFDL0000BS | 30"×48"      | Dual Lighting | Oval  | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF3048OVDMDFDL0000BK | 30"×48"      | Dual Lighting | Oval  | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |

## Functional Features



Aluminum frame



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Frame color



## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.




## Product parameters

| Model.               | Size (W × H) | Lighting Mode | Shape   | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|--------------|---------------|---------|-------------------------|--------------------|----------|--------------|---------------------|
| LFDI36OTDMDFDL0002SL | D36"         | Dual Lighting | Octagon | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LFDI36OTDMDFDL0002BS | D36"         | Dual Lighting | Octagon | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LFDI36OTDMDFDL0002BK | D36"         | Dual Lighting | Octagon | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |

## Functional Features



Aluminum frame



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Frame color



## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.



## Product parameters

| Model.               | Size (W × H) | Lighting Mode  | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|--------------|----------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2440ARDMDFSFFB00SL | 24"×40"      | Side Front-Lit | Arch  | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2440ARDMDFSFFB00BS | 24"×40"      | Side Front-Lit | Arch  | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2440ARDMDFSFFB00BK | 24"×40"      | Side Front-Lit | Arch  | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |


## Functional Features




Aluminum frame +Light diffuser (Side front lighting)



The light diffuser color is matching with aluminum frame



- Touch Sensor Controls**
- Tap to switch between color temperature modes.
  - Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



## Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

## Frame color



## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.



## Product parameters

| Model.               | Size (W × H) | Lighting Mode  | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|--------------|----------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2036PIDMDFSFFB00SL | 20"×36"      | Side Front-Lit | Pill  | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2036PIDMDFSFFB00BS | 20"×36"      | Side Front-Lit | Pill  | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2036PIDMDFSFFB00BK | 20"×36"      | Side Front-Lit | Pill  | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |

## Functional Features



Aluminum frame +Light diffuser (Side front lighting)




The light diffuser color is matching with aluminum frame



### Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Frame color



Brushed Silver    Brushed Brass    Brushed Rose Gold    Anodized Black

## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.



## Functional Features




Aluminum frame +Light diffuser (Side front lighting)



The light diffuser color is matching with aluminum frame



- Touch Sensor Controls**
- Tap to switch between color temperature modes.
  - Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



- Anti-Fog Technology**
- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
  - Ensures visibility and comfort right after a shower.

## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Frame color





## Product parameters


| Model.               | Size (W × H) | Lighting Mode  | Shape | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|--------------|----------------|-------|-------------------------|--------------------|----------|--------------|---------------------|
| LFDI36RODMDFSFFB00SL | D36"         | Side Front-Lit | Round | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LFDI36RODMDFSFFB00BS | D36"         | Side Front-Lit | Round | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LFDI36RODMDFSFFB00BK | D36"         | Side Front-Lit | Round | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



## Functional Features



- Touch Sensor Controls**
- Tap to switch between color temperature modes.
  - Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Back light

## Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

## Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

## Frame color





## Product parameters

| Model.               | Size(W × H) | Lighting Mode | Shape     | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|-------------|---------------|-----------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2430IRDMDFBL0000SL | 24"×30"     | Backlit       | irregular | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2430IRDMDFBL0000BS | 24"×30"     | Backlit       | irregular | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2430IRDMDFBL0000BK | 24"×30"     | Backlit       | irregular | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



## Functional Features



- Touch Sensor Controls**
- Tap to switch between color temperature modes.
  - Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Back light

### Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

### Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

### Frame color



### Product parameters

| Model.               | Size(W × H) | Lighting Mode | Shape    | Frame Type              | CCT Options        | Defogger | Touch Button | Additional Features |
|----------------------|-------------|---------------|----------|-------------------------|--------------------|----------|--------------|---------------------|
| LF2430TRDMDFBL0000SL | 24"×30"     | Backlit       | Triangle | Brushed Silver Aluminum | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2430TRDMDFBL0000BS | 24"×30"     | Backlit       | Triangle | Brushed Brass Aluminum  | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LF2430TRDMDFBL0000BK | 24"×30"     | Backlit       | Triangle | Black Aluminum          | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



## Framed Mirrors



**Description:**

- Aluminum alloy frame available in a variety of finish options.
- Sleek and elegant design.

**Frame color**



**Product parameters**

| Model.   | Size(W × H) | Lighting Mode | Shape | Frame Type       | CCT Options | Defogger | Touch Button | Additional Features |
|----------|-------------|---------------|-------|------------------|-------------|----------|--------------|---------------------|
| RM2032AR | 20"×32"     | Non-LED       | Arch  | variety Aluminum | No          | No       | No           | No                  |
| RM2436AR | 24"×36"     | Non-LED       | Arch  | variety Aluminum | No          | No       | No           | No                  |
| RM2440AR | 24"×40"     | Non-LED       | Arch  | variety Aluminum | No          | No       | No           | No                  |



**Description:**

- Aluminum alloy frame available in a variety of finish options.
- Sleek and elegant design.

**Frame color**



**Product parameters**

| Model.   | Size(W × H) | Lighting Mode | Shape | Frame Type       | CCT Options | Defogger | Touch Button | Additional Features |
|----------|-------------|---------------|-------|------------------|-------------|----------|--------------|---------------------|
| RM2032PI | 20"×32"     | Non-LED       | Pill  | variety Aluminum | No          | No       | No           | No                  |
| RM2432PI | 24"×32"     | Non-LED       | Pill  | variety Aluminum | No          | No       | No           | No                  |
| RM2440PI | 24"×40"     | Non-LED       | Pill  | variety Aluminum | No          | No       | No           | No                  |
| RM2450PI | 24"×50"     | Non-LED       | Pill  | variety Aluminum | No          | No       | No           | No                  |
| RM3260PI | 32"×60"     | Non-LED       | Pill  | variety Aluminum | No          | No       | No           | No                  |
| RM3280PI | 32"×80"     | Non-LED       | Pill  | variety Aluminum | No          | No       | No           | No                  |



Aluminum frame

### Description:

- Aluminum alloy frame available in a variety of finish options.
- Sleek and elegant design.

### Frame color



Brushed Silver



Brushed Brass



Anodized Black

### Product parameters

| Model.   | Size(W × H) | Lighting Mode | Shape | Frame Type       | CCT Options | Defogger | Touch Button | Additional Features |
|----------|-------------|---------------|-------|------------------|-------------|----------|--------------|---------------------|
| RMDI24RO | D24"        | Non-LED       | Round | variety Aluminum | No          | No       | No           | No                  |
| RMDI28RO | D28"        | Non-LED       | Round | variety Aluminum | No          | No       | No           | No                  |
| RMDI32RO | D32"        | Non-LED       | Round | variety Aluminum | No          | No       | No           | No                  |
| RMDI36RO | D36"        | Non-LED       | Round | variety Aluminum | No          | No       | No           | No                  |



**Description:**


- Sleek and elegant design.
- Not compatible with external dimmer switches.

**Product parameters**

| Model.   | Size(W × H) | Lighting Mode | Shape | Frame Type       | CCT Options | Defogger | Touch Button | Additional Features |
|----------|-------------|---------------|-------|------------------|-------------|----------|--------------|---------------------|
| RM2432OV | 24"×32"     | Non-LED       | Oval  | variety Aluminum | No          | No       | No           | No                  |
| RM2436OV | 24"×36"     | Non-LED       | Oval  | variety Aluminum | No          | No       | No           | No                  |

# LED Lighted Medicine Cabinets





**LC2430RSDMDFMFFLOE00AL**  
24"W × 30"H × 5-1/8"D



**LC4030RSDMDFMFFLOE00AL**  
40"W × 30"H × 5-1/8"D



**LC4830RSDMDFMFFLOE00AL**  
48"W × 30"H × 5-1/8"D



**Product parameters**

| Model.                 | Size (W × H × D) | Lighting Mode | Shape     | Frame Type     | CCT Options        | Defogger | Touch Button | Additional Features |
|------------------------|------------------|---------------|-----------|----------------|--------------------|----------|--------------|---------------------|
| LC2430RSDMDFMFFLOE00AL | 24"×30"×5-1/8"   | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC4030RDDMDFMFFLOE00AL | 40"×30"×5-1/8"   | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC4830RDDMDFMFFLOE00AL | 48"×30"×5-1/8"   | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |

# Light Control

Effortlessly shift the room's mood with a tap, adapting lighting to every moment of the day.



## LIGHTING/DEFOGGING BUTTON

Intuitive Touch Controls. Two-button interface for easy operation: one activates the defogger, and the other cycles through three preset lighting colors

-  Short touch for 3000, 4000 and 6000K, Long touch for 3000-6000K
-  Light ON/OFF Keep touching for dimming
-  Defogger ON/OFF

# Functional Features



Aluminum handles



Interior lighting




Soft-Close Conductive Hinge

- |   |  |
|---|--|
| <b>Standard Features</b> <ul style="list-style-type: none"> <li>· Aluminum handles</li> <li>· Soft-Close Conductive Hinge</li> <li>· Glass Shelves</li> </ul> | <b>Optional Features</b> <ul style="list-style-type: none"> <li>· Interior Lighting</li> <li>· 3X Magnifying glass</li> <li>· Power Outlets</li> <li>· USB Port</li> </ul> |
|---|--|



**Glass shelves**  
Flexible storage with easy height adjustment to fit various item sizes


## Functional Features



3X Magnifying glass





Acrylic light diffuser + Side glasses





Defogger ON/OFF

One-touch defogger keeps the mirror clear in steamy conditions, ensuring comfort and visibility.

## Size & Recess dimensions





Recess dimensions: 553mm Width x 705mm height x 96.6mm Depth




Recess dimensions: 959mm Width x 705mm height x 96.6mm Depth



Power Outlets



Recess dimensions: 1162mm Width x 705mm height x 96.6mm Depth



Single Cabinet Recessed-Mount Installation



Single Cabinet Surface-Mount Installation




**Product parameters**

| Model.                 | Size (W × H × D) | Lighting Mode | Shape     | Frame Type     | CCT Options        | Defogger | Touch Button | Additional Features |
|------------------------|------------------|---------------|-----------|----------------|--------------------|----------|--------------|---------------------|
| LC2430RSDMDFMFFLFB00AL | 24"×30"×5-1/8"   | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



# Light Control

Effortlessly shift the room's mood with a tap, adapting lighting to every moment of the day.



## LIGHTING/DEFOGGING BUTTON

Intuitive Touch Controls. Two-button interface for easy operation: one activates the defogger, and the other cycles through three preset lighting colors

-  Short touch for 3000, 4000 and 6000K, Long touch for 3000-6000K
-  Defogger ON/OFF

# Functional Features



Interior lighting



Side glasses




Soft-Close Conductive Hinge

- | Standard Features  | Optional Features   |
|--|---|
| <ul style="list-style-type: none"> <li>· Aluminum handles</li> <li>· Soft-Close Conductive Hinge</li> <li>· Glass Shelves</li> </ul> | <ul style="list-style-type: none"> <li>· Interior Lighting</li> <li>· 3X Magnifying glass</li> <li>· Power Outlets</li> <li>· USB Port</li> </ul> |



Glass shelves  
Flexible storage with easy height adjustment to fit various item sizes





Before Defogging

After Defogging



**Defogger ON/OFF**

One-touch defogger keeps the mirror clear in steamy conditions, ensuring comfort and visibility.



**Size & Recess dimensions**



Recess dimensions: 553mm Width x 705mm height x 96.6mm Depth



Recess dimensions: 959mm Width x 705mm height x 96.6mm Depth




Recess dimensions: 1162mm Width x 705mm height x 96.6mm Depth



## Light Control

Effortlessly shift the room's mood with a tap, adapting lighting to every moment of the day.



### LIGHTING/DEFOGGING BUTTON

Intuitive Touch Controls. Two-button interface for easy operation: one activates the defogger, and the other cycles through three preset lighting colors



Short touch for 3000, 4000 and 6000K, Long touch for 3000-6000K




Defogger ON/OFF

### Product parameters

| Model.                 | Size (W × H) | Lighting Mode | Shape | Frame Type     | CCT Options        | Defogger | Touch Button | Additional Features |
|------------------------|--------------|---------------|-------|----------------|--------------------|----------|--------------|---------------------|
| LCDI24OSDMDFMFDLOE00AL | D24"         | Dual Lighting | Round | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LCDI32OSDMDFMFDLOE00AL | D32"         | Dual Lighting | Round | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LCDI36OSDMDFMFDLOE00AL | D36"         | Dual Lighting | Round | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |

**Functional Features**



**Double sided mirrors with acrylic light diffuser bonded**



**USB + Power Outlets**



**Soft-Close Hinge**




**Aluminum shelves**  
Flexible storage with easy height adjustment to fit various item sizes

**Standard Features**

- Acrylic Light Diffuser
- Soft-Close Hinge
- Aluminum Shelves

**Optional Features**

- Interior lighting
- USB Port
- Power Outlets




**Defogger ON/OFF**

One-touch defogger keeps the mirror clear in steamy conditions, ensuring comfort and visibility.



**Product parameters**

| Model.                 | Size (W × H) | Lighting Mode | Shape | Frame Type     | CCT Options        | Defogger | Touch Button | Additional Features |
|------------------------|--------------|---------------|-------|----------------|--------------------|----------|--------------|---------------------|
| LC2436PSDMDFMFFLFB00AL | 24" × 36"    | Front-Lit     | Pill  | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |




Soft-Close Hinge



Glass shelves



Aluminum frame + Interior lighting



Defogger ON/OFF

One-touch defogger keeps the mirror clear in steamy conditions, ensuring comfort and visibility.

**Standard Features**

- Soft-Close Hinge
- Glass Shelves

**Optional Features**


- Interior lighting
- USB Port
- Power Outlets



⊙ Short touch for 3000,4000and 6000K, Long touch for3000-6000K

☺☺☺ Defogger ON/OFF

⏻ Light ON/OFF Keep touching for dimming



Double sided mirrors



Power Outlets



Soft-Close Hinge



IR button



Glass shelves

**Standard Features**


- Soft-Close Hinge
- Glass Shelves
- IR button

**Optional Features**

- Interior Lighting
- Power Outlets
- USB Port

**Product parameters**

| Model.                   | Size (W × H) | Lighting Mode | Shape     | Frame Type     | CCT Options        | Defogger | Touch Button | Additional Features |
|--------------------------|--------------|---------------|-----------|----------------|--------------------|----------|--------------|---------------------|
| LC2030RSDMDFMFPOFLOE00AL | 20" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC2430RSDMDFMFPOFLOE00AL | 24" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC3230RSDMDFMFPOFLOE00AL | 32" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC4030RSDMDFMFPOFLOE00AL | 40" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



**Product parameters**

| Model.                 | Size (W × H) | Lighting Mode | Shape     | Frame Type     | CCT Options        | Defogger | Touch Button | Additional Features |
|------------------------|--------------|---------------|-----------|----------------|--------------------|----------|--------------|---------------------|
| LC2030RSDMDFMFDLOE00AL | 20" × 30"    | Dual Lighting | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC2430RSDMDFMFDLOE00AL | 24" × 30"    | Dual Lighting | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC3230RDDMDFMFDLOE00AL | 32" × 30"    | Dual Lighting | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC4030RDDMDFMFDLOE00AL | 40" × 30"    | Dual Lighting | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |



Soft-Close Conductive Hinge



Double sided mirrors with aluminum extrusion bonded



Side-Mounted LED lighting



IR button + light diffuser



Glass shelves

**Standard Features**

- Soft-Close Hinge
- Glass Shelves
- IR button + light diffuser

**Optional Features**

- Interior Lighting
- 3X Magnifying glass
- Power Outlets
- USB Port



Double sided mirrors with acrylic light diffuser bonded



Power Outlets



Soft-Close Hinge

**Standard Features**

- Soft-Close Hinge
- Glass Shelves
- IR button + light diffuser

**Optional Features**

- Interior Lighting
- 3X Magnifying glass
- Power Outlets
- USB Port



Glass shelves

**Product parameters**

| Model.                | Size (W × H) | Lighting Mode | Shape     | Frame Type     | CCT Options        | Defogger | Touch Button | Additional Features |
|-----------------------|--------------|---------------|-----------|----------------|--------------------|----------|--------------|---------------------|
| LC2030RSDMDFMFOOE00AL | 20" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC2430RSDMDFMFOOE00AL | 24" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC3230RDDMDFMFOOE00AL | 32" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |
| LC4030RDDMDFMFOOE00AL | 40" × 30"    | Front-Lit     | Rectangle | Aluminum Frame | 3000K/4000K /6000K | Yes      | Yes          | Dimmable / Anti-Fog |