



Date: _____ **Patient Name:** _____
DOB: _____ **Address:** _____
City: _____ **State:** _____ **Phone:** _____ **Allergies:** _____
☐ Call When Ready ☐ Text Message When Ready ☐ Delivery ☐ Mail Out

DENTAL COMPOUNDS

- | | | |
|---|--------------------|--|
| ☐ Hydrogen Peroxide Oral Gel | #90grams | Sig: Apply to PerioProtect Trays UD |
| ☐ Vibramycin Calcium 50mg/5ml Syrup | #30ml | Sig: Apply to PerioProtect Trays UD |
| ☐ Chlorhexidine Gluconate 1% Oral Gel | #30grams | Sig: Apply BID UD |
| ☐ Chlorhexidine 0.12% rinse, alcohol-free, flavored | #480ml | Sig: Swish and Spit 15 ml (1 Tbl) BID or UD |
| ☐ Acyclovir 5%/Lidocaine 1%/PABA 3% Lipbalm | #5grams (1 tube) | Sig: AAA PRN |
| ☐ Triamcinolone 0.1% Oral Rinse | #120ml | Sig: Swish and Spit 5ml QID |
| ☐ Triamcinolone 0.1%/Lidocaine 1% Oral Rinse | #120ml | Sig: Swish and Spit 5ml QID |
| ☐ Triamcinolone 0.1%/Lidocaine 2% Oral Rinse | #120ml | Sig: Swish and Spit 5ml QID |
| ☐ Triamcinolone 0.1%/Lidocaine 2% Polyox Bandage Powder | #20grams | Sig: Swish with water then puff powders on affected area. May repeat if needed to cover the area. Repeat every 4-6 hours PRN |
| ☐ Fluocinonide 0.025% or Triamcinolone 0.1% or Dexamethasone 0.05% with Lidocaine 2% in Plasticized Base | #30grams | Sig: AAA 4 to 6 times daily for up to 1 week |
| ☐ Fluocinonide ointment 0.05%/Orabase (with benzocaine 20%) 50/50 | #20 grams | Sig: AAA up to 6 times daily for up to 1 week |
| ☐ Triamcinolone 0.1% in Orabase (with benzocaine 20%) | #20 grams | Sig: AAA up to 6 times daily for up to 1 week |
| ☐ Clonazepam 0.1mg Troche | #30 | Sig: Dissolve 1/2 to 1 troche slowly on tongue up to QID PRN |
| ☐ Alpha Lipoic Acid 300mg | #60 | Sig: 1 PO BID |
| ☐ Nystatin 200,000 Unit Troche | #30 | Sig: Dissolve 1 troche slowly in mouth QID PRN |
| ☐ Clotrimazole 100mg/Ibuprofen 10mg Troche | #30 | Sig: Dissolve 1 troche slowly in mouth QID PRN x 7-14 days |
| ☐ Acyclovir 5%/Diphenhydramine 2%/Lidocaine 2%/Nystatin 100,000 units Lip Balm | #5grams (1 tube) | Sig: AAA QID PRN |
| ☐ Saliva Stimulant with Xylitol 250mg Troche | #30 | Sig: Dissolve 1 troche slowly in mouth PRN UD |
| ☐ Pilocarpine 2mg/Saliva Stimulant with Xylitol 250mg Troche | #30 | Sig: Dissolve 1 troche slowly in mouth TID-QID PRN UD |
| ☐ Ketoprofen 20% in Lipoderm | #30grams | Sig: AAA BID to QID PRN |
| ☐ Ketoprofen 20%/Cyclobenzaprine 3% in Lipoderm | #30grams | Sig: AAA BID to QID PRN |
| ☐ Ketoprofen 20%/Cyclo 3%/Lidocaine 2% Lipoderm | #30grams | Sig: AAA BID to QID PRN |
| ☐ SUCK-CESS 2% (Sucrose Octaacetate Gel) | #10 grams (1 tube) | Sig: AAA PRN |

Refills: 1 2 3 4 5 PRN

Healthcare Provider Signature: _____

Print Name: _____ **Agent sending fax:** _____

Clinic Name: _____
Clinic Address: _____
Clinic Phone/Fax: _____

