



MIRROR MASTER
MANUFACTURING

www.mirrormaster.com

info@mirrormaster.com

630-689-3728



Modern Mirror & Cabinet Collection

LED Mirrors · Mirror Cabinets · Decorative Mirrors



MIRROR MASTER
MANUFACTURING

2026 Catalogue



ABOUT Mirror Master

**Illuminating Spaces,
Enhancing Moments**

· From the Point to Global

Mirror Master has built a solid presence across Europe and Asia through thousands of successful installations, earning a reputation for quality and reliability. Backed by advanced manufacturing operations, we deliver precision engineering, dependable performance, and scalable production capabilities tailored to meet the evolving demands of the U.S. market.

· Commitment to Excellence

At Mirror Master, we are dedicated to enhance everyday spaces with premium LED mirrors that combine modern design, smart functionality, and energy efficiency. Our mission is to deliver stylish, reliable and eco-friendly solutions that meet the needs of both residential and commercial customers.

www.mirsmaster.com
info@mirsmaster.com

CONTENTS



Frameless LED Mirrors **P01-28**

- LS2436RTDMDFLOE0000 P03-04
- LS4836/6036/7232RTDMFLOE0000 P03-04
- LS2436ARDMDFLOE0000 P05-06
- LS2440PIDMFLOE0000 P07-08
- LS2636HXDMFLOE0000 P09-10
- LSDI24/30RODMFLOE0000 P11-12
- LSDI36RODMDFLOE0000 P11-12
- LS3048OVDMFLOE000 P13-14
- LS2436RTDMDFFLFB0000 P15-16
- LS4836/6036/7232RTDMFLFB0000 P15-16
- LSDI24/28/32/36/40RODMDFDLOE0100 P17-18
- LS2436PIDMDFBL000000 P19-20
- LSDI24/28/32/36/40RODMDFBL000000 P21-22
- LS2040/2448IRDMBL000000 P23-24
- LS2430IRDMBL000000 P25-26
- LS2032/2436TRDMBL000000 P27-28



Framed LED Mirrors **P29-62**

- LF2234RTDMFLFB00SL P31-32
- LF2234RTDMDFFLFB00BS P31-32
- LF2234RTDMFLFB00BK P31-32
- LF2432ARDMDFFLFB00SL P33-34
- LF2432ARDMFLFB00BS/BK P33-34
- LF2040PIDMFLFB00SL/BS/BK P35-36
- LFDI36RODMFLFB00SL/BS/BK P37-38
- LF3048OVDMFLFB00SL/BS/BK P39-40
- LF3030SQDMDFFTFB0000 P41-42
- LF3636SQDMTFFB0000 P41-42
- LF2440/3048ARDMDFFTFB0000 P43-44
- LF2036PIDMDFTFFB00SL/BS/BK P45-46
- LFDI36RODMDFFTFB00SL/BS/BK P47-48
- LF3048OVDMDFDL0000SL/BS/BK P49-50
- LFDI36OTDMDFDL0002SL/BS/BK P51-52
- LF2440ARDMDFSFFB00SL/BS/BK P53-54
- LF2036PIDMDFSFFB00SL/BS/BK P55-56
- LFDI36RODMDFSFFB00SL/BS/BK P57-58
- LF2430IRDMDFB0000SL/BS/BK P59-60
- LF2430TRDMDFBL0000SL/BS/BK P61-62



Framed Mirrors **P63-72**

- RM2032/2436/2440AR P65-66
- RM2032/2432/2440/2450/3260/3280PI P67-68
- RMDI24/28/32/36RO P69-70
- RM2432/2436OV P71-72



LED Lighted Medicine Cabinets **P73-98**

- LC2430/4030/4830RSDMDFMFFLOE00AL P75-80
- LC2430RSDMDFMFFLFB00AL P81-86
- LCDI24/32/36OSDMDFMFDLOE00AL P87-90
- LC2436PSDMDFMFFLFB00AL P91-92
- LC2030/2430/3230/4030RSDMDFMFPOFLOE00AL P93-94
- LC2030/2430/3230/4030RSDMDFMFDLOE00AL P95-96
- LC2030/2430/3230/4030RDDMDFMFPOFLOE00AL P97-98



Frameless LED Mirrors




Functional Features



Premium Tapered Aluminum Frame

- Sleek, modern edge design enhances aesthetics.
- Durable construction with refined craftsmanship.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Product parameters


Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2436RTDMDFLOE0000	24" × 36" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LS4836RTDMFLOE0000	48" × 36" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LS6036RTDMFLOE0000	60" × 36" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LS7232RTDMFLOE0000	72" × 32" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable



Functional Features



Acrylic light diffuser around all edges



Before Defogging

After Defogging

Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (~3 seconds) to smoothly adjust brightness for perfect lighting.

Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2436ARDMDFFLOE0000	24" × 36" × 1.5"	Front-Lit	Arch	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Functional Features



Acrylic light diffuser around all edges



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2440PIDMFLOE0000	24" × 40" × 1.5"	Front-Lit	Pill	Frameless	3000K/4000K /6000K	No	Yes	Dimmable



Functional Features



Acrylic light diffuser around all edges



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters


Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2636HXDMFLOE0000	26" × 36" × 1.5"	Front-Lit	Hexagon	Frameless	3000K/4000K /6000K	No	Yes	Dimmable



Functional Features



Acrylic light diffuser around all edges



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LSDI24RODMFLOE0000	D24" × 1.5"	Front-Lit	Round	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LSDI30RODMFLOE0000	D30" × 1.5"	Front-Lit	Round	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LSDI36RODMDFLOE0000	D36" × 1.5"	Front-Lit	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Functional Features



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Acrylic light diffuser around all edges

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS3048OVDMFLOE000	30" × 48" × 1.5"	Front-Lit	Oval	Frameless	3000K/4000K /6000K	No	Yes	Dimmable




Functional Features



Premium Tapered Aluminum Frame

- Sleek, modern edge design enhances aesthetics.
- Durable construction with refined craftsmanship.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



Touch Sensor Controls


- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2436RTDMDFFLFB0000	24" × 36" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LS4836RTDMFLFB0000	48" × 36" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LS6036RTDMFLFB0000	60" × 36" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LS7232RTDMFLFB0000	72" × 32" × 1.5"	Front-Lit	Rectangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable




Functional Features



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



Acrylic light diffuser around all edges

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LSDI24RODMDFDLOE0100	D24" × 1.5"	Dual Lighting	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI28RODMDFDLOE0100	D28" × 1.5"	Dual Lighting	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI32RODMDFDLOE0100	D32" × 1.5"	Dual Lighting	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI36RODMDFDLOE0100	D36" × 1.5"	Dual Lighting	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI40RODMDFDLOE0100	D40" × 1.5"	Dual Lighting	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Functional Features




Backlit



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Durable acrylic diffuser for enhanced light transmission and uniform glow.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters


Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2436PIDMDFBL000000	24" × 36" × 1.5"	Backlit	Pill	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Functional Features




Backlit



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LSDI24RODMDFBL000000	D24" × 1.5"	Backlit	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI28RODMDFBL000000	D28" × 1.5"	Backlit	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI32RODMDFBL000000	D32" × 1.5"	Backlit	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI36RODMDFBL000000	D36" × 1.5"	Backlit	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LSDI40RODMDFBL000000	D40" × 1.5"	Backlit	Round	Frameless	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters

Model.	Size (W x H x D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2040IRDMBL000000	20" x 40" x 1.5"	Backlit	Irregular	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LS2448IRDMBL000000	24" x 48" x 1.5"	Backlit	Irregular	Frameless	3000K/4000K /6000K	No	Yes	Dimmable



Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2430IRDMBL000000	24" × 30" × 1.5"	Backlit	Irregular	Frameless	3000K/4000K /6000K	No	Yes	Dimmable




Product parameters

Model.	Size (W x H x D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LS2032TRDMBL000000	20" x 32" x 1.5"	Backlit	Triangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable
LS2436TRDMBL000000	24" x 36" x 1.5"	Backlit	Triangle	Frameless	3000K/4000K /6000K	No	Yes	Dimmable

Functional Features



Backlit



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Description:

- Sleek and elegant design.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Framed LED Mirrors





Product parameters


Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2234RTDMFLFB00SL	22" × 34" × 1.5"	Front-Lit	Rectangle	Brushed Silver Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LF2234RTDMDFFLFB00BS	22" × 34" × 1.5"	Front-Lit	Rectangle	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2234RTDMFLFB00BK	22" × 34" × 1.5"	Front-Lit	Rectangle	Black Aluminum	3000K/4000K /6000K	No	Yes	Dimmable

Functional Features



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Frame color



Brushed Silver

Brushed Brass

Anodized Black



Product parameters


Model.	Size (W x H x D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2432ARDMDFFLFB00SL	24" x 32" x 1.5"	Front-Lit	Arch	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2432ARDMFLFB00BS	24" x 32" x 1.5"	Front-Lit	Arch	Brushed Brass Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LF2432ARDMFLFB00BK	24" x 32" x 1.5"	Front-Lit	Arch	Black Aluminum	3000K/4000K /6000K	No	Yes	Dimmable

Functional Features



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Frame color



Brushed Silver Brushed Brass Anodized Black

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.



Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2040PIDMFLB00SL	20" × 40" × 1.5"	Front-Lit	Pill	Brushed Silver Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LF2040PIDMFLB00BS	20" × 40" × 1.5"	Front-Lit	Pill	Brushed Brass Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LF2040PIDMFLB00BK	20" × 40" × 1.5"	Front-Lit	Pill	Black Aluminum	3000K/4000K /6000K	No	Yes	Dimmable

Functional Features



Aluminum frame



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Frame color



Brushed Silver

Brushed Brass

Anodized Black



Product parameters

Model.	Size (W x H x D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LFDI36RODMFLFB00SL	D36" x 1.5"	Front-Lit	Round	Brushed Silver Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LFDI36RODMFLFB00BS	D36" x 1.5"	Front-Lit	Round	Brushed Brass Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LFDI36ROMDFFLFB00BK	D36" x 1.5"	Front-Lit	Round	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog

Functional Features




Aluminum frame



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color



Brushed Silver



Brushed Brass




Anodized Black



Product parameters

Model.	Size (W × H × D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF3048OVDMFLFB00SL	30"×48"×1.5"	Front-Lit	Oval	Brushed Silver Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LF3048OVDMFLFB00BS	30"×48"×1.5"	Front-Lit	Oval	Brushed Brass Aluminum	3000K/4000K /6000K	No	Yes	Dimmable
LF3048OVDMFLFB00BK	30"×48"×1.5"	Front-Lit	Oval	Black Aluminum	3000K/4000K /6000K	No	Yes	Dimmable

Functional Features



Aluminum frame



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.

Frame color



Brushed Silver

Brushed Brass

Anodized Black

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.



Product parameters


Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF3030SQDMDFTFB0000	30" x 30"	Top Front-Lit	Square	Variety Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF3636SQDMTFFB0000	36" x 36"	Top Front-Lit	Square	Variety Aluminum	3000K/4000K /6000K	No	Yes	Dimmable

Functional Features



Touch Sensor Controls


- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black Gold

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.




Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2440ARDMDFTFFB0000	24" x 40"	Top Front-Lit	Arch	Variety Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF3048ARDMDFTFFB0000	30" x 48"	Top Front-Lit	Arch	Variety Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog


Functional Features



Aluminum frame +Light diffuser




The light diffuser color is matching with aluminium frame



 **Touch Sensor Controls**

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2036PIDMDFTFFB00SL	20"x36"	Top Front-Lit	Pill	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2036PIDMDFTFFB00BS	20"x36"	Top Front-Lit	Pill	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2036PIDMDFTFFB00BK	20"x36"	Top Front-Lit	Pill	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog


Functional Features



Aluminum frame +Light diffuser




The light diffuser color is matching with aluminium frame



 **Touch Sensor Controls**

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.




Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black




Functional Features



Aluminum frame +Light diffuser



The light diffuser color is matching with aluminium frame




Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black

Product parameters


Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LFDI36RODMDFFFB00SL	D36"	Top Front-Lit	Round	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LFDI36RODMDFFFB00BS	D36"	Top Front-Lit	Round	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LFDI36RODMDFFFB00BK	D36"	Top Front-Lit	Round	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog




Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF3048OVDMDFDL0000SL	30" x 48"	Dual Lighting	Oval	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF3048OVDMDFDL0000BS	30" x 48"	Dual Lighting	Oval	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF3048OVDMDFDL0000BK	30" x 48"	Dual Lighting	Oval	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog

Functional Features



Aluminum frame



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black




Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LFDI36OTDMDFDL0002SL	D36"	Dual Lighting	Octagon	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LFDI36OTDMDFDL0002BS	D36"	Dual Lighting	Octagon	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LFDI36OTDMDFDL0002BK	D36"	Dual Lighting	Octagon	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog

Functional Features



Aluminum frame



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color




Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black




Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2440ARDMDFSFFB00SL	24" x 40"	Side Front-Lit	Arch	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2440ARDMDFSFFB00BS	24" x 40"	Side Front-Lit	Arch	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2440ARDMDFSFFB00BK	24" x 40"	Side Front-Lit	Arch	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog


Functional Features



Aluminum frame +Light diffuser (Side front lighting)




The light diffuser color is matching with aluminium frame



 **Touch Sensor Controls**

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.




Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2036PIDMDFSFB00SL	20" x 36"	Side Front-Lit	Pill	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2036PIDMDFSFB00BS	20" x 36"	Side Front-Lit	Pill	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2036PIDMDFSFB00BK	20" x 36"	Side Front-Lit	Pill	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog

Functional Features



Aluminum frame +Light diffuser (Side front lighting)




The light diffuser color is matching with aluminium frame



 **Touch Sensor Controls**

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.




Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LFDI36RODMDFSFFB00SL	D36"	Side Front-Lit	Round	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LFDI36RODMDFSFFB00BS	D36"	Side Front-Lit	Round	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LFDI36RODMDFSFFB00BK	D36"	Side Front-Lit	Round	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog

Functional Features



Aluminum frame +Light diffuser (Side front lighting)




The light diffuser color is matching with aluminium frame



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.




Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Built-in anti-fog feature with automatic shut-off.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.


Frame color



Brushed Silver Brushed Brass Brushed Rose Gold Anodized Black




Functional Features



Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters

Model.	Size(W × H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2430IRDMDFBL0000SL	24"×30"	Backlit	irregular	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2430IRDMDFBL0000BS	24"×30"	Backlit	irregular	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2430IRDMDFBL0000BK	24"×30"	Backlit	irregular	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Back light

Frame color



Brushed Silver



Brushed Brass




Brushed Rose Gold



Anodized Black



Functional Features



Anti-Fog Technology

- Integrated defogger keeps the mirror clear in humid or steamy bathrooms.
- Ensures visibility and comfort right after a shower.

Description:

- Sleek and elegant design.
- Aluminum alloy frame available in a variety of finish options.
- Adjustable color temperature: 3000K (warm), 4000K (neutral), 6000K (cool) via unique 3-in-1 touch sensor.
- Smooth dimming for brightness control.
- Smart memory function recalls your last lighting setting.
- Not compatible with external dimmer switches.
- Easy wall installation with included mounting brackets.
- ETL certification and 5-year limited manufacturer warranty.

Product parameters

Model.	Size(W × H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LF2430TRDMDFBL0000SL	24"×30"	Backlit	Triangle	Brushed Silver Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2430TRDMDFBL0000BS	24"×30"	Backlit	Triangle	Brushed Brass Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LF2430TRDMDFBL0000BK	24"×30"	Backlit	Triangle	Black Aluminum	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog

Touch Sensor Controls

- Tap to switch between color temperature modes.
- Press and hold (≈3 seconds) to smoothly adjust brightness for perfect lighting.



Back light

Frame color



Brushed Silver

Brushed Brass

Brushed Rose Gold

Anodized Black



Framed Mirrors



Description:

- Aluminum alloy frame available in a variety of finish options.
- Sleek and elegant design.

Frame color



Brushed Silver Brushed Brass Anodized Black

Product parameters

Model.	Size(W × H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
RM2032AR	20"×32"	Non-LED	Arch	variety Aluminum	No	No	No	No
RM2436AR	24"×36"	Non-LED	Arch	variety Aluminum	No	No	No	No
RM2440AR	24"×40"	Non-LED	Arch	variety Aluminum	No	No	No	No



Description:

- Aluminum alloy frame available in a variety of finish options.
- Sleek and elegant design.

Frame color



Brushed Silver Brushed Brass Anodized Black

Product parameters

Model.	Size(W × H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
RM2032PI	20"×32"	Non-LED	Pill	variety Aluminum	No	No	No	No
RM2432PI	24"×32"	Non-LED	Pill	variety Aluminum	No	No	No	No
RM2440PI	24"×40"	Non-LED	Pill	variety Aluminum	No	No	No	No
RM2450PI	24"×50"	Non-LED	Pill	variety Aluminum	No	No	No	No
RM3260PI	32"×60"	Non-LED	Pill	variety Aluminum	No	No	No	No
RM3280PI	32"×80"	Non-LED	Pill	variety Aluminum	No	No	No	No



Aluminum frame

Description:

- Aluminum alloy frame available in a variety of finish options.
- Sleek and elegant design.

Frame color



Brushed Silver



Brushed Brass



Anodized Black

Product parameters

Model.	Size(W × H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
RMDI24RO	D24"	Non-LED	Round	variety Aluminum	No	No	No	No
RMDI28RO	D28"	Non-LED	Round	variety Aluminum	No	No	No	No
RMDI32RO	D32"	Non-LED	Round	variety Aluminum	No	No	No	No
RMDI36RO	D36"	Non-LED	Round	variety Aluminum	No	No	No	No



Description:

- Sleek and elegant design.
- Not compatible with external dimmer switches.

Product parameters

Model.	Size(W × H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
RM2432OV	24"×32"	Non-LED	Oval	variety Aluminum	No	No	No	No
RM2436OV	24"×36"	Non-LED	Oval	variety Aluminum	No	No	No	No

LED Lighted Medicine Cabinets





LC2430RSDMDFMFFLOE00AL

24"W x 30"H x 5-1/8"D



Product parameters

Model.	Size (W x H x D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LC2430RSDMDFMFFLOE00AL	24"x30"x5-1/8"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC4030RSDMDFMFFLOE00AL	40"x30"x5-1/8"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC4830RSDMDFMFFLOE00AL	48"x30"x5-1/8"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



LC4030RSDMDFMFFLOE00AL

40"W x 30"H x 5-1/8"D




LC4830RSDMDFMFFLOE00AL

48"W x 30"H x 5-1/8"D



Light Control

Effortlessly shift the room's mood with a tap, adapting lighting to every moment of the day.



LIGHTING/DEFOGGING BUTTON

Intuitive Touch Controls. Two-button interface for easy operation: one activates the defogger, and the other cycles through three preset lighting colors



Short touch for 3000, 4000 and 6000K, Long touch for 3000-6000K



Light ON/OFF
Keep touching for dimming



Defogger ON/OFF

Functional Features




Aluminum handles



Interior lighting



Soft-Close Conductive Hinge



Glass shelves


Standard Features

- Aluminum handles
- Soft-Close Conductive Hinge
- Glass Shelves


Optional Features

- Interior Lighting
- 3X Magnifying glass
- Power Outlets
- USB Port

Functional Features



3X Magnifying glass



Defogger ON/OFF

One-touch defogger keeps the mirror clear in steamy conditions, ensuring comfort and visibility.





Acrylic light diffuser + Side glasses





Power Outlets



Size & Recess dimensions




Recess dimensions: 553mm Width x 705mm height x 96.6mm Depth



Recess dimensions: 959mm Width x 705mm height x 96.6mm Depth



Recess dimensions: 1162mm Width x 705mm height x 96.6mm Depth



Product parameters

Model.	Size (W x H x D)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LC2430RSDMDFMFFLFB00AL	24" x 30" x 5-1/8"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Single Cabinet Recessed-Mount Installation




Single Cabinet Surface-Mount Installation



Light Control

Effortlessly shift the room's mood with a tap, adapting lighting to every moment of the day.



LIGHTING/DEFOGGING BUTTON

Intuitive Touch Controls. Two-button interface for easy operation: one activates the defogger, and the other cycles through three preset lighting colors



Short touch for 3000, 4000 and 6000K, Long touch for 3000-6000K




Defogger
ON/OFF

Functional Features



Interior lighting



Side glasses



Soft-Close Conductive Hinge



Glass shelves




Standard Features

- Soft-Close Conductive Hinge
- Glass Shelves



Optional Features

- Interior Lighting
- 3X Magnifying glass
- Power Outlets
- USB Port

Size & Recess dimensions





Recess dimensions: 553mm Width x 705mm height x 96.6mm Depth



Recess dimensions: 959mm Width x 705mm height x 96.6mm Depth

Defogger ON/OFF

One-touch defogger keeps the mirror clear in steamy conditions, ensuring comfort and visibility.



Recess dimensions: 1162mm Width x 705mm height x 96.6mm Depth



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LCDI24OSDMDFMFDLOE00AL	D24"	Dual Lighting	Round	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LCDI32OSDMDFMFDLOE00AL	D32"	Dual Lighting	Round	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LCDI36OSDMDFMFDLOE00AL	D36"	Dual Lighting	Round	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog

Light Control

Effortlessly shift the room's mood with a tap, adapting lighting to every moment of the day.




LIGHTING/DEFOGGING BUTTON

Intuitive Touch Controls. Two-button interface for easy operation: one activates the defogger, and the other cycles through three preset lighting colors

 Short touch for 3000, 4000 and 6000K, Long touch for 3000-6000K

 Defogger ON/OFF

Functional Features



Double sided mirrors with acrylic light diffuser bonded



USB + Power Outlets



USB + Power Outlets



Soft-Close Hinge


Standard Features

- Acrylic Light Diffuser
- Soft-Close Hinge
- Aluminum Shelves



Aluminum shelves

Flexible storage with easy height adjustment to fit various item sizes



Defogger ON/OFF

One-touch defogger keeps the mirror clear in steamy conditions, ensuring comfort and visibility.


Optional Features

- Interior lighting
- USB Port
- Power Outlets



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LC2436PSDMDFMFFLFB00AL	24" x 36"	Front-Lit	Pill	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



○ Short touch for 3000,4000 and 6000K,
Long touch for 3000-6000K

○ Light ON/OFF
Keep touching for dimming

sss Defogger
ON/OFF



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LC2030RSDMDFMFPOFLOE00AL	20" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC2430RSDMDFMFPOFLOE00AL	24" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC3230RSDMDFMFPOFLOE00AL	32" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC4030RSDMDFMFPOFLOE00AL	40" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Double sided mirrors



Power Outlets



Soft-Close Hinge



IR button



Glass shelves

Standard Features

- Soft-Close Hinge
- Glass Shelves
- IR button

Optional Features

- Interior Lighting
- Power Outlets
- USB Port



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LC2030RSDMDFMFDLOE00AL	20" x 30"	Dual Lighting	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC2430RSDMDFMFDLOE00AL	24" x 30"	Dual Lighting	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC3230RDDMDFMFDLOE00AL	32" x 30"	Dual Lighting	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC4030RDDMDFMFDLOE00AL	40" x 30"	Dual Lighting	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Soft-Close Conductive Hinge



Double sided mirrors with aluminum extrusion bonded



Side-Mounted LED lighting



IR button + light diffuser



Glass shelves

Standard Features

- Soft-Close Hinge
- Glass Shelves
- IR button + light diffuser

Optional Features

- Interior Lighting
- 3X Magnifying glass
- Power Outlets
- USB Port



Product parameters

Model.	Size (W x H)	Lighting Mode	Shape	Frame Type	CCT Options	Defogger	Touch Button	Additional Features
LC2030RDDMDFMFPOFLOE00AL	20" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC2430RDDMDFMFPOFLOE00AL	24" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC3230RDDMDFMFPOFLOE00AL	32" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog
LC4030RDDMDFMFPOFLOE00AL	40" x 30"	Front-Lit	Rectangle	Aluminum Frame	3000K/4000K /6000K	Yes	Yes	Dimmable / Anti-Fog



Double sided mirrors with acrylic light diffuser bonded



Soft-Close Hinge



Glass shelves



Power Outlets

Standard Features

- Soft-Close Hinge
- Glass Shelves
- IR button + light diffuser

Optional Features

- Interior Lighting
- 3X Magnifying glass
- Power Outlets
- USB Port