

JONWAY

Efficient Electric Commercial 3-Wheeler

UNLOCK YOUR SAVINGS WITH Wli3



www.jonwayev.com

SAVE MORE



EARN MORE

A black and white photograph showing a row of Jonway three-wheeled delivery vans parked in a warehouse. The vans are arranged in a line, receding into the background. The focus is on the front of the van in the foreground, which has its driver-side door open. The warehouse has a high ceiling with visible structural elements.

JONWAY

Compact, Robust & Efficient

75
km

Per charge

45

Top speed

km/h


RWD

JONWAY

ELECTRIC MOTOR

6000^{Peak power}
W

45^{Peak torque}
Nm






1.3 Cargo volume
 m^3

300 Payload
kg

COMFORT AND CONTROL

The Wli3 features a handlebar that provides a natural, comfortable grip, reducing wrist and shoulder strain during rides. Its spacious cabin design, equipped with doors for protection on rainy days offers enhanced control and maneuverability, making every journey smoother and safer.



JONWAY

① Low Beam & High Beam Headlights

⑤ Gear Shifter DNR

⑨ Horn

② Hazard Lights

⑥ Lights Switch

③ Signal Lights (LEFT/OFF/RIGHT)

⑦ Parking Lights (ON/OFF)

④ Windshield Wiper (ON/OFF)

⑧ Windshield Washer

LEFT HANDLEBAR CONTROL

RIGHT HANDLEBAR CONTROL



JONWAY

DIGITAL CLUSTER WITH COLOR DISPLAY



SUN VISOR



POWER WINDOW





AGGRESSIVE
HEADLIGHTS DESIGN



QUARTER GLASS
with enhanced visibility



SUNROOF (TILT-OPEN)



SPACIOUS CARGO AREA



CARGO DOOR HOLDER HOOK



ROBUST CARGO
DOOR HINGE




120-90-10 FRONT TIRE



3-POINT SEAT BELT



HANDBRAKE



COMBINED BRAKE SYSTEMS



LED TAIL LIGHTS



REAR-VIEW CAMERA



KEY SWITCH


MORE STORAGE COMPARTMENTS



GB/T charging port

JONWAY

Wli3 Dimensions



A	Length	2990 mm
B	Width	1090 mm
	Width (incl. Mirror)	1075 mm
C	Height	1650 mm
D	Wheelbase	2100 mm
E	Ground Clearance	110 mm
F	Cargo Bed Height	610 mm

JONWAY

Cargo Box Dimensions



OUTSIDE MEASUREMENT

A	Length	1450 mm
B	Width	1050 mm
C	Height	1057 mm

INSIDE MEASUREMENT

A	Length	1335 mm
B	Width	985 mm
C	Height	995 mm

Cargo volume

1.3 m³

Wli3 Specifications

GENERAL INFORMATION

Classification	L5e-B
Body structure	Load-bearing
Dimensions (L × W × H)	2990 × 1090 × 1650mm
Width (Front/Rear)	830 (1075 ^{Mirror opened}) / 1050 mm
Wheelbase	2100 mm
Seats/Doors	1/2
Ramp angles (Front/Rear)	90° / 22°
Min. turning radius	4500 mm
Min. ground clearance	110 mm
GVW (Gross)	830 kg
Curb weight (Net)	427 kg

CARGO BOX

Loading height	610 mm
Cargo volume	1.3 m ³
Payload capacity	300 kg
Cargo Outside (L × W × H)	1450 × 1050 × 1057 mm
Cargo Inside (L × W × H)	1335 × 985 × 995 mm

ELECTRIC MOTOR

Motor type	PMSM
Peak power	6000 W
Peak torque	45 N.m
Top speed	45 km/h
Gradeability	20% (11.54°)
Drive mode	Rear-wheel drive
1-Speed transmission	Fixed ratio
Driving range (WMTC)	75 km
Real-life driving range	60+ km
Energy consumption	≈ 10 kWh/km
Energy efficiency	≈ 10 km/kWh

BATTERY PACK

Battery pack capacity	6.0 kWh
Battery type	LiFePO4
Battery pack nominal voltage	60V
Battery pack rated capacity	100Ah
Battery pack weight	50 kg (±10)

CHARGING


Charging mode	AC slow charging
On-board charger (OBC)	1 kW
Charging time (20-80%)	≈ 4.5 h
Charging time (0-100%)	≈ 7.5 h
Charging distance in 1 hour (est.)	≈ 5 km

TIRES & SUSPENSIONS

Brake (Front / Rear)	Disc / Drum
Tires (Front/Rear)	120-90-10 / 120-90-10
Wheels	Aluminium
Front suspension	Front Shock Absorber Fork
Rear suspension	Integral suspension

LIGHTS

Combination Tail light	LED
Rear fog & Reversing light	LED
Interior lighting	LED
Daytime running light	Halogen
Front combination light	Halogen



The actual driving range may greatly vary based on driving behavior, charging habits, speed, payload, terrain, accessories and weather conditions.

Payload excludes the driver and includes cargo box. The total permissible cargo weight must not be exceeded.

Battery pack capacity may naturally degrade over time and with use, which will affect vehicle overall performance.

Charging times are approximate and require GBT compatible charging plug. Charging losses of 20% have been included in the calculation.

Technical specifications and data are true and accurate as of the publication date which may differ according to the country of sale and are subject to change without prior notice. Images provided are for illustrative purposes only and may not reflect the actual vehicle or its features. Figures provided are intended for comparability purposes only and should be compared with vehicles tested under the same technical procedures and within a similar weight class.

Wli3 Specifications

OPTIONS & ACCESSORIES & OTHERS

CBS combined braking system	Standard
Heating	Standard
Windshield wiper	Intermittent
Seat cover	Imitation Leather
4-Way adjustable Seats (manual)	Standard
Sun visor (Flip)	Standard
Central door lock	Standard
Key	Standard
3-Point safety belt	Standard
Bluetooth radio MP3/MP4	Standard
2 × Loudspeaker	Standard
USB port	1
Power windows	Standard
Central door locking	Standard
Door storage box	Standard
Bluetooth connectivity	Standard
Rear view camera	Standard
Reversing warning alarm	Standard
GB/T charging plug	Standard
Warning triangle & safety vest	Standard
Digital LCD color display	Standard
Gear shift RND	Standard
Air vents	Standard
Handlebar	Standard
4 × Storage compartment	Standard

The actual driving range may greatly vary based on driving behavior, charging habits, speed, payload, terrain, accessories and weather conditions.

Payload excludes the driver and includes cargo box. The total permissible cargo weight must not be exceeded.

Battery pack capacity may naturally degrade over time and with use, which will affect vehicle overall performance.

Charging times are approximate and require GBT compatible charging plug. Charging losses of 20% have been included in the calculation.


Technical specifications and data are true and accurate as of the publication date which may differ according to the country of sale and are subject to change without prior notice. Images provided are for illustrative purposes only and may not reflect the actual vehicle or its features. Figures provided are intended for comparability purposes only and should be compared with vehicles tested under the same technical procedures and within a similar weight class.

Warranty



BATTERY PACK

3 years or 80,000 km
(whichever comes first)



VEHICLE

1 year or 20,000 km
(whichever comes first)

For current warranty conditions and details consult with your local dealer and/or distributor.

JONWAY Wli3

Business Name: Jiangsu JONWAY Electric Technology Co., Ltd
Business type: Automotive & Technology
Phone: +86 139 6869 9888
Email: alexwang@jonwayev.com
sophieyu@jonwayev.com
sheltonwu@jonwayev.com
Website: www.jonwayev.com



IMPORTANT This digital information document is a guide. We have tried to make the information comprehensive and factual, but errors and changes can occur. Jonway EV and its dealers may change specifications at any time and may discontinue items depicted without notice and without obligation. Vehicle configuration and / or products shown may vary by region due to compliance regulations. Please consult your local dealer for further information.