



ALLIANCE

Para el trabajo pesado



Catálogo de producto
2019






AGRÍCOLA CONVENCIONAL DELANTERA



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-30303202	7.50-16	8	F-2	TT	SI	54	699	31/32
AL-31300005	10.00-16SL	8	F-2M	TL	SI	44	1060	27/32
AL-30303881	10.00-16	8	F-2	TT	SI	41	971	33/32
AL-31300015	11.00-16SL	8	F-2M	TL	SI	44	950	28/32
AL-30304403	11.00-16	10	F-2	TT	SI	45	1197	45/32
AL-30305000	7.50-18	8	F-2	TT	SI	54	780	31/32

IMPLEMENTO AGRÍCOLA I-1



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-32013708	10.5/80-18	10	I-1	TL	SI	54	1220	19/32



AGRÍCOLA CONVENCIONAL TRASERA R-1



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-32401708	7.50-16	8	R-1	TT	SI	61	1210	29/32
AL-32404707	11.2-24	8	R-1	TT	SI	35	1750	48/32
AL-32405110	12.4-24	8	R-1	TT	SI	33	2030	58/32
AL-32405661	12.4-24	12	R1	TT	SI	51	1685	58/32
AL-32406110	13.6-24	8	R-1	TT	SI	29	1390	48/32
AL-30402308	14.9-24	8	R-1	TT	SI	26	2520	50/32
AL-35807808	16.9-24	8	R-1	TT	SI	25	2880	63/32
AL-32470010	18.4-26	12	R-1	TL	SI	33	4200	62/32
AL-34702208	23.1-26	12	R-1	TT	SI	25	5110	68/32
AL-30405850	12.4-28	8	R-1	TT	SI	33	1660	46/32
AL-30406508	13.6-28	8	R-1	TT	SI	29	2310	59/32
AL-35807407	14.9-28	8	R-1	TT	SI	26	2660	59/32
AL-32414303	16.9-28	8	R-1	TT	SI	25	3050	73/32
AL-32416403	16.9-30	8	R-1	TT	SI	25	3220	58/32
AL-32416712	16.9-30	12	R-1	TT	SI	36	4000	58/32
AL-32417302	18.4-30	8	R-1	TT	SI	20	3400	60/32
AL-32417701	18.4-30	12	R1	TT	SI	33	4550	60/32
AL-32419402	16.9-34	8	R-1	TT	SI	25	3400	58/32
AL-32420001	18.4-34	8	R-1	TT	SI	20	3710	58/32
AL-32420907	18.4-34	14	R-1	TT	SI	36	5110	58/32
AL-30414306	13.6-38	8	R-1	TT	SI	29	2730	58/32
AL-30415205	14.9-38	8	R-1	TT	SI	26	3050	59/32
AL-35811888	15.5-38	8	R-1	TT	SI	26	2880	59/32
AL-35711902	18.4-38	8	R-1	TT	SI	20	3820	58/32
AL-35712320	18.4-38	12	R-1	TT	SI	32	3547	58/32
AL-34710032	20.8-38	8	R-1	TT	SI	19	4410	67/32



349

LLANTA PARA CONSECHADORA MODELO 349



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-34910011	30.5L32	16	R-1	TL	SI	25	5300	60/32

AGRÍCOLA RADIAL TRASERA R-1W

842



CLAVE	MEDIDA	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-84200025	320/85R24 (12.4R24)	R-1W	TL	SI	23	1500	51/32
AL-84200035	340/85R24 (13.6R24)	R-1W	TL	SI	23	1650	52/32
AL-84200047	380/85R24 (14.9R24)	R-1W	TL	SI	23	1950	54/32
AL-84200165	420/85R24 (16.9R24)	R-1W	TL	SI	23	2300	60/32
AL-84200070	380/85R28 (14.9R28)	R-1W	TL	SI	23	2060	54/32
AL-84200180	380/85R30 (14.9R30)	R-1W	TL	SI	23	2180	57/32
AL-84200200	420/85R30 (16.9R30)	R-1W	TL	SI	23	2500	57/32
AL-84200140	460/85R30 (18.4R30)	R-1W	TL	SI	23	2900	61/32
AL-84200145	460/85R34 (18.4R34)	R-1W	TL	SI	23	3075	57/32
AL-84200046	340/85R38 (13.6R38)	R-1W	TL	SI	23	2060	52/32
AL-84200130	420/85R38 (16.9R38)	R-1W	TL	SI	23	2800	57/32
AL-84200160	460/85R38 (18.4R38)	R-1W	TL	SI	23	3250	61/32
AL-84200300	520/85R38 (20.8R38)	R-1W	TL	SI	23	3875	67/32
AL-84200322	480/80R42 (18.4R42)	R-1W	TL	SI	23	3450	66/32
AL-84200325	520/85R42 (20.8R42)	R-1W	TL	SI	23	4125	68/32
AL-84200260	480/80R46 (18.4R46)	R-1W	TL	SI	23	4250	64/32



329

LLANTA PARA TRACTOR TURF MODELO 329

CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-32903350	14.9-24	6	R-3	TL	SI	20	2170	33/32
AL-32905851	13.6-28	6	R-3	TL	SI	23	2030	33/32



350

ALTO DESPEJE RADIAL R-1 MODELO 350

CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-35000971	9.5R28	**	R-1	TL	SI	23	1100	44/32
AL-35010009	9.5R32 (230/95R32)	**	R-1	TL	SI	35	2070	43/32
AL-35052020	9.5R48 (230/95R48)	****	R-1	TL	SI	52	3810	44/32
AL-35013206	11.2R38	****	R-1	TL	SI	52	3910	46/32
AL-35013806	11.2R42	****	R-1	TL	SI	52	4130	46/32
AL-35075011	270/95R54 (11.2R54)	****	R-1	TL	SI	52	5100	46/32
AL-84600040	340/85R28 (13.6R28)		R-1W	TL	SI	23	1750	51/32
AL-35047530	340/85R46(13.6R46)	****	R-1	TL	SI	52	5700	56/32