



Catálogo de producto 2017




SUMITOMO TIRES

Tecnología JAPONESA

protegiéndote en los caminos de México





HTR ZIII

RIN	SERIE	CLAVE	MEDIDA	SERV	CAP. CARGA	ANCHO DE RIN	SECCIÓN	DIÁMETRO TOTAL	PROF. DE PISO	S/W	UTQG			
											TREAD.	TRAC.	TEMP.	
17	55	SMT17903	235/55ZR17	99Y	775	6.5 - 8.5	244	688	8	BSW	300	AA	A	
		SMT17905	205/50ZR17	93Y	650	5.5 - 7.5	211	635	8	BSW	300	AA	A	
	50	SMT17906	215/50ZR17	95Y	690	6.0 - 7.5	224	648	8	BSW	300	AA	A	
		SMT17907	225/50ZR17	94Y	670	6.0 - 8.0	226	663	8	BSW	300	AA	A	
		SMT17908	235/50ZR17	96Y	710	6.5 - 8.5	211	671	8	BSW	300	AA	A	
		45	SMT17912	215/45ZR17	87Y	545	7.0 - 8.0	216	622	8	BSW	300	AA	A
			SMT17913	225/45ZR17	94Y	670	7.0 - 8.5	229	635	8	BSW	300	AA	A
			SMT17914	235/45ZR17	94Y	670	7.5 - 9.0	239	645	8	BSW	300	AA	A
	40	SMT17915	245/45ZR17	95Y	690	7.5 - 9.0	239	655	8	BSW	300	AA	A	
		SMT17927	245/40ZR17	95Y	690	8.0 - 9.5	249	625	8	BSW	300	AA	A	
		SMT17928	255/40ZR17	94Y	670	8.5 - 10.0	262	635	8	BSW	300	AA	A	
	18	50	SMT17930	275/40ZR17	98Y	750	9.0 - 11.0	244	691	8	BSW	300	AA	A
SMT17910			235/50ZR18	97Y	730	6.5 - 8.5	244	691	8	BSW	300	AA	A	
SMT17918			225/45ZR18	95Y	690	7.0 - 8.5	229	658	8	BSW	300	AA	A	
45		SMT17920	245/45ZR18	100Y	800	7.5 - 9.0	244	678	8	BSW	300	AA	A	
		40	SMT17933	225/40ZR18	92Y	630	7.5 - 9.0	231	638	8	BSW	300	AA	A
			SMT17934	235/40ZR18	95Y	690	8.0 - 9.5	241	655	8	BSW	300	AA	A
SMT17935			245/40ZR18	97Y	730	8.0 - 9.5	241	655	8	BSW	300	AA	A	
SMT17936			255/40ZR18	99Y	775	8.5 - 10.0	259	668	8	BSW	300	AA	A	
35		SMT17946	215/35ZR18	84Y	500	7.0 - 8.5	213	610	8	BSW	300	AA	A	
		SMT17949	255/35ZR18	94Y	670	8.5 - 10.0	257	719	8	BSW	300	AA	A	
		SMT17950	265/35ZR18	97Y	730	9.0 - 10.5	269	719	8	BSW	300	AA	A	
19		40	SMT17952	285/35ZR18	97Y	730	9.5 - 11.0	284	660	8	BSW	300	AA	A
	SMT17941		245/40ZR19	98Y	750	8.0 - 9.5	246	676	8	BSW	300	AA	A	
	35	SMT17942	255/40ZR19	100Y	800	8.5 - 10.0	259	686	8	BSW	300	AA	A	
		SMT17955	225/35ZR19	88Y	560	7.5 - 9.0	229	643	8	BSW	300	AA	A	
		SMT17956	235/35ZR19	91Y	615	8.0 - 9.5	244	645	8	BSW	300	AA	A	
		SMT17960	275/35ZR19	96Y	710	9.0 - 11.0	269	683	8	BSW	300	AA	A	
		SMT17961	285/35ZR19	99Y	775	9.5 - 11.0	284	683	8	BSW	300	AA	A	
		SMT17975	265/30ZR19	93Y	650	9.0 - 10.0	267	643	8	BSW	300	AA	A	
	20	40	SMT17945	245/40ZR20	99Y	775	9.0 - 10.0	267	648	8	BSW	300	AA	A
			SMT17962	225/35ZR20	90Y	600	7.5 - 9.0	226	668	8	BSW	300	AA	A
		35	SMT17963	245/35ZR20	95Y	775	8.0 - 9.5	246	678	8	BSW	300	AA	A
			SMT17964	255/35ZR20	97Y	730	8.5 - 10.0	251	689	8	BSW	300	AA	A
SMT17965			275/35ZR20	102Y	850	9.0 - 11.0	272	706	8	BSW	300	AA	A	
SMT17973			245/30ZR20	90Y	600	8.0 - 8.5	239	650	8	BSW	300	AA	A	
SMT17981	275/30ZR20	97Y	730	9.0 - 10.0	267	678	8	BSW	300	AA	A			






A/S P01


RIN	SERIE	CLAVE	MEDIDA	SERV	CAP. CARGA	ANCHO DE RIN	SECCIÓN	DIÁMETRO TOTAL	PROF. DE PISO	S/W	UTQG		
											TREAD.	TRAC.	TEMP.
14	65	SMT17000	185/65R14	86H	530	5.0 - 6.5	188	594	8	BSW	480	A	A
	60	SMT17012	185/60R14	82H	475	5.0 - 6.5	188	577	8	BSW	480	A	A
		SMT17014	195/60R14	86H	530	5.5 - 7.0	201	589	8	BSW	480	A	A
15	65	SMT17002	185/65R15	88H	560	5.0 - 6.5	191	620	8	BSW	480	A	A
		SMT17004	195/65R15	91H	615	5.5 - 7.0	203	635	8	BSW	480	A	A
		SMT17006	205/65R15	94H	670	5.5 - 7.5	211	645	8	BSW	480	A	A
		SMT17008	215/65R15	96H	710	6.0 - 7.5	224	660	8	BSW	480	A	A
	60	SMT17016	195/60R15	88H	560	5.5 - 7.0	201	612	8	BSW	480	A	A
		SMT17018	205/60R15	91H	615	5.5 - 7.5	206	625	8	BSW	480	A	A
		SMT17020	215/60R15	94H	670	6.0 - 7.5	221	638	8	BSW	480	A	A
		55	SMT17032	195/55R15	85V	515	5.5 - 7.0	208	650	8	BSW	360	AA
16	60	SMT17022	205/60R16	92H	630	5.5 - 7.5	208	650	8	BSW	480	A	A
		SMT17023	205/60R16	92V	630	5.5 - 7.5	208	650	8	BSW	480	A	A
		SMT17025	215/60R16 XL	95V	690	6.0 - 7.5	221	663	8	BSW	480	A	A
		SMT17027	225/60R16	98V	750	6.0 - 8.0	226	676	8	BSW	480	A	A
		SMT17028	235/60R16	100H	800	6.5 - 8.5	241	686	8	BSW	480	A	A
	55	SMT17046	205/55R16	91V	615	5.5 - 7.5	216	630	8	BSW	360	AA	A
		SMT17036	215/55R16	93H	650	6.0 - 7.5	226	640	8	BSW	360	AA	A
		SMT17039	225/55R16	95V	690	6.0 - 8.0	236	653	8	BSW	360	AA	A
	50	SMT17048	205/50R16	87H	545	5.5 - 7.5	213	612	8	BSW	360	AA	A
		SMT17049	205/50R16	87V	545	5.5 - 7.5	211	612	8	BSW	360	AA	A
		SMT17050	225/50R16	92H	630	6.0 - 8.0	231	632	8	BSW	360	AA	A
SMT17052		245/50R16	97H	730	7.0 - 8.5	251	650	8	BSW	360	AA	A	
17	65	SMT17010	235/65R17	104H	900	6.5 - 8.5	239	737	8	BSW	480	A	A
	55	SMT17040	215/55R17	94V	670	6.0 - 7.5	226	673	8	BSW	360	AA	A
		SMT17042	225/55R17	97H	730	6.0 - 8.0	234	683	8	BSW	360	AA	A
		SMT17043	225/55R17	97V	730	6.0 - 8.0	234	683	8	BSW	360	AA	A
		SMT17044	235/55R17	99H	775	6.5 - 8.5	244	691	8	BSW	360	AA	A
	45	SMT17082	205/45R17	88W	560	5.5 - 7.5	244	643	8	BSW	360	AA	A
	40	SMT17070	205/40R17 XL	84W	500	7.0 - 8.0	213	599	8	BSW	360	AA	A
18	60	SMT17030	225/60R18	100H	800	6.5 - 8.5	224	726	8	BSW	480	A	A
	50	SMT17086	225/50R18	95W	690	6.0 - 8.0	229	688	8	BSW	360	AA	A
	45	SMT17090	215/45R18	89W	580	7.0 - 8.0	213	655	8	BSW	360	AA	A





HTR200

RIN	SERIE	CLAVE	MEDIDA	SERV	CAP. CARGA	ANCHO DE RIN	SECCIÓN	DIÁMETRO TOTAL	PROF. DE PISO	S/W	UTQG		
											TREAD.	TRAC. TEMP.	
13	70	SMT15704	175/70R13	82H	475	4.5 - 6.0	178	577	8	BSW	380	A	A
	60	SMT15740	185/60R13	80H	450	5.0 - 6.5	185	554	8	BSW	380	A	A
14	70	SMT15708	175/70R14	84H	500	4.5 * 6.0	178	617	8	BSW	380	A	A
		SMT15710	185/70R14	88H	560	4.5 - 6.0	188	617	9	BSW	380	A	A
		SMT15712	195/70R14	91H	615	5.0 - 6.5	198	630	9	BSW	380	A	A
		SMT15716	205/70R14	95H	690	5.0 - 7.0	208	645	9	BSW	380	A	A
	65	SMT15726	175/65R14	82H	475	6.0 - 6.0	175	584	8	BSW	380	A	A
60	SMT15754	205/60R14	89H	580	5.5 - 7.5	203	605	8	BSW	380	A	A	
15	70	SMT15720	225/70R15	100H	800	6.0 - 7.5	221	696	10	BSW	380	A	A
	60	SMT15764	215/60R15	94H	670	6.0 - 7.5	216	640	9	BSW	380	A	A
	50	SMT15780	195/50R15	82H	475	5.5 - 7.0	196	579	8	BSW	380	A	A
		SMT15782	205/50R15	86H	530	5.5 - 7.5	196	589	8	BSW	380	A	A
		SMT15786	225/50R15	91H	615	6.0 - 8.0	226	610	8	BSW	380	A	A



HTR2000

RIN	SERIE	CLAVE	MEDIDA	SERV	CAP. CARGA	ANCHO DE RIN	SECCIÓN	DIÁMETRO TOTAL	PROF. DE PISO	S/W	UTQG		
											TREAD.	TRAC.	TEMP.
13	60	SMT15810	205/60R13	86S	530	5.5 - 7.5	207	572	8	WLT	440	A	B