



epsilon[®]

Movemos todo



Catálogo de producto
2019



EP006 EPSILON



SKS2



MINICARGADOR

CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
WW-1016510	10-16.5	10	IND.	TL	11	2170	21/32
WW-1216512	12-16.5	12	IND.	TL	12	2865	17/32
WW-1016510SKS2	10-16.5	10	IND.	TL	76	2170	26/32
WW-1216510SKS2	12-16.5	12	IND.	TL	76	2865	23/32

ND L3



E3/L3/ND L-3

CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
WW-14002420	14.00-24	20	E3/L3	TL	102	8500	34/32
WW-14002424	14.00-24	24	E3/L3	TL	83 / 58	5150/5600	34/32
WW-14002424E3L3	14.00-24	24	E3/L3	TT	83 / 58	5150/5600	34/32
WW-16002420	16.00-24	20	E3/L3	TL	80	9750	26/32
WW-1552512	15.5-25	12	E3/L3	TL	58 / 36	5600/3250	25/32
WW-1752516	17.5-25	16	E3/L3	TL	44	4250	33/32
WW-1752516ND	17.5-25	16	ND L-3	TL	70	7300	33/32
ww-2052520ND	20.5-25	20	ND L-3	TL	66	9500	38/32
WW-2052520	20.5-25	20	E3/L3	TL	47	6000	35/32
WW-2352520	23.5-25	20	E3/L3	TL	44	7300	40/32
WW-2352520ND	23.5-25	20	ND L-3	TL	44	7300	42/32
WW-2652628	26.5-25	28	E3/L3	TL	51	10000	44/32
WW-2952528	29.5-25	28	E3/L3	TL	47	11500	48/32

CONSTRUCCIÓN



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
EPS-19943936	19.5L-24	12	R-4	TL	34	3450	34/32




INDUSTIAL & OTR



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
WW-11L158F3	11L-15	8	F-3	TL	41	1070	15/32
WW-11L16	11L-16	12	F3	TL	64	1250	15/32
WW-11L1612SS	11L-16	12	SSK F3	TL	64	1250	15/32
WW-105801812R4	10.5/80-18	12	R4	TL	58	2140	29/32
WW-1258018	12.50/80-18	12	R4	TL	55	2625	31/32
WW-140024	14.00-24	16	L2/G2	TL	80	7300	34/32
WW-130024	13.00-24	16	L2/G2	TL	87	6500	30/32
WW-195L24SP	19.5L-24	12	SUPER PLUS R-4	TL	33	3455	33/32
WW-195L24PP	19.5L-24	12	POWER PLUS R-4	TL	33	3455	34/32
WW-195L24	19.5L-24	12	R4	TL	33	3455	33/32
WW-175L2412R4	17.5L24	12	R4	TL	33	1925	33/32
WW-1692810R4	16.9-28	10	R4	TL	32	3075	33/32

TRACTOR INDUSTRIAL /VIBROCOMPACTADOR



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
WW-2312616R3	23.1-26	16	R3	TL	33	4300	17/32