



 **ALLIANCE**

Para el trabajo pesado



Catálogo de producto
2019



RETROEXCAVADORA R-4




321



533

CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-32103505	10.5/80-18	10	R-4	TL	NEW	54	1362	32/32
AL-53310205	16.9-24	12	R-4	TL	SI	38	4000	43/32
AL-53311008	17.5L-24	10	R-4	TL	SI	32	3440	40/32
AL-53312004	19.5L-24	12	R-4	TL	SI	33	4240	43/32
AL-53316106	21L-24	12	R-4	TL	SI	32	4770	44/32
AL-53330008	16.9-28	12	R-4	TL	SI	38	4370	43/32



329

TRACTOR INDUSTRIAL TRASERA

CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-32905102	23.1-26	12	R3	TL	SI	25	5110	22/32



MOTOCONFORMADORA G-2 MODELO 306/307

307



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-30700019	14.00-24	16	E-2/G-2/L-2	TL	SI	51	3540	31/32
AL-30700001	13.00-24	12	E-2/G-2/L-2	TL	SI	45	2590	32/32

308

MOTOCONFORMADORA L-2 MODELO 308 TL



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-30800800	15.5-25	12	L-2	TL	SI	58	8960	38/32
AL-30801407	17.5-25	12	L-2	TL	SI	36	10720	40/32




L-3 (E-3,G-3) MODELO 318 TL



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-31800899	17.5-25	16	L-3	TL	SI	83	13140	33/32
AL-31801711	20.5-25	20	L-3	TL	SI	78	17100	36/32
AL-31802988	23.5-25	20	L-3	TL	SI	65	19620	40/32


RETROEXCAVADORA DELANTERA



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-21111007	11L-16SL	10	F-3	TL	SI	52	1120	14/32
AL-23910055	14.5/75-16.1SL	10	F-3	TL	SI	60	3150	18/32
AL-32103680	12.5/80-18	12	R-4	TL	SI	54	1852	32/32




GRÚA INDUSTRIAL TT



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-23941058	14-17,5ML	14	MIL	TL	SI	100	2760	18/32
AL-22806807	14.00-20	20	MIL	TL	SI	101	4975	26/32

(Incluye Corbata)



ALLIANCE SKID STEER

CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI	CAP. CARGA Kg	PROFUNDIDAD DE PISO (in)
AL-90600060	12-16.5	10	SS	TL	SI	65	2540	23/32
AL-90600012	10-16.5	10	SS	TL	SI	75	2135	21/32