INTOLERANCE OF UNCERTAINTY

When Not Knowing Becomes the Problem

Tracy Henderson
Counseling

THE STARTING POINT | THE DISCOMFORT OF NOT KNOWING

We make decisions, navigate relationships, manage responsibilities, and plan for the future without knowing exactly how things will turn out.

Uncertainty is part of life.

Sometimes it's manageable. Other times it becomes the thing we're most focused on resolving.

We replay conversations, research possibilities, anticipate problems, seek reassurance, delay decisions, or attempt to control outcomes.

These efforts may provide temporary relief. But when certainty becomes a requirement for feeling comfortable or moving forward, we can find ourselves spending considerable time and energy trying to achieve something that may not be available.

What if the opportunity isn't always to become more certain, but to develop a different relationship with uncertainty?

Intolerance of uncertainty refers to difficulty tolerating the possibility that something important is unknown, unpredictable, or unresolved.

It isn't a diagnosis. It's a pattern that can contribute to anxiety, worry, avoidance, reassurance-seeking, and difficulties making decisions. It can also be relevant to OCD, although OCD has distinct features and treatment considerations.

The goal isn't to become careless, ignore legitimate risks, or stop preparing. It's to recognize when our efforts to achieve certainty are useful—and when they're keeping us stuck.

UNDERSTAND UNCERTAINTY

When Not Knowing Feels Like a Problem That Must Be Solved

Uncertainty can show up in nearly every part of life.

- **Relationships:** Does my partner still care? What did that comment mean?
- **Work:** Will I meet expectations? What if I make a mistake?
- **Health:** Is this symptom something serious?
- **Decisions:** What if I choose the wrong option?
- **Parenting:** Will my child be okay?
- **Future:** What if things don't work out?

These are understandable concerns.

The difficulty often emerges when we begin treating the absence of certainty as evidence that something is wrong.

WHAT TO EXPLORE

UNCERTAINTY IS NOT THE SAME AS DANGER

Not knowing what will happen doesn't necessarily mean something bad will happen. However, our minds may respond to uncertainty by generating possibilities, including threatening ones.

POSSIBILITY IS NOT THE SAME AS PROBABILITY

Something being possible doesn't automatically make it likely. Our emotional response may be influenced by how significant or frightening an outcome feels, not just by how likely it is.

DISCOMFORT IS NOT THE SAME AS INCAPABILITY

Feeling uncomfortable with uncertainty doesn't mean we're unable to function while uncertain. We can experience discomfort and still make decisions, communicate, participate, and take meaningful action.

CERTAINTY ISN'T ALWAYS AVAILABLE

Some questions can be answered through additional information. Others involve outcomes, feelings, or future events that cannot be fully known in advance.

Recognizing the difference helps us decide where additional effort is useful.

QUESTIONS TO CONSIDER

- Which uncertainties are particularly difficult for me?
- What do I imagine might happen if I don't resolve them?
- When does not knowing begin to feel like a problem I must immediately fix?
- What would become possible if I didn't require complete certainty before acting?

THE OPPORTUNITY: Recognize uncertainty as an experience we can learn to navigate, rather than automatically treating it as a threat that must be eliminated.

RECOGNIZE HOW WE RESPOND TO UNCERTAINTY

The Search for Relief, Reassurance & Control

When uncertainty creates discomfort, we naturally look for ways to reduce it. Some responses are useful. We gather information, develop plans, ask questions, and prepare for reasonable possibilities.

Other responses can become repetitive or excessive, particularly when their primary purpose is to make uncomfortable feelings disappear.

WHAT TO EXPLORE

WORRY & OVERTHINKING

We repeatedly consider what might happen.

- "What if I forgot something?"
- "What if they misunderstood me?"
- "What if I make the wrong choice?"

Worry may feel like preparation, even when it isn't producing new information or useful action.

REASSURANCE-SEEKING

We ask others to confirm that things are okay.

- "Are you sure you're not upset?"
- "Do you think I made the right decision?"
- "Can you promise nothing bad will happen?"

Reassurance can be appropriate and supportive. The concern is when relief fades quickly and we repeatedly need the same answer.

CHECKING & RESEARCHING

We repeatedly review messages, check information, revisit decisions, or search for additional answers. Sometimes more information improves a decision. Other times we already have enough information, but continue searching because we don't yet feel certain.

CONTROL & OVERPREPARATION

We develop elaborate plans, anticipate every possible outcome, or attempt to manage other people's responses. Planning can be valuable.

But trying to eliminate every possibility of disappointment, error, or discomfort may become exhausting.

AVOIDANCE & DELAY

We postpone conversations, decisions, commitments, or experiences until we feel more confident. Avoidance can temporarily reduce discomfort while preventing us from discovering what we're capable of managing.

THE UNCERTAINTY–RELIEF CYCLE

1. Something feels unknown or unresolved.
2. We experience anxiety, discomfort, or urgency.
3. We seek reassurance, check, worry, control, or avoid.
4. We experience temporary relief.

5. Another question or doubt emerges.
6. We repeat the process.

Over time, the pattern can teach us that uncertainty is only manageable when we perform the relief-seeking behavior.

QUESTIONS TO CONSIDER

- What do I typically do when something feels uncertain?
- Which responses help me solve an actual problem?
- Which responses primarily help me feel better for a short time?
- What happens when I don't receive the certainty I'm looking for?

THE OPPORTUNITY: Distinguish useful problem-solving from repeated efforts to escape the discomfort of not knowing.

UNDERSTAND WHAT'S UNDERNEATH THE NEED FOR CERTAINTY

Safety, Responsibility, Trust & Self-Confidence

Our relationship with uncertainty doesn't develop in isolation. Past experiences, beliefs, identities, and expectations can influence what uncertainty means to us.

WHAT TO EXPLORE

SAFETY | "IF I CAN PREDICT IT, I CAN PREVENT IT"

Someone who has experienced unpredictable or difficult circumstances may become especially attentive to potential threats. Anticipation can feel protective.

The opportunity is to distinguish present risks from familiar expectations shaped by earlier experiences.

RESPONSIBILITY | "I SHOULD BE ABLE TO PREVENT BAD OUTCOMES"

We may believe that being responsible means anticipating every problem. This can create pressure to predict and control circumstances beyond our influence.

TRUST | "IF I DON'T KNOW, I CAN'T FEEL SECURE"

Previous experiences involving dishonesty, betrayal, or inconsistency may influence how we respond to ambiguity. Developing trust doesn't mean ignoring warning signs.

It involves evaluating patterns of behavior, evidence, boundaries, and accountability without assuming every unknown represents a threat.

PERFECTIONISM | "THERE MUST BE A RIGHT ANSWER"

When mistakes feel unacceptable, decisions may become difficult. We continue comparing options because choosing one means accepting that another outcome might have been better.

SELF-CONFIDENCE | "I WON'T BE ABLE TO HANDLE WHAT HAPPENS"

Sometimes the underlying fear isn't simply that something might go wrong. It's that we won't be capable of responding if it does.

This creates another opportunity: developing confidence in our ability to adapt rather than relying exclusively on predicting outcomes.

QUESTIONS TO CONSIDER

- What does uncertainty mean to me?
- What am I afraid might happen if I don't know the outcome?
- Am I trying to prevent a realistic risk or eliminate an uncomfortable feeling?
- How confident am I in my ability to respond if things don't go as planned?

THE OPPORTUNITY: Understand the beliefs and experiences influencing our need for certainty, rather than focusing exclusively on eliminating uncertainty itself.

DEVELOP A DIFFERENT RELATIONSHIP WITH UNCERTAINTY

From Needing to Know to Learning How to Respond

Tolerating uncertainty doesn't mean enjoying it.

It means developing the ability to remain engaged with life even when answers, outcomes, or guarantees aren't available.

WHAT TO EXPLORE

RECOGNIZE THE EXPERIENCE

- "I'm noticing uncertainty."
- "I'm feeling an urge to check."
- "I want reassurance because I don't know what will happen."

Naming the experience can create a little distance between the discomfort and our response.

SEPARATE WHAT'S KNOWN FROM WHAT'S ASSUMED

Consider:

- What do I actually know?
- What am I predicting?
- What information would genuinely help?
- What remains outside my ability to know?

This isn't about endlessly debating every possibility. It's about identifying whether additional problem-solving is useful.

IDENTIFY WHAT'S WITHIN YOUR INFLUENCE

We can often influence preparation, communication, effort, boundaries, and our next actions. We cannot guarantee outcomes, control other people's feelings, or eliminate every risk.

REPLACE CERTAINTY WITH CAPABILITY

Instead of asking: "How can I make sure nothing goes wrong?"

- **Consider:** "What would help me respond if things don't go as planned?"

This shifts attention from controlling every outcome toward developing flexibility and confidence.

ALLOW SOME QUESTIONS TO REMAIN OPEN

Not every uncertainty needs to be resolved immediately.

Sometimes we can acknowledge:

- "I don't know yet."
- "I may not get a guarantee."
- "I have enough information to take the next step."
- "I can revisit this if meaningful new information becomes available."

PRACTICE ACTING WITH UNCERTAINTY PRESENT

We don't have to wait until uncertainty disappears to make a decision, have a conversation, or participate in an experience.

The goal is to choose an appropriate action while allowing some discomfort to remain.

QUESTIONS TO CONSIDER

- What am I trying to become certain about?
- Is certainty actually available?

- What would help me feel capable rather than completely certain?
- What meaningful action could I take while some uncertainty remains?

THE OPPORTUNITY: Develop confidence in our ability to navigate uncertainty rather than relying on guarantees that may not exist.

BUILD YOUR UNCERTAINTY TOOLKIT

Practical Strategies for Everyday Experiences

Different situations call for different responses.

The following tools can help us distinguish preparation from reassurance-seeking, practice flexibility, and make decisions without requiring complete certainty.

WHAT TO EXPLORE

THE KNOWN | UNKNOWN | ACTIONABLE CHECK

Divide a concern into three categories.

- **Known:** What information or evidence do I have?
- **Unknown:** What remains uncertain?
- **Actionable:** What can I reasonably do now?

Example: You're waiting to hear back after a job interview.

- **Known:** The interview is complete.
- **Unknown:** Whether you'll receive an offer.
- **Actionable:** Send an appropriate follow-up, continue other opportunities, and return to daily responsibilities.

THE INFORMATION STOPPING POINT

Before researching or checking, decide what information is necessary to make a reasonable decision.

- Example: "I'll compare three options using cost, reliability, and suitability. Then I'll choose."

This helps prevent the search for a perfect decision from becoming endless.

PLAN A | PLAN B

Identify a preferred outcome and one reasonable alternative.

- Example: "Plan A is getting the position. Plan B is continuing my search and using the feedback to improve."

A backup plan can increase confidence without requiring us to anticipate every possibility.

PROBABILITY VS. POSSIBILITY

Ask: "Is this something that could happen, or something the available evidence suggests is likely?"

Use this to support reasonable risk evaluation, not as a repeated ritual for proving an outcome is safe.

THE REASSURANCE PAUSE

Notice the urge to ask for reassurance or check again. Pause and consider: "Am I seeking new information or trying to remove discomfort?"

When appropriate, practice allowing the uncertainty to remain without repeating the behavior.

For OCD-related compulsions, this is best integrated into a structured treatment plan rather than used as another form of mental checking.

THE DECISION WINDOW

Give a decision a reasonable amount of time and attention. When the decision meets your criteria, practice moving forward rather than continually reopening it.

THE SMALL UNCERTAINTY EXPERIMENT

Choose a low-stakes opportunity to practice not knowing.

Examples:

- Send a routine message without repeatedly editing it.
- Let someone else choose the restaurant.
- Make a minor decision without checking multiple opinions.
- Leave a nonurgent question unanswered for a while.
- Try a new activity without knowing exactly how it will go.

Choose experiments that are safe and manageable, not situations involving significant or preventable risks.

THE CAPABILITY QUESTION

Ask: "If this doesn't go the way I hope, what resources, skills, people, or alternatives could help me respond?"

This isn't a guarantee that everything will be fine. It's an opportunity to recognize that uncertainty doesn't necessarily mean helplessness.

NAME THE COST OF CERTAINTY

Consider what the search for certainty is costing you.

- Time?
- Energy?
- Connection?
- Opportunity?
- Sleep?
- Confidence?

Sometimes the effort to avoid uncertainty becomes more disruptive than the uncertainty itself.

QUESTIONS TO CONSIDER

- Which tool fits the type of uncertainty I'm experiencing?
- What do I need to prepare for, and what might I need to allow?
- Where could I practice making a decision with enough information rather than perfect information?
- What could I learn from a small uncertainty experiment?

THE OPPORTUNITY: Build practical ways to navigate uncertainty while reducing unnecessary checking, avoidance, and attempts to control outcomes.

NAVIGATE UNCERTAINTY IN RELATIONSHIPS

When Our Need to Know Affects Others

Relationships naturally involve uncertainty. We can't always know what another person is thinking, feeling, or intending.

And even in close relationships, people have different needs for reassurance, communication, predictability, and autonomy.

WHAT TO EXPLORE

COMMUNICATION VS. MIND READING

Instead of: "If you cared, I'd know how you felt."

- **Try:** "I'm feeling uncertain about where we stand. Can we talk about what we're each experiencing?"

REASSURANCE VS. SHARED UNDERSTANDING

A partner may provide reassurance, but repeated requests for the same confirmation can create frustration for both people. Consider whether the relationship needs clearer communication, more consistent behavior, a specific agreement, or individual work on tolerating uncertainty.

TRUST VS. GUARANTEES

Trust doesn't require pretending that disappointment or betrayal is impossible. It develops through consistency, honesty, accountability, boundaries, and repair.

A person can appropriately ask for transparency while recognizing that no relationship offers complete certainty.

SPACE VS. ABANDONMENT

When one partner needs time alone, the other may interpret the uncertainty as rejection. An agreement can help: "I need an hour to decompress. Let's reconnect after dinner."

This creates reasonable predictability without requiring constant access or reassurance.

WHEN CONCERNS ARE GROUNDED IN REAL BEHAVIOR

Not every concern is an intolerance-of-uncertainty problem. Ongoing dishonesty, broken agreements, inconsistent behavior, or unsafe circumstances may require boundaries, accountability, or protective action.

The objective isn't to convince ourselves to tolerate circumstances that genuinely need attention.

QUESTIONS TO CONSIDER

- How does uncertainty influence how I interpret my partner or other important people?
- When am I seeking understanding, and when am I seeking a guarantee?
- What communication or agreements could create reasonable predictability?
- What uncertainty belongs to me to navigate, and what requires shared attention?

THE OPPORTUNITY: Develop greater trust, clarity, and responsiveness without expecting relationships to eliminate all uncertainty.

CONNECTING ME TO WE & US

ME | UNDERSTANDING MYSELF

- What uncertainties activate me?
- How do I typically respond?
- What beliefs about safety, responsibility, trust, or capability influence my need for certainty?

WE | UNDERSTANDING OUR INTERACTIONS

- How does uncertainty affect how I communicate, interpret, or respond to others?

- When do I seek reassurance, control, or avoidance?
- How can I express a need without making another person responsible for eliminating all my discomfort?

US | CULTIVATING OUR RELATIONSHIP

- What expectations, agreements, and behaviors help us create reasonable predictability?
- How do we navigate differences in our comfort with uncertainty?
- How can we strengthen trust while recognizing that not everything can be known or guaranteed?

WHERE DO I BEGIN?

Choose one uncertainty that has been taking up more time or energy than you'd like.

- **NOTICE:** What am I uncertain about?
- **REVIEW THE GAME TAPE:** How have I been responding? What provides relief, and how long does that relief last?
- **PRACTICE:** What useful action can I take? What might I need to leave unresolved?
- **BUILD REPS:** Experiment with one manageable change and review what happens.

Start with lower-stakes situations. You don't need to challenge your most difficult uncertainty first.

A FINAL THOUGHT

We often think the solution to uncertainty is finding the answer. Sometimes it is. We need information, clarity, preparation, or a conversation. But sometimes the answer isn't available.

And sometimes we already have enough information, yet continue searching because we don't feel certain.

The opportunity is learning to recognize the difference.

We can prepare without attempting to control everything. We can make decisions without guarantees. We can build trust without expecting perfect predictability. And we can develop confidence in our ability to respond, adapt, and recover when life doesn't unfold as expected.

We don't always need to know what will happen next to decide what we want to do next.