

M8系列 M8 SERIE

产品芯数：3、4、5、6、8芯

Pins Number: 3 4 5 6 8 pins

大部分连接器360°极佳全屏蔽

Most connectors are excellent for full shielding at 360 degrees

插头：组装式，注塑带电缆式（长度可任意定制）

Plug: assembly, overmolded cable type (length can be customized at will)

插座：板前安装、板后安装焊线及PCB板式

Socket: Front Mount Solder Type, Back Mount Solder Type and PCB board type

防水等级：IP65、IP67

Waterproof grade: Ip65 IP67









产品符合IEC 61076-2-104标准










Products comply with IEC 61076-2-104 standard



产品参数 PRODUCT PARAMETERS

壳体材料 Shell material	锌合金镀镍/黄铜镀镍 Brass nickel-plated/Zinc alloy nickel-plated	接触阻抗 Contact impedance	≤5mΩ
密封材料 Sealing material	环氧树脂/橡胶 Epoxy resin/Rubber	插拔次数 Durability	≥500次(Cycles)
插针材料 Contact material	黄铜/磷铜镀金 Brass/Phosphorus copper gold-plated	绝缘阻抗 Insulation impedance	≥100MΩ
胶芯材料 Insulator material	PA66	适用温度 Applicable temperature	-25°C ~ +80°C
成型材料 Molding material	TPU/PVC		


















产品图 PRODUCT FIGURE	名称/类型号 NAME/TYPE NO.	尺寸图 DIMENSIONS
	<p>直式孔型金属插头 焊接式 PG M8 Straight Female Metal Plug (Solder PG)</p> <p>080001-04 A 0 00000</p> <p>No. 080001 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 
	<p>直式针型金属插头 焊接式 PG M8 Straight Male Metal Plug (Solder PG)</p> <p>080002-03 A 0 00000</p> <p>No. 080002 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 
	<p>直式孔型塑胶插头 焊接式 PG M8 Straight Female Metal Plug (Solder PG)</p> <p>080003-04 A 0 00000</p> <p>No. 080003 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 
	<p>直式针型塑胶插头 焊接式 PG M8 Straight Male Metal Plug (Solder PG)</p> <p>080004-04 A 0 00000</p> <p>No. 080004 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 
	<p>直式孔型塑胶插头 焊接式 PG M8 Straight Female Plastic Plug (Solder PG)</p> <p>080005-03 A 0 00000</p> <p>No. 080005 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 
	<p>直式针型塑胶插头 焊接式 PG M8 Straight Male Plastic Plug (Solder PG)</p> <p>080006-03 A 0 00000</p> <p>No. 080006 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 
	<p>弯式孔型塑胶插头 焊接式 PG M8 Angled Female Plastic Plug (Solder PG)</p> <p>080007-04 A 0 00000</p> <p>No. 080007 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 
	<p>弯式针型塑胶插头 焊接式 PG M8 Angled Male Plastic Plug (Solder PG)</p> <p>080008-04 A 0 00000</p> <p>No. 080008 A: 3.4 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE</p>	 

产品图 PRODUCT FIGURE	名称/类型号 NAME/TYPE NO.	尺寸图 DIMENSIONS
非屏蔽款/Unshielded 屏蔽款/Shielded 	直式孔型成型插头 M8 Straight Female overmolded plug 080009-04 A 0 00000 UNS: No. 080009 SHD: No. 080010 A: 3 4 6 8 B: 5B D: 4D 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	
非屏蔽款/Unshielded 屏蔽款/Shielded 	直式孔型成型插 带阻尼 M8 Straight Female overmolded plug (with damping) 080011-04 A 0 00000 UNS: No. 080011 SHD: No. 080012 A: 3 4 6 8 B: 5B D: 4D 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	
非屏蔽款/Unshielded 屏蔽款/Shielded 	直式针型成型插头 M8 Straight Male overmolded plug 080013-04 A 0 00000 UNS: No. 080013 SHD: No. 080014 A: 3 4 6 8 B: 5B D: 4D 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	
非屏蔽款/Unshielded 屏蔽款/Shielded 	直式针型成型插头 金属口 M8 Straight Male overmolded plug (Metal interface) 080015-05 B 0 00000 UNS: No. 080015 SHD: No. 080016 A: 3 4 B: 5B 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	
非屏蔽款/Unshielded 屏蔽款/Shielded 	直式针型成型插 带阻尼 M8 Straight Male overmolded plug (with damping) 080017-04 A 0 00000 UNS: No. 080017 SHD: No. 080018 A: 3 4 6 8 B: 5B D: 4D 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	
非屏蔽款/Unshielded 屏蔽款/Shielded 	弯式孔型成型插头 M8 Angled Female overmolded plug 080019-04 A 0 00000 UNS: No. 080019 SHD: No. 080020 A: 3 4 6 8 B: 5B D: 4D 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	
非屏蔽款/Unshielded 屏蔽款/Shielded 	弯式针型成型插头 M8 Angled Male overmolded plug 080021-04 A 0 00000 UNS: No. 080021 SHD: No. 080022 A: 3 4 6 8 B: 5B D: 4D 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	
非屏蔽款/Unshielded 屏蔽款/Shielded 	弯式针型成型插头 金属口 M8 Angled Male overmolded plug (Metal interface) 080023-05 B 0 00000 UNS: No. 080023 SHD: No. 080024 A: 3 4 B: 5B 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)	

产品图 PRODUCT FIGURE	名称/类型号 NAME/TYPE NO.	尺寸图 DIMENSIONS
	<p>直式孔型成型插头 快插式 M8 Straight Female overmolded plug (push-pull)</p> <p>080025-05 B 0 00000</p> <p>No. 080025 A: 3.4 B: 5B 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	
	<p>直式针型成型插头 快插式 M8 Straight Male overmolded plug (push-pull)</p> <p>080026-05 B 0 00000</p> <p>No. 080026 A: 3.4 B: 5B 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	
非屏蔽款/Unshielded 屏蔽款/Shielded	<p>一分二孔型成型插头 M8 Female 1 to 2 overmolded plug</p> <p>080027-04 A 0 00000</p> <p>UNS: No. 080027 SHD: No. 080028 A: 3.4 6.8 B: 5B 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	
非屏蔽款/Unshielded 屏蔽款/Shielded	<p>一分二针型成型插头 M8 Male 1 to 2 overmolded plug</p> <p>080029-04 A 0 00000</p> <p>UNS: No. 080029 SHD: No. 080030 A: 3.4 6.8 B: 5B 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	
	<p>板前安装针型插座 焊线式 螺牙M8x1 M8 Male Front Mount Socket (Solder, Screw M8*1)</p> <p>080031-08 A 0 00000</p> <p>No. 080031 A: 3.4 6.8 B: 5B C: 4D 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	
	<p>板前安装针型插座 PCB式 螺牙M8x1 M8 Male Front Mount Socket (PCB, Screw M8*1)</p> <p>080032-05 B 0 00000</p> <p>No. 080032 A: 3.4 6.8 B: 5B C: 4D 线材 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	
	<p>板前安装针型插座 焊线式 螺牙M8x1 金属口 M8 Male Front Mount Socket (Solder, Screw M8*1) (Metal interface)</p> <p>080033-04 A 0 00000</p> <p>No. 080033 A: 3.4 B: 5B 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	
	<p>板前安装针型插座 PCB式 螺牙M8x1 金属口 M8 Male Front Mount Socket (PCB, Screw M8*1) (Metal interface)</p> <p>080034-04 A 0 00000</p> <p>No. 080034 A: 3.4 B: 5B 线材 1-PVC 2-PUR 3-TPU 4-RU 5-PTFE L(mm)</p>	

产品图 PRODUCT FIGURE	名称/类型号 NAME/TYPE NO.	尺寸图 DIMENSIONS																				
板前安装孔型插座 焊线式 螺牙M8x1 M8 Female Front Mount Socket (Solder, Screw M8*1)	<p>080035-06 A 0 00000</p> <table border="0"> <tr> <td>No. 080035</td> <td>A: 3 4 6 8</td> <td>1-PVC</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td>2-PUR</td> <td></td> </tr> <tr> <td></td> <td>D: 4D</td> <td>3-TPU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>4-RU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>5-PTFE</td> <td></td> </tr> </table>	No. 080035	A: 3 4 6 8	1-PVC	L(mm)		B: 5B	2-PUR			D: 4D	3-TPU				4-RU				5-PTFE		<p>开孔尺寸 hole opening size</p>
No. 080035	A: 3 4 6 8	1-PVC	L(mm)																			
	B: 5B	2-PUR																				
	D: 4D	3-TPU																				
		4-RU																				
		5-PTFE																				
板前安装孔型插座 PCB式 螺牙M8x1 M8 Female Front Mount Socket (PCB, Screw M8*1)	<p>080036-05 B 0 00000</p> <table border="0"> <tr> <td>No. 080036</td> <td>A: 3 4 6 8</td> <td>线材</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D: 4D</td> <td></td> <td></td> </tr> </table>	No. 080036	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080036	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					
板前安装孔型插座 子弹型 焊线式 螺牙M8x1 M8 Female Front Mount Socket (Solder, Screw M8*1) (bullet type)	<p>080037-04 A 0 00000</p> <table border="0"> <tr> <td>No. 080037</td> <td>A: 3 4 6 8</td> <td>1-PVC</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td>2-PUR</td> <td></td> </tr> <tr> <td></td> <td>D: 4D</td> <td>3-TPU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>4-RU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>5-PTFE</td> <td></td> </tr> </table>	No. 080037	A: 3 4 6 8	1-PVC	L(mm)		B: 5B	2-PUR			D: 4D	3-TPU				4-RU				5-PTFE		<p>开孔尺寸 hole opening size</p>
No. 080037	A: 3 4 6 8	1-PVC	L(mm)																			
	B: 5B	2-PUR																				
	D: 4D	3-TPU																				
		4-RU																				
		5-PTFE																				
板后安装针型插座 焊线式 螺牙M8x1 M8 Male Back Mount Socket (Solder, Screw M8*1)	<p>080038-03 A 0 00000</p> <table border="0"> <tr> <td>No. 080038</td> <td>A: 3 4 6 8</td> <td>1-PVC</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td>2-PUR</td> <td></td> </tr> <tr> <td></td> <td>D: 4D</td> <td>3-TPU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>4-RU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>5-PTFE</td> <td></td> </tr> </table>	No. 080038	A: 3 4 6 8	1-PVC	L(mm)		B: 5B	2-PUR			D: 4D	3-TPU				4-RU				5-PTFE		<p>开孔尺寸 hole opening size</p>
No. 080038	A: 3 4 6 8	1-PVC	L(mm)																			
	B: 5B	2-PUR																				
	D: 4D	3-TPU																				
		4-RU																				
		5-PTFE																				
板后安装针型插座 PCB式 螺牙M8x1 M8 Male Back Mount Socket (PCB, Screw M8*1)	<p>080039-04 A 0 00000</p> <table border="0"> <tr> <td>No. 080039</td> <td>A: 3 4 6 8</td> <td>线材</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D: 4D</td> <td></td> <td></td> </tr> </table>	No. 080039	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080039	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					
板后安装针型插座 焊线式 螺牙M8x1金属口 M8 Male Back Mount Socket (Solder, Screw M8*1) (Metal interface)	<p>080040-04 A 0 00000</p> <table border="0"> <tr> <td>No. 080040</td> <td>A: 3 4</td> <td>1-PVC</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td>2-PUR</td> <td></td> </tr> <tr> <td></td> <td></td> <td>3-TPU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>4-RU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>5-PTFE</td> <td></td> </tr> </table>	No. 080040	A: 3 4	1-PVC	L(mm)		B: 5B	2-PUR				3-TPU				4-RU				5-PTFE		<p>开孔尺寸 hole opening size</p>
No. 080040	A: 3 4	1-PVC	L(mm)																			
	B: 5B	2-PUR																				
		3-TPU																				
		4-RU																				
		5-PTFE																				
板后安装针型插座 PCB式 螺牙M8x1 金属口 M8 Male Back Mount Socket (PCB, Screw M8*1) (Metal interface)	<p>080041-04 A 0 00000</p> <table border="0"> <tr> <td>No. 080041</td> <td>A: 3 4</td> <td>线材</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td></td> <td></td> </tr> </table>	No. 080041	A: 3 4	线材	L(mm)		B: 5B			<p>开孔尺寸 hole opening size</p>												
No. 080041	A: 3 4	线材	L(mm)																			
	B: 5B																					
板后安装针型插座 焊线式 螺牙M11x1 M8 Male Back Mount Socket (Solder, Screw M11*1)	<p>080042-04 D 0 00000</p> <table border="0"> <tr> <td>No. 080042</td> <td>A: 3 4 6 8</td> <td>1-PVC</td> <td>L(mm)</td> </tr> <tr> <td></td> <td>B: 5B</td> <td>2-PUR</td> <td></td> </tr> <tr> <td></td> <td>D: 4D</td> <td>3-TPU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>4-RU</td> <td></td> </tr> <tr> <td></td> <td></td> <td>5-PTFE</td> <td></td> </tr> </table>	No. 080042	A: 3 4 6 8	1-PVC	L(mm)		B: 5B	2-PUR			D: 4D	3-TPU				4-RU				5-PTFE		<p>开孔尺寸 hole opening size</p>
No. 080042	A: 3 4 6 8	1-PVC	L(mm)																			
	B: 5B	2-PUR																				
	D: 4D	3-TPU																				
		4-RU																				
		5-PTFE																				

产品图 PRODUCT FIGURE	名称/类型号 NAME/TYPE NO.	尺寸图 DIMENSIONS																				
	<p>板后安装针型插座 PCB式 螺牙M11x1 M8 Male Back Mount Socket (PCB, Screw M11*1)</p> <p>080043-04 A 0 00000</p> <table border="1"> <tr><td>No. 080043</td><td>A: 3 4 6 8</td><td>线材</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td></td><td></td></tr> <tr><td></td><td>D: 4D</td><td></td><td></td></tr> </table>	No. 080043	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080043	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					
	<p>板后安装孔型插座 焊线式 螺牙M11x1 M8 Female Back Mount Socket (Solder, Screw M11*1)</p> <p>080044-04 D 0 00000</p> <table border="1"> <tr><td>No. 080044</td><td>A: 3 4 6 8</td><td>1-PVC</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td>2-PUR</td><td></td></tr> <tr><td></td><td>D: 4D</td><td>3-TPU</td><td></td></tr> <tr><td></td><td></td><td>4-RU</td><td></td></tr> <tr><td></td><td></td><td>5-PTFE</td><td></td></tr> </table>	No. 080044	A: 3 4 6 8	1-PVC	L(mm)		B: 5B	2-PUR			D: 4D	3-TPU				4-RU				5-PTFE		<p>开孔尺寸 hole opening size</p>
No. 080044	A: 3 4 6 8	1-PVC	L(mm)																			
	B: 5B	2-PUR																				
	D: 4D	3-TPU																				
		4-RU																				
		5-PTFE																				
	<p>板后安装孔型插座 PCB式 螺牙M11x1 M8 Female Back Mount Socket (PCB, Screw M11*1)</p> <p>080045-04 A 0 00000</p> <table border="1"> <tr><td>No. 080045</td><td>A: 3 4 6 8</td><td>线材</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td></td><td></td></tr> <tr><td></td><td>D: 4D</td><td></td><td></td></tr> </table>	No. 080045	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080045	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					
	<p>板后安装孔型插座 焊线式 螺牙M12x1 M8 Female Back Mount Socket (Solder, Screw M12*1)</p> <p>080046-04 D 0 00000</p> <table border="1"> <tr><td>No. 080046</td><td>A: 3 4 6 8</td><td>1-PVC</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td>2-PUR</td><td></td></tr> <tr><td></td><td>D: 4D</td><td>3-TPU</td><td></td></tr> <tr><td></td><td></td><td>4-RU</td><td></td></tr> <tr><td></td><td></td><td>5-PTFE</td><td></td></tr> </table>	No. 080046	A: 3 4 6 8	1-PVC	L(mm)		B: 5B	2-PUR			D: 4D	3-TPU				4-RU				5-PTFE		<p>开孔尺寸 hole opening size</p>
No. 080046	A: 3 4 6 8	1-PVC	L(mm)																			
	B: 5B	2-PUR																				
	D: 4D	3-TPU																				
		4-RU																				
		5-PTFE																				
	<p>板后安装孔型插座 PCB式 螺牙M12x1 M8 Female Back Mount Socket (PCB, Screw M12*1)</p> <p>080047-08 A 0 00000</p> <table border="1"> <tr><td>No. 080047</td><td>A: 3 4 6 8</td><td>线材</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td></td><td></td></tr> <tr><td></td><td>D: 4D</td><td></td><td></td></tr> </table>	No. 080047	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080047	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					
	<p>板后安装针型插座 PCB式 螺牙M8x1接地型 M8 Female Back Mount Socket (PCB, Screw M8*1) Grounded type</p> <p>080048-04 A 0 00000</p> <table border="1"> <tr><td>No. 080048</td><td>A: 3 4 6 8</td><td>线材</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td></td><td></td></tr> <tr><td></td><td>D: 4D</td><td></td><td></td></tr> </table>	No. 080048	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080048	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					
	<p>板后安装孔型插座 PCB式 螺牙M10x0.75 接地型 M8 Female Back Mount Socket (PCB, Screw M10x0.75) Grounded type</p> <p>080049-04 A 0 00000</p> <table border="1"> <tr><td>No. 080049</td><td>A: 3 4 6 8</td><td>线材</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td></td><td></td></tr> <tr><td></td><td>D: 4D</td><td></td><td></td></tr> </table>	No. 080049	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080049	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					
	<p>针型弯针插座 PCB式 螺牙M8x1 接地型 M8 Angled Male Back Mount Socket (PCB, Screw M8*1) Grounded type</p> <p>080050-06 A 0 00000</p> <table border="1"> <tr><td>No. 080050</td><td>A: 3 4 6 8</td><td>线材</td><td>L(mm)</td></tr> <tr><td></td><td>B: 5B</td><td></td><td></td></tr> <tr><td></td><td>D: 4D</td><td></td><td></td></tr> </table>	No. 080050	A: 3 4 6 8	线材	L(mm)		B: 5B				D: 4D			<p>开孔尺寸 hole opening size</p>								
No. 080050	A: 3 4 6 8	线材	L(mm)																			
	B: 5B																					
	D: 4D																					

产品图 PRODUCT FIGURE	名称/类型号 NAME/TYPE NO.	尺寸图 DIMENSIONS
	孔型弯针插座 PCB式 螺牙M10x0.75 接地型 M8 Angled Female Back Mount Socket (PCB, Screw M10*0.75) Grounded type 080051-06 A 0 00000 	 
	孔型弯针塑胶插座 PCB式 螺牙M10x0.75 快插式 M8 Angled Female Socket (PCB, Screw M10*0.75) 080052-05 B 0 00000 	 
	Y型插头 PSS型 M8 Y Type Adapter (PSS) 080053-04 A 0 00000 	
	T型插头 PSS型 M8 T Type Adapter (PSS) 080054-04 A 0 00000 	
	I型金属转接插座 PS型 螺牙M11x1 M8 I Type Adapter (PS) (Screw M11*1) 080055-04 A 0 00000 	
	I型塑料转接插头 PS型 M8 I Type Adapter (PS) 080056-04 A 0 00000 	
	孔型欧姆终端插头 120Ω M8 Female Ohm terminal plug 120Ω 080057-04 A 0 00000 	
	针型欧姆终端插头 120Ω M8 Male Ohm terminal plug 120Ω 080058-04 A 0 00000 	


M8·防尘盖 M8 DUST COVER

M8 塑胶防尘盖 内牙 M8 Plastic Dust Cover (Inner screw)			M8 全金属防尘盖 内牙 M8 All-Metal Dust Cover (Inner screw)		
	环内直径 Ring inner diameter	订货号 No.		环内直径 Ring inner diameter	订货号 No.
	Φ 7.5mm	080059-000000001		Φ 8mm	080061-000000001
M8 塑胶防尘盖 外牙 M8 Plastic Dust Cover (Outer screw)			M8 全金属防尘盖 外牙 M8 All-Metal Dust Cover (Outer screw)		
	环内直径 Ring inner diameter	订货号 No.		环内直径 Ring inner diameter	订货号 No.
	Φ 7.5mm	080060-000000001		Φ 8mm	080062-000000001
M8 塑胶防尘盖 外牙 M8 Plastic Dust Cover (Outer screw)			M8 全金属防尘盖 外牙 M8 All-Metal Dust Cover (Outer screw)		
	环内直径 Ring inner diameter	订货号 No.		环内直径 Ring inner diameter	订货号 No.
	Φ M8	080063-000000001		Φ 10mm	080062-000000002

M8·电气参数 M8 ELECTRICAL PARAMETERS

芯数 Pins	针型 Male			额定电流 Rated current	额定电压 Rated voltage		导体规格 Conductor size		孔型 Female		
	A	B	D		A/C	D/C	AWG	mm ²	A	B	D
3				3A	60V	60V	24	0.25			
4				A型(A-Code):3A D型(D-Code):4A	60V	60V	24	0.25			
5				3A	30V	30V	24	0.25			
6				1.5A	30V	30V	26	0.14			
8				1.5A	30V	30V	26	0.14			

M8·PCB芯位图 M8 PCB PINS ARRANGEMENT



M8·接线定义 M8 WIRE DEFINITION

芯位 Pins	线芯颜色 Wire core color	
	3芯(Pins)	
1	BN	
2	-	
3	BU	
4	BK	

芯位 Pins	线芯颜色 Wire core color	
	4芯A编码(4 Pins A-Code)	4芯D编码(4 Pins D-Code)
1	BN	YE
2	WH	WH
3	BU	OG
4	BK	BU

芯位 Pins	线芯颜色 Wire core color	
	5芯A编码(5 Pins A-Code)	
1	BN	BN
2	WH	WH
3	BU	BU
4	BK	BK
5	GY	GY

芯位 Pins	线芯颜色 Wire core color	
	6芯(Pins)	
1	BN	
2	WH	
3	BU	
4	BK	
5	GY	
6	PK	

芯位 Pins	线芯颜色 Wire core color	
	8芯(Pins)	
1	WH	
2	BN	
3	GN	
4	YE	
5	GY	
6	PK	
7	BU	
8	RD	

*接线定义按常规标准，如按协议或者其他请联系我司业务。

Wiring definition according to conventional standards, if according to the agreement or other please contact our sales.