

TNUT CLIMBING | December 2023 CATALOGUE | Version 12.5

remi@tnut.au | 0412 963 919 | IG: @tnutclimbing

## 475+ CLIMBING HOLDS MADE IN AUSTRALIA WITH RESISTANT POLYURETHANE









**MONSTER SERIES** 

Gets everyone to the top.

E SERIES
Perfect comp holds.





**DISK SERIES** 

Overgrown holds.








**CLASSIC SERIES** 

All the essentials and more.



The Monster series targets beginner climbing with straightforward, super comfortable and ergonomic holds to simply get everyone to the top of the wall.



This overgrown hold is the biggest of the MONSTER series.

A positive long edge on one side and a featured long sloper on the other.

Length: 540mm Width: 170mm Depth: 60mm



Bolt-on hold: 1 Diameter 3/8" - Length: 1x3" 7 large roof jugs to defy gravity.

Subtle inner texture and incuts for better handling.

Great on roofs but also super easy for beginners wearing sneakers on vertical walls.









Bolt-on holds: 7
Diameter 3/8" - Lengths: TBC

STYLE COMFORT POPULARITY

8 medium/large jugs.

Minimal protrusion for injury prevention.

Snag-free profiles to help with rope management.

Satisfying textured thumb placements.

[Only 7 displayed in photo]









Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 2x1" 3/4, 3x2", 2x2" 1/4, 1x2" 1/2 12 small to large foot holds perfect to go with jugs and shallow jugs.

VARIETY SIMPLICITY







Bolt-on holds: 12 Bolts Diameter 3/8" - Lengths: 4x1" 1/2, 1x2", 7x2" ½ 12 screw-on fairly positive, pleasant and challenging small hand holds.

FINE DETAILS 4 to 5 FINGERS FIT SURPRISINGLY ERGONOMIC

This set is often used for kid's climbing ramps for toddlers (Pikler Triangle).









Screw-on holds: 12

M00006 \$160

## STYLE COMFORT POPULARITY

8 medium-sized shallow jugs.

Minimal protrusion for injury prevention.

Snag-free profiles to help with rope management.

Satisfying textured thumb placements.

Great value.









Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 1x1" 1/2, 4x1" 3/4, 2x2", 1x2" 1/4

## **SCREW-ON MINI JUGS**

5 medium-sized deep to shallow jugs + 8 small screwon mini holds.

Minimal protrusion for injury prevention.

Snag-free profiles to help with rope management.

Satisfying textured thumb placements.

Home wall owners often get this set of M00007 to fill the gaps between t-nuts.


NOTE: Screw-on holds can be installed on any solid wooden panel. No need for t-nutted plywood.







Screw-on holds: 13



Versatile hand holds with pleasant thumb placements and fingertip grips.







Bolt-on holds: 8 Diameter 3/8" - Lengths: 1 x 2-1/4", 2 x 2-1/2", 1 x 2-3/4", 4 x 3"

## CALLING COMFORT

4 large to very large incut jugs of incremental rise.

Combine these super comfortable jugs with a few sets of M00002, M00003, M00012 to create easy/moderate climbs even on steep terrain.

Note: One of these jugs (the second biggest one) is TNUT's down climbing hold (See catalogue reference #P00005).







Bolt-on holds: 4
Diameter 3/8" - Lengths:
1 x 2-1/4", 2 x 2-1/2", 1 x 4"

M00010 \$141

8 versatile holds.

Hand holds:

Grade: 12-15 on vertical Grade: V4-V6 on 40° wall

Perfect foot holds for beginners even wearing sneakers.







Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 2x1" 3/4, 2x2", 4x2" 1/4 M00011 \$215

8 just positive and ergonomic hand holds.

Hand holds:

Grade: 11-15 on vertical Grade: V4-V5 on 40° wall







Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 2x2", 4x2" 1/4, 2x2" 1/2 M00012 \$400

8 ergonomic incut jugs.

These jugs were designed to be as economical as possible, yet providing ample room for a full hand.

Their generous incuts will feel deep and juggy even on roofs and very steep territories.

Minimal protrusion for injury prevention.

Snag-free profiles to help with rope management.

Satisfying textured thumb placements.







Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 8 x 2" M00013 \$270

3 extra-large pinchy jugs.

Sizeable and matchable jugs with ergonomic handling for all fingers including thumbs.

They are the most protruding holds of the Monster series.

Will also encourage heel hooks and provide ample space to push with a foot even on very steep terrains.







Bolt-on holds: 8 Bolts Diameter 3/8" - Lengths: 1 x 2-1/4", 1 x 2-3/4", 1 x 3" 8 beefy shallow jugs.

Large holds with a perfectly satisfying robust grab.

Quite versatile at all angles and particularly fun for intermediate levels on 15° to 30° walls.








Bolt-on holds: 8 Bolts Diameter 3/8" - Lengths: 2 x 2-1/4", 6 x 2-1/2" E SERIES 113 HOLDS



The E series has been specifically designed for competition setting, where minute adjustments are required to reach a particular grade. The E series now includes 13 sets of holds. Most sets of holds were shaped to cover the full spectrum of difficulty (from an easy to a difficult grab and 6 incremental angles in between). No doubt it will be useful for both commercial setting and residential climbing walls.



E01001 \$1,864

8 overgrown holds, 8 degrees of difficulty,

HUGE TAPERED DIRECTIONAL


Length: 580mm Width: 310mm Depth: 100mm







Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 4 x 3", 4 x 4"





E00001 \$594

8 very large holds,8 degrees of difficulty.

CLEAN ATTRACTIVE DIRECTIONAL

Tip: combine with E00002 and E00003.


These sets will present themselves to the setter to promptly create moves after moves with well calibrated holds.







Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 2x2" 1/4, 2x2" 1/2, 4x2" 3/4





E00002 \$530

8 very large holds, 8 degrees of difficulty fitting in between the E00001 holds.

With this set, you can efficiently reach the optimum grade targeted.

CLEAN ATTRACTIVE DIRECTIONAL

Tip: combine with E00001, E00003 and E00012 for best visual impact on the wall.










Bolt-on hold: 8 Bolts Diameter 3/8" - Length(s): 6x2" 1/4, 2x2" 1/2





E00003 \$63

1 very large low profile hold with a similar footprint as E00001 or E00002 but a bit less to grab onto.

DIRECTIONAL EYE-CATCHING STRAIGHT EDGE

Tip: combine with E00001, E00002 and E00012.





"Like it? Order it today to encourage TNUT to create a full set tomorrow."



Bolt-on hold: 1 Diameter 3/8" - Length: 2" 3/4 E00004 \$168

8 large holds with a curved edge fitting ergonomically along the fingertips.

Similar clean shapes as E00001 but about three times smaller.

LOW PROFILE DIRECTIONAL EVIL EDGES









Bolt-on hold: 8
Bolts Diameter 3/8" - Length(s): 6x1" 1/2, 2x1" 3/4

E00005 \$160

8 large holds including 3 decent edges and 5 slopers that may serve as decent foot holds.

Similar clean shapes as E00001 but about three times smaller.

LOW PROFILE NEAT EDGES EVIL SLOPERS







Bolt-on hold: 8 Bolts Diameter 3/8" - Length(s): 3x1" 1/2, 3x1" 3/4, 2x2" E00006 \$89

8 small edges and slopers of incremental difficulty.

Slightly less challenging than E00004 and E00005.

LOW PROFILE FINGERPAD EDGES NASTY SLOPERS







Bolt-on hold: 8 Bolts Diameter 3/8" - Length(s): 2x1" 1/4, 6x1" 1/2 E00007 \$125

12 small protruding subtle edges.

These pleasant hand holds are positive despite their small sizes. They provide interesting thumb catches when placed upside down and are perfect foot holds on steep walls.

POSITIVE VERSATILE ECONOMICAL









Bolt-on hold: 12 Bolts Diameter 3/8" - Length(s): 4x1" 1/2, 6x1" 3/4, 2x2" E00008 \$76

12 small crimps, edges and slopers of incremental difficulty (smaller than E00006, bigger than E00009).

Choice of screw-on and bolton attachment system.

ADAPTABLE FLAT PROFILES CRIMPS, EDGES & SLOPERS








Bolt-on or screw-ons: 12 Bolts Diameter 3/8" - Length(s): 7x1" 1/4, 5x1" 1/2 E00009 \$48

12 screw-on jibs of incremental difficulty - ranging from ½ finger pad decent crimp to a hold as flat as a stamp!

LOW PROFILE SCREW-ON JIBS WICKED CRIMPS



Screw-on holds: 12

E00010 \$52

12 positive very small holds ideal for accurate footwork on a kickboard and steep angles.







Bolt-on holds: 12 Bolts Diameter 3/8" - Length(s): 3x1" 1/4, 9x1" 1/2 E00011 \$169

## **CRIMPS ON STEEP**

Dig in these 8 pleasant:

- crimps on steep,
- finger bucket on vertical.

These holds are simply stellar on roofs and very steep walls.







Bolt-on holds: 8 Bolts Diameter 3/8" - Length(s): 1x1" 1/2, 3x1" 3/4, 4x2" E00012 \$375

8 challenging shallow and wide pinches.

V4-V6 on vertical, V10-V15 on 10°/20° wall.

Choice of screw-on or bolt-on installation.

Tip: Combine these extralarge holds with similar sets such as E00001, E00002 and E00003.








Bolt-on holds: 8

Bolts Diameter 3/8" - Length(s): 3 x 1-1/2", 5 x 1-3/4"



D01002 \$217


Second largest overgrown hold from the disk series.

Orientation will determine whether the climber gets a matchable jug or a gnarly pinch.

Length: 420mm Width: 320mm Depth: 95mm



Bolt-on hold: 1 Diameter 3/8" - Length: 1x3"



G00002 \$123

8 geometric medium-sized holds.








Bolt-on holds: 8 Diameter 3/8" - Lengths: 2 x 1-3/4", 4 x 2", 1 x 2-1/4", 1 x 2-1/2"

G00003 \$50 5 small to medium holds, mostly foot holds. Bolt-on holds: 5 Diameter 3/8" - Lengths: 3 x 1-1/2", 2 x 1-3/4"



8 shallow ergonomic left and right handed pinches.








Bolt-on holds: 8 Diameter 3/8" - Lengths: 1x2", 4x2" 1/2, 2x3", 1x3" ½ OVERGROWN ERGONOMIC INTRICATE PINCHES

TNUT's largest set of pinches is possibly the largest set of holds ever produced in Australia? One thing is sure, it won't disappoint!

Length: up to 560mm Width: up to 200mm Depth: up to 100mm


The ripples are reminiscent of the sandstone of Kalbarri in Western Australia.







Bolt-on hold: 8 Diameter 3/8" - Lengths: 1x3", 1x3" 1/2, 1x4", 4x4" ½



UNIQUE SHAPES ERGONOMIC PINCHES PRECISE HAND POSITIONS

Narrow grooves force fingers' separation.

Hidden thumb slots reveal decent pinches.

Subtle finger pad edges make the difference.

Tip: combine them with C01003.







Bolt-on holds: 8 Diameter 3/8" - Lengths: 2x2" 1/2, 6x3" INVITING IMPECCABLE LARGE SLOPERS

12 slopers.

Optimal texture between comfort and friction.

Excellent on low angles to gentle overhangs.







Bolt-on holds: 12 Bolts Diameter 3/8" - Length(s): 2x2" 1/4, 10x2" 3/4 FUN POSITIVE AESTHETIC OVERSIZED COMFORTABLE

With this unique set of 8 overgrown holds, novice and intermediate climbers will have inspiring lines to test their new skills on.

Length: 350-480mm Width: 150-220mm Depth: 80-110mm







Bolt-on hold: 8 Diameter 3/8" - Lengths: 2 x 3-1/2", 6 x 4" This hold is positive enough to be held at any angles. Easy on vertical, challenging on roofs.

A fantastic shape with two sweet spots to discover.

Simply our favourite hold in the whole catalogue! Super ergonomic and pleasant grab with a beautiful finish and a perfect hollow back.







A massive pinchable hold with deep thumb pockets that will force climbers to look for the best spot, one they may never find!







How juggy can a jug be? How awesome can a hold feel? How much attention to details can be given to obtain such a beautiful craft?

This hold is the answer.



This is the largest hold in the shark family: The hammer shark!

It features two deep fourfinger pockets and ample space to step on to.







Introducing you to the latest addition of the family. Born in Sept 2023, it has similar features as its siblings: hulky and lumpy!







"The shark family has been designed to be fairly easy to climb on. TNUT CLIMBING plans to extend the fam so support us now by ordering a set and let us know if you are interested in more."

ATYPICAL ERGONOMIC GRATIFYING LOVED BY MANY!

8 large holds with intricate broken edges.

Find the single sweet spot on every hold.

Comparably more positive than the Classic Curves (C00004).

A popular set for intermediate/advance climbers on 40° home walls.









Bolt-on holds: 8 Diameter 3/8" - Lengths: 1x2", 3x2" 1/2, 2x3"

Bolt-Off floids: 8 Bolts Diameter 3/8" - Lengths: 3 x 1-3/4", 5 x 2"

Bolt-on holds: 12 Diameter 3/8" - Lengths: 4x2", 5x2" 1/2, 3x3" C00008 \$189

8 medium-sized pinches of gradual difficulty.







Bolt-on holds: 8
Diameter 3/8" - Lengths: 2x1" 1/2, 4x2", 2x2" 1/2

Matchable pairs offer blocking opportunities.

Assorted textures provide a variety of feels.

Note: screws are mandatory for the installation.

Tip: combine them with C01003.








Screw-on hold: 1

Bolt-on holds: 7 (mandatory use of screws).

Diameter 3/8" - Lengths: 6x1" 1/4, 1x1" ½





Bolt-on holds: 9
Bolts Diameter 3/8" - Length(s):

1x1" 1/4, 8x1" 1/2



C00012 \$96

12 classic small rails.

Ideal to place on volumes and corners where standard bolt attachments are not available.

Most are just wide enough to match on.







Screw-on holds: 12


## FOOTWORK BODY TENSION

12 specialised footholds for super steep walls.

Precise foot placements, ideal to force moves such as toe hooks and bicycles on roofs.

Purposely NOT ergonomic!

[Only 9 holds displayed in the photo]



\$104





Bolt-on holds: 12 Diameter 3/8" - Lengths: TBC C00017 \$32

8 small holds.








Screw-on holds: 6
Bolt-on holds: 2
Diameter 3/8" - Lengths: 2x1" ½

8 small to very small crimps.







Screw-on holds: 6

Bolt-on holds: 2 Bolts Diameter 3/8" - Length(s): 1x1" 1/4, 1x1" 1/2

C00019 \$48

12 small to tiny rectangular edges of varying difficulty.







Screw-on holds: 9

Bolt-on holds: 3

Diameter 3/8" - Lengths: 3x1" 1/2

REVOLUTIONISE INDOOR CLIMBING

8 flat jibs of triangular shape.

Add these jibs to your setting arsenal.

Small sizes eliminate hand hold options.

Help indoor climbers practice good footwork.







Screw-on holds: 8

C00021 \$48

12 flat jibs providing technical climbing on slab, vertical and slightly steep terrain.







Screw-on holds: 10 Bolt-on holds: 2

Diameter 3/8" - Lengths: 2x1" ½


#### ACCURATE FOOTWORK

Small, slopey and very low profile jibs.

Ideal on volumes, corners and near vertical walls.

This set is the smallest in the TNUT CLIMBING range.

The Essential Ellipses are the exact size needed to place a foothold that will often be impossible to use as a handhold.








Screw-on holds: 12

12 flat square foot holds.

Make smearing an obvious choice.







Screw-on holds: 11

Bolt-on hold: 1

Diameter 3/8" - Length: 1x1" 1/4

## 4 STAY HOME PACKS OF CHOICE

Tell us the wall angle + level targeted, we'll select a range of holds that best fits your need.


Shapes, colours, sizes and number of holds may vary depending on stock and production in the pipeline. In any cases, you'll get your money's worth!

The STAY HOME packs include regular bolts.



This pack is a solid foundation for your woody with a great variety of holds.


Minimum 40 holds with fitted standard bolts.





This is the ideal starter pack for your home climbing wall. It will get you psyched for weeks and may include larger visually appealing holds too!

Minimum 60 holds with fitted standard bolts.







This is the real deal to get you climbing strong.

Minimum 100 holds with fitted standard bolts.











TNUT's downclimbing hold made to perfection: comfortable, ergonomic, juggy, aesthetic and easy to step on.

Make bouldering safer by adding a column of these holds to provide a safe way down.


These jugs are also excellent for easy grades on steep terrain or roofs.

Warning: Potentially addictive!

Available in the colour of your choice (commonly Standard grey RAL 7001, Fluoro yellow, BASIC white-ish, etc...)







Bolt-on holds: 5 Diameter 3/8" - Lengths: 5x2" ½

## P00006

# CUSTOM ORDER TO YOUR BUDGET

Email remi@tnut.au with your requirements (preferred type of grip, wall angle, difficulty targeted...), we'll suggest a list of sets or individual holds.

#### Examples:

"I want 25 screw-on holds to add to an old and large tree", "I have a budget of \$800 and want to be challenged at grade V8 on a 40° home wall", "I want half a set of pretty pinches"...





## T00001

# **Adjustable Wide Pinches**

\$168

2 sets of parallel holds designed to work on pinch strength.

The position can be adjusted to the desired width (minimum 105mm).

Choice of 2 attachment systems: 3 long screws or 1 bolt.







Screw-on or Bolt-on holds: 4 Diameter 3/8" - Length: 4x3" 3 beautifully crafted climbing holds for playground.




These playground holds use a 2 bolt attachment system that requires 2 x M10 or 3/8"bolts. These climbing holds are designed for playground or other public spaces where it is often a requirement to have at least 2 attachment points. They will never spin once properly installed. TNUT CLIMBING opted here for SIMPLE, SKIN-FRIENDLY and ERGONOMIC playground climbing holds. Don't be fooled by nonsensical, sharp playground holds made of cheap plastic and too often available on the market!





# 2 bolt playground HAND hold

This hold is great value, positive and provides plenty of comfort for little and big hands.

Minimum order applies.







Bolt-on hold: 2 bolts Diameter 3/8" - Length: TBC


## PG-FOOT1

# 2 bolt playground FOOT hold


Beginners will find it equally easy to place a foot on this holds with or without specific climbing shoes.

It is also a very satisfying and positive hand hold with friendly thumb catches and an ergonomic curve

Minimum order applies.









Bolt-on hold: 2 bolts Diameter 3/8" - Length: TBC A straightforward, positive campus rung with a comfortable radius. Can be turned around for a more challenging grip.

Minimum order applies.









Bolt-on hold: 2 bolts Diameter 3/8" - Length: TBC







This is a 2-in-1 holder for business cards and smart phone.

Wall mounted or freestanding business card holder.

Wall mounted phone holder – handy when installed next to your training apparatus (hang board, campus board, ...). You'll never miss a set!





Screw-on hold: 1



Limited stock only



## **GARMENT**

## Women's T-SHIRT

\$33

TNUT Women's t-shirt.

Premium apparel, slim fit, crew neck.

Colour: several

Size: XSM, SML, MED, LRG

Email remi@tnut.au for

availability.





## **GARMENT**

## Men's SINGLET

\$33

TNUT Men's singlet.

Premium apparel, regular

Colour: several

Size: SML, MED, LRG

Email remi@tnut.au for

availability.





TNUT Men's t-shirt.

Premium apparel, slim fit, crew neck.

Colour: several

Size: SML, MED, LRG

Email remi@tnut.au for

availability.



## Zinc plated TEE NUTS (best for indoor use)

\$0.25 - \$0.30

Screw-in round based zinc plated t-nuts (including screws)

Thread: 3/8"

Total height: 12.4mm Barrel height: 10mm Outside barrel diameter:

11mm

Base thickness: 2mm Base diameter: 25mm

Size of drill bit required:

12mm





REF: B38ZPSIT-RND Box of 2000 \$500 (\$0.25 each)

**REF: 38ZPSIT-RND** 

\$0.30 each

Screw-in round based zinc plated t-nuts (including screws)

Thread: M10

Total height: 13mm
Barrel height: ~11mm
Outside barrel diameter:

11.5mm

Base thickness: ~2mm Base diameter: 25mm

Size of drill bit required:

12mm





REF: BM10ZPSIT-RND Box of 2000 \$500 (\$0.25 each)

**REF: M10ZPSIT-RND** 

\$0.30 each

Rectangular industrial zinc plated screw-in t-nuts (including screws):

Thread: 3/8"

Rectangular base: 40mm x 25mm Total height: 18mm Barrel height: 15.7mm Outside barrel ø: 12.5mm Base thickness: 2.2mm

Size of drill bit required: 12.5mm to 13mm





REF: 38ZPSIT-RECT \$0.60 each

REF: B38ZPSIT-RECT Box of 1000 \$550 (\$0.55 each)

Diamond industrial zinc plated screw-in t-nuts (including screws):

Thread: M10

Trimmed rectangular base:

40mm x 25mm

Total height: 18mm

Barrel height: 15.7mm

Outside barrel ø: 12.5mm

Base thickness: 2.2mm

Size of drill bit required: 12.5mm to 13mm



REF: M10ZPSIT-DMD \$0.60 each

REF: BM10ZPSIT-DMD Box of 1000

\$550 (\$0.55 each)

Screw-in round based STAINLESS STEEL t-nuts (including screws)

Thread: 3/8"

Total height: ~12.7mm Barrel height: 11mm Outside barrel diameter:

11mm

Base thickness: ~2mm Base diameter: 25mm

12mm drill bit required.



REF: 38SSSIT-RND \$1 each

Screw-in round based STAINLESS STEEL t-nuts (including screws)

Thread: **M10**Total height: 13mm
Barrel height: 11.3mm
Outside barrel diameter:

~11.8mm

Base thickness: ~2mm Base diameter: 25mm

12mm drill bit required.



REF: M10SSSIT-RND \$1 each

## **Drill bits** \$25 - \$35

12mm or 12.5mm drill bits for standard drills.

Ideal for use in timber, plastic, ferrous and non-ferrous metals.



REF: 12DRILLBIT 12mm: \$25

REF: 125DRILLBIT \$12.5mm: \$25

12mm or 12.5mm drill bits engineered for impact drivers with a ¼" hex shank.

Ideal for use in timber, plastic, ferrous and non-ferrous metals.



REF: 12IMPACTBIT 12mm: \$30

REF: 125IMPACTBIT 12.5mm: \$35



*	indicative p	rice only
1" 1/4 bolts	31.75mm	\$0.38
1" 1/2 bolts	38.1mm	\$0.43
1" 3/4 bolts	44.45mm	\$0.51
2" bolts	50.8mm	\$0.50
2" ¼ bolts	57.15mm	\$0.54
2" 1/2 bolts	63.5mm	\$0.67
2" ¾ bolts	76.2mm	\$0.74
3" bolts	76.2mm	\$0.82
3" 1/4 bolts	82.55mm	\$0.90
3" 1/2 bolts	88.9mm	\$1.02
3" 3/4 bolts	95.25mm	\$1.11
4" bolts	101.6mm	\$1.19
4" 1/2 bolts	114.3mm	\$1.56
5" bolts	127mm	\$1.59
5" 1/2 bolts	139.7mm	\$2.07

Countersunk BOLTS (	best for indoor use)	*i	ndicative p	rice only
	High Tensile COUNTERSUNK bolts	1" 1/4 bolts	31.75mm	\$0.50
	UNC (Black).   A 7/32" Allen key is required to tighten these countersunk bolts. Countersunk bolts are only needed for certain type of small climbing holds. You won't need those bolts for any TNUT holds.	1" 1/2 bolts	38.1mm	\$0.60


3/8" Stainless Steel G304 BOLTS (outdoor use)	*	indicative p	rice only
	1" ¼ bolts	37.75mm	\$0.92
	1" ½ bolts	38.1mm	\$1.02
	1" ¾ bolts	44.45mm	\$1.19
	2" bolts	50.8mm	\$0.99
	2" ¼ bolts	57.15mm	\$1.65
	2" ½ bolts	63.5mm	\$1.58
	3" bolts	76.2mm	\$2.40

M10 High Tensile BOLTS (indoor use)	*indicative pr	ice only
	40mm	\$0.40
	45mm	\$0.45
	50mm	\$0.52
	55mm	\$0.57
	60mm	\$0.61
	65mm	\$0.66

M10 Stainless Steel G304 BOLTS (outdoor use)	*indicative price only	
	40mm	\$1.14
	45mm	\$1.23
	50mm	\$1.31
	55mm	\$1.53
	60mm	\$1.56
	65mm	\$1.57
	70mm	\$1.88
	80mm	\$2.10
	90mm	\$2.27
	100mm	\$2.56
	110mm	\$2.84
	120mm	\$3.06

# Other BOLTS

Enquiry by emailing remi@tnut.au




Patented RW bit for Wurth ASSY screws.

The RW bit fits deep into the ASSY countersunk milling pocket head, providing maximum power transmission and allowing significant movement of the impact driver with the screw placed at the tip of the bit.

Compatible with impact drivers (¼ inch hex attachment).


The RW20 is also compatible with previous internal drive AW20.



#### **WURTH WOOD SCREWS**

#### \*indicative price only (per 100)





These WURTH screws combined with the RW20 bit are the best to install climbing holds to wooden panels with ease. Many climbing centres in Australia, Europe, Asia, etc. have been using these screws in recent years and there is no going back!

The bit fits perfectly in the drive, ensuring a higher level of stability and precise positioning during the screwing process. Most importantly, screwing can be carried out much easier with one hand than most other types of wood screws. These save considerable time and energy to setters who already have to deal with balancing themselves on ladders and ropes.

Other sizes may be available on request, please email remi@tnut.au

WURTH4030 (per unit or box of 500)	ø: 4mm	L: 30mm	\$7.15
WURTH4545 (per unit or box of 500)	ø: 4.5mm	L: 45mm	\$16.20
WURTH4560 (per unit or box of 250)	ø: 4.5mm	L: 60mm	\$21.50
WURTH4580 (per unit or box of 200)	ø: 4.5mm	L: 80mm	\$37.70
WURTH45100 (per unit or box of 100)	ø: 4.5mm	L: 100mm	\$41.80






# Custom-made, Durable, Safe and Secure System

The anti-climbing mat system has 2 functions:

1) Provides an impact attenuating system beneath the climbers when placed on the floor.



2) Prevents unsupervised climbing when secured across the wall.



Public will not be able to access the wall while the mat is up as it covers all possible hand and foot holds up to 2.7m high.

Once placed on the floor, the mat straps can be tucked away easily, making the mat obstacle free.

The TNUT "no climbing" decal shows the climbing wall is closed.

Several colours available.



It features an ingenious key locking mechanism which guarantees only authorised members can bring the mats to the floor.

A simple key is needed to access the wall. No specific tools required.


Email remi@tnut.au for a free quote.






You have a project or an idea to build a small climbing wall at home, but don't know where to start? We might be able to help... Email remi@tnut.au

# Kid's climbing wall / storage unit











# **Vertical walls**











# **Standard MOONBOARD walls**






# 1-car bay climbing wall







# **Custom training frames**













TNUT's effort into standardising and customising colours allows head route setters to extend their range of existing colours and climbers to easily distinguish between colours on the wall.

#### **STANDARD colours:**

TNUT Climbing is determined to offer a range of eye-catching colours widely used by other hold manufacturers from Europe and the US. We have the formulas needed to achieve the following distinct and codified colours (RAL and PANTONE):

- Jet Black RAL 9005
- Sky Blue RAL 5015
- Signal Blue RAL 5005 (not shown here)
- Orange RAL 2003
- Teal RAL 6027
- Grey RAL 7001
- Yellow RAL 1021
- Yellow Pantone 115C
- Yellow Pantone 116C (not shown here)
- Red RAL 3020 (not shown here)
- Violet RAL 4008
- Purple RAL 4005
- Green Pantone 7739C or 16-16
- Pink Violet Heather RAL 4003 (not shown here)



#### **FLUORO** colours

- Fluoro Yellow
- Fluoro Pink
- Fluoro GREEN (Pantone 802C)
- Fluoro Orange
- Fluoro RED (Pantone 805C)





#### **BASIC colours:**

- Black
- Dark Brown (~ RAL 8015)
- Light Brown (~ RAL 2013)
- Red (~Pantone 3517C)
- Light Red (~ RAL 3028)
- Gold (~ RAL 1005)
- Yellow (~ RAL 1018)

- Dark Blue (~ RAL 5005)
- Light Blue (~ Pantone 1746 C)
- Dark Green (~Pantone 2245 C)
- Green (~Pantone 7740 C)
- Grassy Green (~ RAL 6017)
- Natural (~Pantone 7499C)
- Off White (~RAL 1015)



#### **COLOUR MATCHING SERVICE**



TNUT Climbing offers a range of eye-catching colours and colours used by other hold manufacturers in Europe and the US. Provided you have few weeks up your sleeves, TNUT Climbing will attempt to match your existing hold colour (minimum order applies).

## **TECHNICAL INFORMATION:**

- Holds are made of resistant polyurethane material.
- Screw holes are meticulously placed to prevent spinning holds.
- The texture is the perfect balance between comfort and friction.
- All holds are engineered with stainless steel washers for longevity.
- Designed and produced by Remi Vignals, experienced rock climber and route setter.

# route setter.

#### **ATTACHMENT SYSTEM**

Most of TNUT's BOLT-ON HOLDS have 2 holes:

- The 10mm diameter hole is for fixing the hold into a standard imperial 3/8" t-nut and requires 3/8" (UNC) socket head bolts of varying lengths (from 1" ½ to 4" ½). M10 t-nuts will require M10 socket head bolts.
- The 3/16" (~5mm) diameter hole prevents the holds from spinning. We recommend using non-self-drilling timber screws of 8G/10G x 30mm to 70mm.

TNUT's SCREW-ON HOLDS have at least two holes of diameter 3/16". We recommend using non-self-drilling timber screws of 10G x 30mm to 50mm. Wurth ASSY screws are highly recommended to any serious setters and climbing/bouldering centres.

All 10mm holes and most 3/16" holes have been reinforced with marine grade stainless steel washers (316).

Bolts and/or screws are not supplied with standard sets of holds. They can be purchased separately.

All prices include GST.

#### **DIRECT PAYMENT DETAILS:**

TNUT CLIMBING BSB: 306076 Acct: 0688302

#### **CONTACTS:**

TNUT CLIMBING | ABN: 69435179093 PO Box 8314 PERTH WA 6849 remi@tnut.au | 0412 963 919

IG: @tnutclimbing

