

PRODUCT CATALOGUE

2026 - 2027

TURBO
GARDENING MACHINERY

www.turbogardening.com

GREETINGS FROM TURBO GARDENING MACHINERY

WE ARE A SPECIALIZED MANUFACTURER

dedicated to the research, development, design, and production of lawn mowers, rotary tillers, and a wide range of outdoor power equipment and accessories. Headquartered in Shangyu, Zhejiang Province, we have developed into a reputable name in the international garden machinery industry.



ZHEJIANG TURBO GARDENING MACHINERY CO., LTD.

✉ dan.li@turbogardening.com

★ www.turbogardening.com

📍 #138 East Jianghuan Rd., The East Industrial Park,
Shangyu, Zhejiang, China, 312300

📞 +86 187 2109 6950

SCAN FOR WECHAT



www.turbogardening.com



**BUILDING
TRUST
THROUGH
QUALITY
& RELIABILITY**



LIMITED WARRANTY






With a strong foundation in OEM and ODM services, we provide flexible, high-quality solutions to meet the needs of global clients. Our facilities feature advanced production lines, comprehensive testing systems, and a dedicated R&D center, enabling continuous innovation and optimization for performance, durability, and sustainability.

Beyond manufacturing, we offer end-to-end support — from design and prototyping to large-scale production and quality assurance. Our experienced team works closely with clients to deliver tailored solutions, shorten time-to-market, and ensure cost efficiency, helping them succeed in competitive global markets.




All models are tested by global labs & certified.



BSCI Report



**CE
(gasoline products)**



**CE
(electric products)**



EURO V



ISO 9001



SGS



Noise



EMC

66 Design, Development & Invention Patents.





Innovation-Driven
Growth



Quality
Guaranteed



Timely
Delivery



Long-term
Cooperation



TURBO GARDENING



Customer
Centric



Global Market
Expansion



OEM & ODM
Excellence



Sustainable
Manufacturing



Lawn Care



16" - 22" Mowers 14



Zero-Turn Mower 44



Foldable Mower 47



Cross-Blade System 50



Vertical Gasoline Engines 53



Electric Corded Mowers 57



Robotic Mower 61



Self-Propelled Trimmer 63



Tillers, Scarifiers, Spare Parts & Others

	Front-Tine Tillers	66
	Horizontal Gasoline Engines	70
	Reverse Gear Tiller	72
	Rear-Tine Tiller	75
	Gasoline Scarifier	79
	Inverter Generator	82
	Spare Parts	84
	Protective Gears	87

Understanding Turbo Lawn Mower Model Numbers



S: Self Propelled
P: Hand Pushed

1: Turbo
2: Briggs & Stratton
3: Loncin
4: RATO
5: Honda

TB 53 S 1 1 E

56cm (22 inch)
53cm (21 inch)
51cm (20 inch)
46cm (18 inch)
43cm (17 inch)
40cm (16 inch)

1: With side discharge
0: No side discharge

Electric Start





TURBO

16-inch Mowers



Easy Handling



Fuel Efficient



Beginner Friendly



Compact Storage



OPTIONAL COVERS



TB40S01A

Turbo Powered

TURBO

25KG
Gross Weight

65x52x42cm
Carton Dimensions

492pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	400mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	139cc	Noise Level	96dB(A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		

 All models are customizable.



16" Hand-push Models



TB40P01A

Turbo Powered



21KG
Gross Weight

65x48x38cm
Carton Dimensions

630pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	400mm
Engine Power	2.7kW (3.6HP)	Cutting Height	30-60mm
Engine Speed	2800rpm	Height Adjustment	3 (four wheels adjustment)
Engine Displacement	139cc	Noise Level	96dB(A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Plastic	Wheel (inch)	Front 6, rear 6
Walk Type	Hand push	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB40P02

B&S Powered



21KG
Gross Weight

65x48x38cm
Carton Dimensions

630pcs
MOQ (40HQ)

Engine Model	BS450E	Cutting Width	400mm
Engine Power	1.8kW (2.4HP)	Cutting Height	30-60mm
Engine Speed	2800rpm	Height Adjustment	3 (four wheels adjustment)
Engine Displacement	125cc	Noise Level	96dB(A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 6
Walk Type	Hand push	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB40P03A

Loncin Powered



21KG
Gross Weight

65x48x38cm
Carton Dimensions

630pcs
MOQ (40HQ)

Engine Model	LC1P65FE-3	Cutting Width	400mm
Engine Power	2.1kW (2.8HP)	Cutting Height	30-60mm
Engine Speed	2800rpm	Height Adjustment	3 (four wheels adjustment)
Engine Displacement	123cc	Noise Level	96dB(A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 6
Walk Type	Hand push	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB40P04

RATO Powered



21KG
Gross Weight

65x48x38cm
Carton Dimensions

630pcs
MOQ (40HQ)

Engine Model	RV125-S	Cutting Width	400mm
Engine Power	2.0kW (2.7HP)	Cutting Height	30-60mm
Engine Speed	2800rpm	Height Adjustment	3 (four wheels adjustment)
Engine Displacement	127cc	Noise Level	96dB(A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 6
Walk Type	Hand push	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		

16" Self-propelled Models



TB40S01A

Turbo Powered



25KG
Gross Weight

65x52x42cm
Carton Dimensions

492pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	400mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	139cc	Noise Level	96dB(A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB40S02

B&S Powered



25KG
Gross Weight

65x52x42cm
Carton Dimensions

492pcs
MOQ (40HQ)

Engine Model	BS450E	Cutting Width	400mm
Engine Power	1.8kW (2.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	125cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB40S03

Loncin Powered



25KG
Gross Weight

65x52x42cm
Carton Dimensions

492pcs
MOQ (40HQ)

Engine Model	LC1P65FE	Cutting Width	400mm
Engine Power	2.4kW (3.2HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB40S04

RATO Powered



25KG
Gross Weight

65x52x42cm
Carton Dimensions

492pcs
MOQ (40HQ)

Engine Model	RV125-S	Cutting Width	400mm
Engine Power	2.0kW (2.7HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	127cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		





17-inch Mowers



Reliable Cutting



Low Maintenance



Easy Controls



Balanced Performance

OPTIONAL COVERS



TB43S01A

Turbo Powered



26KG
Gross Weight



69x52x44cm
Carton Dimensions



370pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	430mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, half plastic bag
Discharge	Rear		

All models are customizable.



17" Hand-push Models



TB43P01A

Turbo Powered



26KG
Gross Weight

69x52x44cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	430mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	40L, half plastic bag
Discharge	Rear		



TB43P02

B&S Powered



26KG
Gross Weight

69x52x42cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	BS450E	Cutting Width	430mm
Engine Power	1.8kW (2.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	125cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB43P03

Loncin Powered



26KG
Gross Weight

69x52x42cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	LC1P65FE	Cutting Width	430mm
Engine Power	2.4kW (3.2HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB43P04

RATO Powered



26KG
Gross Weight

65x48x38cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	RV125-S	Cutting Width	430mm
Engine Power	2.0kW (2.7HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	127cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		

17" Self-propelled Models



TB43S01A

Turbo Powered



26KG
Gross Weight

89x52x44cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	430mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB43S02

B&S Powered



26KG
Gross Weight

85x52x42cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	BS450E	Cutting Width	430mm
Engine Power	1.8kW (2.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	125cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB43S03

Loncin Powered



26KG
Gross Weight

89x52x44cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	LC1P65FE	Cutting Width	430mm
Engine Power	2.4kW (3.2HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		



TB43S04

RATO Powered



26KG
Gross Weight

85x52x42cm
Carton Dimensions

444pcs
MOQ (40HQ)

Engine Model	RV125-S	Cutting Width	430mm
Engine Power	2.0kW (2.7HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	6-level central adjustment
Engine Displacement	127cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Self-propelled	Grass Catcher Capacity	40L, fabric bag
Discharge	Rear		





18-inch Mowers



Versatile Size



Durable Build



Comfortable Controls



Economic Model

OPTIONAL COVERS



TB46S11E

Turbo Powered

TURBO

35KG
Gross Weight

79x57x49cm
Carton Dimensions

300pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	460mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 7, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Washing hole

All models are customizable.



18" Hand-push Models



TB46P01

Turbo Powered



35KG
Gross Weight

76x57x44cm
Carton Dimensions

377pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	460mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	60L, fabric bag
Discharge	Rear		



TB46P02

B&S Powered



35KG
Gross Weight

76x57x44cm
Carton Dimensions

377pcs
MOQ (40HQ)

Engine Model	BS500E	Cutting Width	460mm
Engine Power	2.1kW (2.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	140cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	60L, fabric bag
Discharge	Rear		



TB46P03

Loncin Powered



35KG
Gross Weight

76x57x48cm
Carton Dimensions

377pcs
MOQ (40HQ)

Engine Model	LC1P65FE	Cutting Width	460mm
Engine Power	2.4kW (3.2HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear		



TB46P04

RATO Powered



35KG
Gross Weight

76x57x48cm
Carton Dimensions

377pcs
MOQ (40HQ)

Engine Model	RV125-S	Cutting Width	460mm
Engine Power	2.0kW (2.7HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	127cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 6, rear 8
Walk Type	Hand push	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear		

18" Self-propelled Models



TB46S11

Turbo Powered



36KG Gross Weight 79x57x49cm Carton Dimensions 300pos MOQ (HSIQC)

Engine Model	TB1P65F	Cutting Width	460mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	139cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 7, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB46S12

B&S Powered



36KG Gross Weight 79x57x49cm Carton Dimensions 300pos MOQ (HSIQC)

Engine Model	BS500E	Cutting Width	460mm
Engine Power	2.1kW (2.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	140cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 7, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB46S13A

Loncin Powered



36KG Gross Weight 79x57x49cm Carton Dimensions 300pos MOQ (HSIQC)

Engine Model	LC1P65FC	Cutting Width	460mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	159cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 7, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB46S14

RATO Powered



36KG Gross Weight 79x57x49cm Carton Dimensions 300pos MOQ (HSIQC)

Engine Model	RV125-S	Cutting Width	460mm
Engine Power	2.0kW (2.7HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	127cc	Noise Level	96dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 7, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole





20-inch Mowers



Efficient Cutting



Rugged Build



Wide Deck



Powerful Engine



Medium-Size Lawns



Reliable Performance

OPTIONAL COVERS



TB51S11E

Turbo Powered

TURBO

40KG
Gross Weight

83x57x49cm
Carton Dimensions

285pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	510mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Washing hole

All models are customizable.



20" Models



TB51P01

Turbo Powered



40KG
Gross Weight

83x57x49cm
Carton Dimensions

285pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	510mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Hand push	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB51P03

Loncin Powered



40KG
Gross Weight

83x57x49cm
Carton Dimensions

285pcs
MOQ (40HQ)

Engine Model	LC1P70FC	Cutting Width	510mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Hand push	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB51S01

Turbo Powered



40KG
Gross Weight

83x57x49cm
Carton Dimensions

285pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	510mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB51S03

Loncin Powered



40KG
Gross Weight

83x57x49cm
Carton Dimensions

285pcs
MOQ (40HQ)

Engine Model	LC1P70FC	Cutting Width	510mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB51S11

Turbo Powered



40KG
Gross Weight

83×57×49cm
Carton Dimensions

285pes
MOQ (HOHQ)

Engine Model	TB1P70FA	Cutting Width	510mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB51S11E

Turbo Powered



40KG
Gross Weight

83×57×49cm
Carton Dimensions

285pes
MOQ (HOHQ)

Engine Model	TB1P70FA	Cutting Width	510mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB51S13A

Loncin Powered



40KG
Gross Weight

83×57×49cm
Carton Dimensions

285pes
MOQ (HOHQ)

Engine Model	LC1P70FC	Cutting Width	510mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB51S13AE

Loncin Powered



40KG
Gross Weight

83×57×49cm
Carton Dimensions

285pes
MOQ (HOHQ)

Engine Model	LC1P70FC	Cutting Width	510mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole





21-inch Mowers



Professional Cutting



Heavy-Duty Build



High Efficiency



Highly Powerful



Premium Durability



Premium Performance

OPTIONAL COVERS



TB53S11E

Turbo Powered



42KG
Gross Weight



86x57x49cm
Carton Dimensions



270pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	530mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole

All models are customizable.



21" Self-propelled Models



TB53S11

Turbo Powered



42KG
Gross Weight

86x57x49cm
Carton Dimensions

270pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	530mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB53S11B

Turbo Powered



42KG
Gross Weight

86x57x49cm
Carton Dimensions

270pcs
MOQ (40HQ)

Engine Model	TB1P70FB	Cutting Width	530mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB53S13

Loncin Powered



42KG
Gross Weight

86x57x49cm
Carton Dimensions

270pcs
MOQ (40HQ)

Engine Model	LC1P70FC	Cutting Width	530mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB53S13B

Loncin Powered



42KG
Gross Weight

86x57x49cm
Carton Dimensions

270pcs
MOQ (40HQ)

Engine Model	V200	Cutting Width	530mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB53S11E

Turbo Powered



42KG
Gross Weight

86×57×49cm
Carton Dimensions

270pos
MOQ (HHDQ)

Engine Model	TB1P70FA	Cutting Width	530mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB53S11B

Turbo Powered



42KG
Gross Weight

86×57×49cm
Carton Dimensions

270pos
MOQ (HHDQ)

Engine Model	TB1P70FB	Cutting Width	530mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB53S13E

Loncin Powered



42KG
Gross Weight

86×57×49cm
Carton Dimensions

270pos
MOQ (HHDQ)

Engine Model	LC1P70FC	Cutting Width	530mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB53S13BE

Loncin Powered



42KG
Gross Weight

86×57×49cm
Carton Dimensions

270pos
MOQ (HHDQ)

Engine Model	V200	Cutting Width	530mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole





22-inch Mowers



Max Cutting Capacity



Robust Build



High Productivity



Long-Lasting Power



Large-lawn Specialist



Flagship Performance

OPTIONAL COVERS



TB56S11E

Turbo Powered

TURBO

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	560mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole

 All models are customizable.



22" Self-propelled Models



TB56S11

Turbo Powered

TURBO

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	560mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB56S11A

Turbo Powered

TURBO

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	TB1P70FB	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole

TB56S13

Loncin Powered

Loncin

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	LC1P70FC	Cutting Width	560mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole

TB56S13A

Loncin Powered

Loncin

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	V200	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



22" Self-propelled Models



TB56S11E

Turbo Powered



44KG Gross Weight 91x61x49cm Carton Dimensions 225pcs MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	560mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	139cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB56S11BE

Turbo Powered



44KG Gross Weight 91x61x49cm Carton Dimensions 225pcs MOQ (40HQ)

Engine Model	TB1P70FB	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB56S13E

Loncin Powered



44KG Gross Weight 91x61x49cm Carton Dimensions 225pcs MOQ (40HQ)

Engine Model	LC1P70FC	Cutting Width	560mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB56S13AE

Loncin Powered



44KG Gross Weight 91x61x49cm Carton Dimensions 225pcs MOQ (40HQ)

Engine Model	V200	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole





22" Speed Adjustable Models



TB56S11

Turbo Powered

TURBO

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	560mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB56S11A

Turbo Powered

TURBO

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	TB1P70FB	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB56S13

Loncin Powered

Loncin

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	LC1P70FC	Cutting Width	560mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



TB56S13A

Loncin Powered

Loncin

44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	V200	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole

22" Speed Adjustable Models



TB56S11E

Turbo Powered



44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	TB1P65F	Cutting Width	560mm
Engine Power	2.7kW (3.6HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	139cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



 Speed Adjustable

TB56S11BE

Turbo Powered



44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	TB1P70FB	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



 Speed Adjustable

TB56S13E

Loncin Powered



44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	LC1P70FC	Cutting Width	560mm
Engine Power	3.5kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



 Speed Adjustable

TB56S13AE

Loncin Powered



44KG
Gross Weight

91x61x49cm
Carton Dimensions

225pcs
MOQ (40HQ)

Engine Model	V200	Cutting Width	560mm
Engine Power	4.0kW (5.4HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	8-level central adjustment
Engine Displacement	196cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	<ol style="list-style-type: none"> 1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole



 Speed Adjustable



Side Discharge Mowers



Lightweight Design



Fuel Efficient



Easy Controls



Compact Storage

OPTIONAL COVERS



**Extra-Large®
Rear Wheels**



**Extra-Large
Discharge Chute**



 All models are customizable.



Side-Discharge Models



TB45P01

Turbo Powered



29KG
Gross Weight

71x56x38cm
Carton Dimensions

469pcs
MOQ (40HQ)

Engine Model	TB1P65F	Discharge	Side discharge
Engine Power	2.7kW (3.7HP)	Cutting Width	450mm
Engine Speed	2800rpm	Cutting Height	25-75mm
Engine Displacement	139cc	Height Adjustment	5-level central adjustment
Starting System	Recoil	Noise Level	96dB (A)
Deck Material	Steel	Blade	Straight blade
Walk Type	Hand push	Wheel (inch)	Front 7, rear 7



TB45P02

B&S Powered



29KG
Gross Weight

71x56x38cm
Carton Dimensions

469pcs
MOQ (40HQ)

Engine Model	BS500E	Discharge	Side discharge
Engine Power	2.1kW (2.8HP)	Cutting Width	450mm
Engine Speed	2800rpm	Cutting Height	25-75mm
Engine Displacement	140cc	Height Adjustment	5-level central adjustment
Starting System	Recoil	Noise Level	96dB (A)
Deck Material	Steel	Blade	Straight blade
Walk Type	Hand push	Wheel (inch)	Front 7, rear 7



TB45P03

Loncin Powered



29KG
Gross Weight

71x56x38cm
Carton Dimensions

469pcs
MOQ (40HQ)

Engine Model	LC1P65FE	Discharge	Side discharge
Engine Power	2.4kW (3.2HP)	Cutting Width	450mm
Engine Speed	2800rpm	Cutting Height	25-75mm
Engine Displacement	139cc	Height Adjustment	5-level central adjustment
Starting System	Recoil	Noise Level	96dB (A)
Deck Material	Steel	Blade	Straight blade
Walk Type	Hand push	Wheel (inch)	Front 7, rear 7



TB45P04C

RATO Powered



29KG
Gross Weight

71x56x38cm
Carton Dimensions

469pcs
MOQ (40HQ)

Engine Model	RV145-S	Discharge	Side discharge
Engine Power	2.5kW (3.4HP)	Cutting Width	450mm
Engine Speed	2800rpm	Cutting Height	25-75mm
Engine Displacement	144cc	Height Adjustment	5-level central adjustment
Starting System	Recoil	Noise Level	96dB (A)
Deck Material	Steel	Blade	Straight blade
Walk Type	Hand push	Wheel (inch)	Front 7, rear 7

Side-Discharge Models



TB50P01

Turbo Powered



31KG
Gross Weight

84x56x42cm
Carton Dimensions

336pcs
MOQ (48HQ)

Engine Model	TB1P70FA
Engine Power	3.6kW (4.8HP)
Engine Speed	2800rpm
Engine Displacement	173cc
Starting System	Recoil
Deck Material	Steel
Walk Type	Hand push

Discharge	Side discharge
Cutting Width	500mm
Cutting Height	25-75mm
Height Adjustment	5-level central adjustment
Noise Level	98dB (A)
Blade	Straight blade
Wheel (inch)	Front 8, rear 12



TB50P02

B&S Powered



31KG
Gross Weight

84x56x42cm
Carton Dimensions

336pcs
MOQ (48HQ)

Engine Model	BS500E
Engine Power	2.1kW (2.8HP)
Engine Speed	2800rpm
Engine Displacement	140cc
Starting System	Recoil
Deck Material	Steel
Walk Type	Hand push

Discharge	Side discharge
Cutting Width	500mm
Cutting Height	25-75mm
Height Adjustment	5-level central adjustment
Noise Level	98dB (A)
Blade	Straight blade
Wheel (inch)	Front 8, rear 12



TB50P03

Loncin Powered



31KG
Gross Weight

84x56x42cm
Carton Dimensions

336pcs
MOQ (48HQ)

Engine Model	LC1P65FC
Engine Power	2.7kW (3.6HP)
Engine Speed	2800rpm
Engine Displacement	159cc
Starting System	Recoil
Deck Material	Steel
Walk Type	Hand push

Discharge	Side discharge
Cutting Width	500mm
Cutting Height	25-75mm
Height Adjustment	5-level central adjustment
Noise Level	98dB (A)
Blade	Straight blade
Wheel (inch)	Front 8, rear 12



TB50P04

RATO Powered



31KG
Gross Weight

84x56x42cm
Carton Dimensions

336pcs
MOQ (48HQ)

Engine Model	RV170-S
Engine Power	2.8kW (3.8HP)
Engine Speed	2800rpm
Engine Displacement	170cc
Starting System	Recoil
Deck Material	Steel
Walk Type	Hand push

Discharge	Side discharge
Cutting Width	500mm
Cutting Height	25-75mm
Height Adjustment	5-level central adjustment
Noise Level	98dB (A)
Blade	Straight blade
Wheel (inch)	Front 8, rear 12





Zero-Turn Mower



Free Steering



Intuitive Control



Easy Switch



Unique Design

Foamed Handlebar

Comfortable operation



E-Start with Recoil Backup

One-button simple starting



Self Propelled

Cup/Can Holder

Handy control panel design

Quick Locks

Powerful Engine

Multiple options available

65L Grass Catcher

Extended runtime




7 Adjustable Cutting Heights

25-75mm central adjustment



Sturdy Steel Deck

Upgraded material for enhanced durability



Zero-Turn System

Free steering with directional lock



Zero-Turn System Available for 20, 21 & 22-inch Models



ZERO-TURN

Turbo Powered



Engine Model TB1P70FA

 50KG
Gross Weight

Engine Power 3.6kW (4.8HP)

 86x57x49cm
Carton Dimensions

Engine Speed 2800rpm

Cutting Width 510mm

Engine Displacement 173cc

Cutting Height 25-75mm

Starting System Recoil

Height Adjustment 7 (center height adjustment)

Deck Material Steel

Noise Level 98dB (A)

Walk Type Self-propelled

Blade Straight blade

Discharge Rear, side discharge,
mulching

Wheel (inch) Front 8, Rear 10

Grass Catcher Capacity 65L, half plastic grass bag

Features

1. Two ZERO-TURN swivel wheels
2. Interlocked central height adjustment
3. Grass comb
4. Upgraded chassis



ALWAYS LEVELLED CENTRAL HEIGHT ADJUSTMENT

Central Height
Always Levelled to Ground



Bottom Cover
Fully Protected Engine & Belt



One-handed
Directional Lock



Curled Rim for Enhanced
Chassis Durability



Foldable Mower



Space Saving



Quick Lock



Tool-Free Folding



Durable & Robust



OPTIONAL COVERS



*Foldable Design
Available for All Models.*



TB51S11E

Turbo Powered

TURBO

40KG
Gross Weight

83x57x49cm
Carton Dimensions

285pcs
MOQ (40HQ)

Engine Model	TB1P70FA	Cutting Width	510mm
Engine Power	3.6kW (4.8HP)	Cutting Height	25-75mm
Engine Speed	2800rpm	Height Adjustment	7-level central adjustment
Engine Displacement	173cc	Noise Level	98dB (A)
Starting System	Recoil & electric start	Blade	Straight blade
Deck Material	Steel	Wheel (inch)	Front 8, rear 10
Walk Type	Self-propelled	Grass Catcher Capacity	60L, half plastic bag
Discharge	Rear, side discharge, mulching	Features	1. Foamed upper handle 2. Front handle 3. Control panel 4. Washing hole

***Foldable Design Available for All Models.**

Adjustable Handle Height



Foldable: Saves up to 50% of Storage Space





Cross-Blade System



Powerful



Robust Build




Upgraded Material



Efficiency Increase


PATENTED CROSS-BLADE & FAN SYSTEM



 **Double Cutting**

 **60% INCREASE**
in discharge efficiency

 **Grass Compression**
for more storage



PATENTED
CROSS-BLADE & FAN SYSTEM



Turbo Vertical Gasoline Engines



Customizable



Multiple Options



Powerful



Reliable



Each Unit Tested



Certified





Engine Structure





TB1P65F

139cc

Engine Type	Single cylinder, Air cooled, 4-stroke, OHV
Bore x Stroke (mm)	65x42
Displacement (ML)	139
Max Torque (Nm r/min)	8.5/2600
NET. Power (kW r/min)	2.7/3600
Max. Engine Power (kW/rpm)	2.7/3600
Dimensions (mm)	415x335x355
Starting Mode	Recoil
Net Weight	11
Fuel Capacity (L)	1.5
Oil Capacity (L)	0.6



TB1P70FA

173cc

Engine Type	Single cylinder, Air cooled, 4-stroke, OHV
Bore x Stroke (mm)	70x45
Displacement (ML)	173
Max Torque (Nm r/min)	9.5/2600
NET. Power (kW r/min)	3.3/3600
Max. Engine Power (kW/rpm)	3.6/3600
Dimensions (mm)	420x335x365
Starting Mode	Recoil
Net Weight	12.8
Fuel Capacity (L)	1.5
Oil Capacity (L)	0.6



TB1P70F

196cc

Engine Type	Single cylinder, Air cooled, 4-stroke, OHV
Bore x Stroke (mm)	70x51
Displacement (ML)	196
Max Torque (Nm r/min)	12.0/2500
NET. Power (kW r/min)	3.6/3600
Max. Engine Power (kW/rpm)	4.0/3600
Dimensions (mm)	425x335x365
Starting Mode	Recoil
Net Weight	13
Fuel Capacity (L)	1.5
Oil Capacity (L)	0.6

Available on all models.



LC1P65FE - 123cc



LC1P65FE-C - 139cc



LC1P65FE-2 - 166cc



V200 - 196cc



LC1P70FC - 196cc



GCV145 - 145cc



GCV170 - 170cc



GCV200 - 200cc



450E - 125cc



500E - 140cc



550E - 140cc



750EX DOV- 161cc



Electric Corded Mowers



Long Runtime




Compact Design



Eco-Friendly



Budget Models



No More Overheat

- Smart motor monitoring
- Auto overload protection
- Longer life & safer use

Premium Carbon Brush

- Durable carbon brushes
- Smooth, efficient motor
- Longer life, less upkeep

Enhanced Belt

- Strong, durable belt
- Smooth, consistent power
- Quieter, longer-lasting mower





TBE1332

1300W

Voltage:	230V-240V~, 50Hz
Wattage:	1300W
Speed (no load):	3300r/min
Cutting width:	320mm
Height adjustment:	3 (30-60mm approx.)
Advised max. cutting area:	400m ² approx.
Grass collection box capacity:	30L (full plastic)
Wheels Diameter:	Φ125mm/Φ140mm

12KG
Gross Weight

62x39x32cm
Carton Dimensions

929pcs
MOQ (40HQ)



TBE1636

1600W

Voltage:	230V-240V~, 50Hz
Wattage:	1600W
Speed (no load):	3600r/min
Cutting width:	360mm
Height adjustment:	6 (20-70mm approx.)
Advised max. cutting area:	500m ² approx.
Grass collection box capacity:	40L (full plastic)
Wheels Diameter:	Φ140mm/Φ198mm

15KG
Gross Weight

69x45x37cm
Carton Dimensions

616pcs
MOQ (40HQ)



TBE1842

1800W

Voltage:	230V-240V~, 50Hz
Wattage:	1800W
Speed (no load):	3600r/min
Cutting width:	420mm
Height adjustment:	6 (20-70mm approx.)
Advised max. cutting area:	700m ² approx.
Grass collection box capacity:	40L (full plastic)
Wheels Diameter:	Φ160mm/Φ215mm

16KG
Gross Weight

70x47x37cm
Carton Dimensions

595pcs
MOQ (40HQ)



Available for development

TBE1330

1300W

Voltage: 230~ 50Hz

Wattage: 1000/1100W

Wheel Diameter: Front 12.5cm, Rear 12.5cm

Speed: 3800/min

Cutting Width: 320 mm

Cutting height: 30~60mm, 3-level

Grass box Capacity: 38L Plastic Bag

Advised max. cutting area: 400m² approx.



12KG
Gross Weight



62x39x32cm
Carton Dimensions



929pcs
MOQ (40HQ)



TBE1640

1600W

Voltage: 230~ 50Hz

Wattage: 1600/1700W

Wheel Diameter: Front 17cm, Rear 22cm

Speed: 3800/min

Cutting Width: 400 mm

Cutting height: 20~70mm,6

Grass box Capacity: 45L Plastic Top + Fabric Bag

Advised max. cutting area: 500m² approx.



15KG
Gross Weight



67x45x37cm
Carton Dimensions



616pcs
MOQ (40HQ)



TBE1844

1800W

Voltage: 230~ 50Hz

Wattage: 1800/1900W

Wheel Diameter: Front 17cm, Rear 22cm

Speed: 3800/min

Cutting Width: 440mm

Cutting height: 20~70mm, 6 levels

Grass box Capacity: 45L Plastic Top + Fabric Bag

Advised max. cutting area: 700m² approx.



19KG
Gross Weight



70x47x37cm
Carton Dimensions



595pcs
MOQ (40HQ)





Patented GPS Algorithm

All Terrain Track

Built-in Handle

Multi-Sensor System

All Terrain Track

Swappable Workload



Robotic Lawn Mower Project



Open for Partnership



Self Propelled Trimmer



Powerful Drive



Effortless Operation



Smooth & Stable



High-Torque Trimming

OPTIONAL COVERS



String Trimmer

Turbo Powered




26KG
Gross Weight

77x49x53cm
Carton Dimensions

360pcs
MOQ (40HQ)

Engine	OHV, 4-stroke, air-cooled	Walk-Type	Self-propelled
Engine Model	TB1P70FA	Wheels	10"
Displacement	173cc	Starting System	Recoil
Deck	Metal Deck	Cutting Width	22" (560mm)
String Diameter	4.0mm	Cutting Height	30mm-75mm

All models are customizable.



Fully Protected Chassis


No More Exposed Components

Tougher Build, Easier Trimming

Foldable: Saves up to 50% of Storage Space



110cm



55cm

85cm

Front Tine Tillers



Powerful Tilling



Adjustable Width



Easy Controls



Durable Tines



OPTIONAL COVERS



All models are customizable.



Compact Packaging
430pcs in 40HQ



Mini Tillers



TB36T1

4-Bladed

TURBO

36KG
Gross Weight

66x38x65cm
Carton Dimensions

430pcs
MOQ (40HQ)

Engine Model TB1P65F

Tilling Width 360mm

Engine Power 2.7kW (3.6HP)

Max. Tilling Depth 270mm

Engine Speed 3000rpm

No. of Blade Groups 4

Engine Displacement 139cc

Wheels 6" (front)

Starting System Recoil

Features Swappable Blades

E-Start Available



TB60T1

6-Bladed

TURBO

39KG
Gross Weight

66x38x65cm
Carton Dimensions

430pcs
MOQ (40HQ)

Engine Model TB1P65F

Tilling Width 600mm

Engine Power 2.7kW (3.6HP)

Max. Tilling Depth 270mm

Engine Speed 3000rpm

No. of Blade Groups 6

Engine Displacement 139cc

Wheels 6" (front)

Starting System Recoil

Features Swappable, protected blades

E-Start Available



TB60T1B

6-Bladed

TURBO

40KG
Gross Weight

66x38x65cm
Carton Dimensions

430pcs
MOQ (40HQ)

Engine Model TB1P70FA

Tilling Width 600mm

Engine Power 3.6kW (4.8HP)

Max. Tilling Depth 270mm

Engine Speed 3000rpm

No. of Blade Groups 6

Engine Displacement 173cc

Wheels 6" (front)

Starting System Recoil

Features Swappable, protected blades

E-Start Available

TB36T3A

4-Bladed



36KG
Gross Weight



66x38x65cm
Carton Dimensions



430pcs
MOQ (HEHO)

Engine Model	LC1P65FE	Tilling Width	600mm
Engine Power	2.4kW (3.2HP)	Max. Tilling Depth	270mm
Engine Speed	3000rpm	No. of Blade Groups	6
Engine Displacement	159cc	Wheels	6" (front)
Starting System	Recoil	Features	Swappable, protected blades



TB60T3

6-Bladed



36KG
Gross Weight



66x38x65cm
Carton Dimensions



430pcs
MOQ (HEHO)

Engine Model	LC1P65FE	Tilling Width	600mm
Engine Power	2.4kW (3.2HP)	Max. Tilling Depth	270mm
Engine Speed	3000rpm	No. of Blade Groups	6
Engine Displacement	139cc	Wheels	6" (front)
Starting System	Recoil	Features	Swappable, protected blades



TB60T3B

6-Bladed



36KG
Gross Weight




66x38x65cm
Carton Dimensions



430pos
MOQ (HEHO)

Engine Model	LC1P65FC	Tilling Width	600mm
Engine Power	2.7kW (3.6HP)	Max. Tilling Depth	270mm
Engine Speed	3000rpm	No. of Blade Groups	6
Engine Displacement	159cc	Wheels	6" (front)
Starting System	Recoil	Features	Swappable, protected blades





Horizontal Gasoline Engines



Customizable



Multiple Options



Powerful



Reliable



Each Unit Tested



Certified



DT170F

211CC

Displacement (cc)	211
Bore x Stroke (mm)	70x55
Rated Power Output (kW/rpm)	4.3/3600
Max Torque (Nm/rpm)	10/2500
Fuel Tank Capacity (L)	3.6
Oil Capacity (L)	0.6
Starting System	Recoil
Dimensions (mm)	400x370x380
Net Weight (kg)	14



MF170FA

212CC

Displacement (cc)	212
Bore x Stroke (mm)	70 x 55
Rated Power Output (kW/rpm)	4.2 / 3600
Max Torque (Nm/rpm)	12 / 3000 ±500
Fuel Tank Capacity (L)	3.6
Oil Capacity (L)	0.6
Starting System	Recoil
Dimensions (mm)	425 x 330 x 395
Net Weight (kg)	14



MF170FA-1

223CC

Displacement (cc)	223
Bore x Stroke (mm)	70 x 58
Rated Power Output (kW/rpm)	4.5 / 3600
Max Torque (Nm/rpm)	12.5 / 3000 ±500
Fuel Tank Capacity (L)	4.0
Oil Capacity (L)	0.6
Starting System	Recoil
Dimensions (mm)	425 x 330 x 395
Net Weight (kg)	14



B&S 130G32

208CC

Displacement (cc)	208 cc
Bore x Stroke (mm)	70 x 54
Rated Power Output (kW/rpm)	4.9 / 3600
Max Torque (Nm/rpm)	12.9 / 3000 ±500
Fuel Tank Capacity (L)	3.03
Oil Capacity (L)	0.6
Starting System	Recoil
Dimensions (mm)	287 x 366 x 378
Net Weight (kg)	16.1



Reverse Gear Tiller



Easy Direction Swap



Adjustable Width



Powerful Engine



Durable Tines



TB85TR1

Turbo Powered

TURBO

50KG
Gross Weight

62x38x69cm
Carton Dimensions

399pcs
MOQ (40HQ)

Engine Model LB170F

Tilling Width 360/600/ 800mm customizable

Engine Power 4.8kW (6HP)

Max. Tilling Depth 100-250mm

Engine Speed 3600rpm

No. of Blade Groups 6

Engine Displacement 212cc

Wheels 6" (front)

Starting System Recoil

Blade Diameter 340mm

Brake System Belt & Chain

Features Swappable Blades

 All models are customizable.



SWAPPABLE TINES



Cage Wheels



Double-Sided Plow



Single-Sided Plow




Potato Plough



Resistance Rod



Powerful 212cc Engine



Heavy-Duty Gearbox





Rear Tine Tiller



Maximum Power



Counter-Rotating
Tines



Heavy-Duty Build



Professional Choice



Rear-Tine Tiller

Turbo Powered



72KG
Gross Weight

112x53x49cm
Carton Dimensions

220pcs
MOQ (40HQ)

Engine Displacement 212cc

Tilling Depth 203 mm

Engine Type 4-Stroke OHV

Tilling Depth Adjustments 41 mm Increments

Fuel Capacity 3.1 L

Wheel Diameter 330 mm

Oil Capacity 500 ml

Length 149 cm

Oil Type 10W-30

Width 50 cm

Tine Diameter 350 mm

Height 126 cm

Tilling Width 483 mm



All models are customizable.

**Ergonomic Controls
for Easy Handling
with Secure Locker**



**Large Front
Bumper-Handle
with Logo**



**33cm (13-inch)
Durable Pneumatic Wheels**



**12pc Heavy Duty
Steel Tines**





**212cc
Robust Engine
with Worm Gears &
Belt Drive System**



**Adjustable
Tiller Depth
with Protector**



Gasoline Scarifier



Dual Function



Promotes Growth



User Friendly



Low Maintenance





Scarifier

Turbo Powered

TURBO

45KG
Gross Weight

74x65x53cm
Carton Dimensions

270pcs
MOQ (40HQ)

Engine	OHV, 4-stroke, air-cooled	Wheels	Front 8, rear 10
Displacement	212cc	Starting system	Pull start
Power	4.0~4.5KW	Cutting height adjustment	6 individual position
No-load Blade speed	2500 rpm/min	Cutting Height	-15mm/-10mm/-5mm/0mm/ 6mm/+12mm
Deck	Metal	Blade	Scarifier/Ventilation
Cutting width	16" (450mm)	Grass bag	45L
Walk Type	Hand push		



Steel Wire Brush:

- Steel Wire Teeth No.: 26
- Steel Wire Diameter: Ø2.2mm
- Rotation Diameter: Ø180mm
- Cutting Width: 400mm



Rotary Blade Brush:

- Blade Teeth No.: 9
- Blade Thickness: 2mm
- Rotation Diameter: Ø180mm
- Cutting Width: 400mm

 All models are customizable.



Foldable: Saves up to 50% of Storage Space



Central Height Adjustment



Extra Reinforcing Bar at Rear Axle





Invertor Generator



Stable Output



Quiet Operation



Fuel Efficient



Reliable & Portable



TB3500iS

3kW

Engine Type	OHV, Single Cylinder, Forced Air Cooling, 4-Stroke
Ignition Type	T.C.I
Bore×Stroke(mm)	65×45
Displacement(ml)	149
Starting System	Recoil Start/Electric Start
Fuel Gas Type	90# or Higher Standard unleaded Gasoline
Fuel Tank Capacity(L)	8
Oil Volume(L)	0.6
Noise db(A)	≤65
Rated Voltage(V)	230
Rated Frequency(Hz)	50/60
Rated Output(kW)	3
Max. Output(kW)	3.5
Regulation System	Electronic speed adjustment

TB5500iS

5kW

Engine Type	OHV, Single Cylinder, Forced Air Cooling, 4-Stroke
Ignition Type	T.C.I
Bore×Stroke(mm)	72×55
Displacement(ml)	224
Starting System	Recoil Start/Electric Start
Fuel Gas Type	90# or Higher Standard unleaded Gasoline
Fuel Tank Capacity(L)	11
Oil Volume(L)	0.6
Noise db(A)	≤65
Rated Voltage(V)	230
Rated Frequency(Hz)	50/60
Rated Output(kW)	5
Max. Output(kW)	5.5
Regulation System	Electronic speed adjustment

PARTS


Front Handles



Control Panels



Quick Locks



Mower Blades • All Sizes Available



Magnesium Steel



Impact Resistant




Long-Lasting Sharpness



Precision Cutting Edge



Blade Length: All sizes available




Available in all sizes



Compact Packaging



Optional: Swivel Blade Set



Wheels & Rims

Available in 10", 8", 7" and 6" with customizable colors.



Rim A



Rim B



Rim C



Transmission



Carburetors



Spark Plugs



Belts



Starter Coils

Battery Packs



Battery Chargers

PROTECTIVE GEARS



Protective Goggles



Hearing Protection



Protective Gloves





TURBO
GARDENING MACHINERY

Yiwu

150KM

Shanghai

180KM

Ningbo

89KM

Zhejiang | 浙江

ZHEJIANG TURBO GARDENING MACHINERY CO., LTD.

✉ dan.li@turbogardening.com

★ www.turbogardening.com

📍 #138 East Jianghuan Rd., The East Industrial Park,
Shangyu, Zhejiang, China, 312300

📞 +86 187 2109 6950

SCAN FOR WECHAT



www.turbogardening.com